





R Folio
452.2
B56











Ann A Leighton
CURIOUS HERBAL,

Containing
FIVE HUNDRED CUTS,
of the most useful Plants,
which are now used in the Practice of
PHYSICK.

Engraved on folio Copper Plates,
after Drawings taken from
the LIFE.

By
Elizabeth Blackwell.

To which is added
a short Description of y^e Plants;
and
their common Uses in PHYSICK.

VOL. I.

LONDON:

Printed for JOHN NOURSE, at the Lamb opposite
Katherine Street, in the Strand 1751.



To
RICHARD MEAD M.D.
PHYSICIAN in Ordinary to his MAJESTY
and Fellow of the ROYAL COLLEGE of
PHYSICIANS of London; and Fellow of
the Royal Society.

Sir,

*As the WORLD is indebted to the ENCOURAGERS
of every Good, if the following UNDERTAK
ING should prove such, it is but justice to declare
who have been the chief PROMOTERS of it, and
as you was the first who advis'd its PUBLICATION,
and honour'd it with your NAME, give me Leave to
tell the READERS how much they are in your
Debt, for this WORK; and to acknowledge the
Honour of your FRIENDSHIP.*

I am

Cheltenham 12th of July 1737.

*Sir with great Respect your
most obliged humble Servant
Elizabeth Blackwell.*



THE HISTORY OF THE

REIGN OF

CHARLES THE FIRST

BY

JOHN BURNET

OF THE UNIVERSITY OF OXFORD

IN TWO VOLUMES

LONDON

Printed by J. St. John, at the Sign of the Crown, in St. Dunstons Church-yard

1704

By Authority

W. B. A. S.

W. B. A. S.

W. B. A. S.

W. B. A. S.

W. B. A. S.

W. B. A. S.

W. B. A. S.

W. B. A. S.

W. B. A. S.



*Dat. Comitibus censoriis ex Aedibus Collegii nostri
Die primo Julii 1737.*

*Imagines hae Plantarum Officinalium per Dominam
ELISABETHAM BLACKWELL delineatas, ari
incisas & depictas, iis qui Medicinæ Operam
dant, perutiles fore judicamus. —*

THOMAS PELLET, *Pres.*

HENRICUS PLUMPTRE,	} <i>Censores.</i>
RICHARDUS TYSON,	
PEIRCUS DOD,	
GULIELMUS WASEY,	



To

*this UNDERTAKING was honoured with the following publick
RECOMMENDATION by the Underscriven Gentlemen.*

London, October 1. 1735.

*We whose Names are underscriven, having seen a considerable Number
of the DRAWINGS from which the PLATES are to be Engraved,
and likewise some of the COLOUR'D PLANTS, think it a
Justice done the PUBLICK to declare our Satisfaction with them,
and our good Opinion of the Capacity of the Undertaker.*

R. MEAD, M.D.	IA. DOUGLAS, M.D.	JOSEPH MILLER.
G.L. TEISSIER, M.D.	JAMES SHERARD, M.D.	ISAAC RAND.
ALEX ^R . STUART, M.D.	W. CHESELDEN.	ROB. NICHOLLS.

*Les PERSONNES soussignées ont bien voulu faire à l'AUTEUR
de cet OUVRAGE l'honneur de lui donner leur APPROBATION
de la maniere suivante.*

Londres ce 1. Octobre, 1735.


*Nous soussignés, ayant vu un assez grand nombre des DESSINS
sur lesquels on doit graver les PLANCHES, de même que
quelques unes des PLANTES ENLUMINÉES, avons trouvé le
tout si bien EXECUTÉ que nous avons conçu une IDÉE avant-
ageuse de la Capacité de l'Auteur, & nous avons tout lieu de croire
que le PUBLIC recevra cet Ouvrage favorablement.*

R MEAD, M.D.	IA. DOUGLAS, M.D.	JOSEPH MILLER.
G.L. TEISSIER, M.D.	JAMES SHERARD, M.D.	ISAAC RAND.
ALEX ^R . STUART, M.D.	W. CHESELDEN.	ROB. NICHOLLS.



[Faint, illegible text block, possibly a title or header section.]

[Faint, illegible text block, likely the main body of the document.]



INTRODUCTION.

The Undertaker, being desirous to make this Work more useful to such as are not furnished with other Herbals, is resolv'd for their Sake to give a short Description of each Plant; the Place of growth, and Time of Flowering with its common uses in Physick, chiefly extracted from M^r. Joseph Miller's *Botanicum officinale* with his consent; and the ordinary Names of the Plant in different Languages.

Plate 1. Dandelion, or Piss-a-bed. *Dens Leonis*.

1. The Leaves of this Plant lie on $\frac{1}{2}$ ground; the Pedicels or Pipes on which the Flowers grow are about six or eight Inches high; and the Flowers yellow. The Root grows about a Finger thick, and eight Inches long, full of a white bitter Milk.
2. It grows almost every where in fallow ground, & flowers most Months in the Year.
3. The Roots & Leaves are used, as cooling, operative, provoking Urine, & strengthening $\frac{1}{2}$ Stomach, and are much eat as a Salad in the Spring.
4. greek, Αγάκη. Latin, *Dens Leonis*, *Taraxacum*. Spanish, *Diente de Leon*. Italian, *Dente di cane* and *Piscia al letto*. French, *Dens de Lion*, or *Pisse en liet*. German, *Pfaffenblatt* & *Rennichstopff*. Dutch, *Papenvunt*.

Plate 2. Red, Wild, or Corn Poppy. *Papaver rubrum*.

1. This Plant grows to be 2 Foot high, the Leaves are a Willow green, & the Flowers Scarlet.
2. It grows in most Corn-fields, and flowers in June and July.
3. The Flowers of this Poppy are cooling, incline to sleep, & much used in inflammatory Fevers. Official Preparations from it are, $\frac{1}{2}$ simple Water, $\frac{1}{2}$ Syrup, $\frac{1}{2}$ Conserve of $\frac{1}{2}$ Flowers & $\frac{1}{2}$ Tincture.
4. greek, Μίκερ. Latin, *Papaver rubrum*, *erraticum*, *rheum*. Spanish, *Amapolis*, or *Papoulla*. Italian, *Papavero salvatico*. French, *Pavot sauvage*, or *consaïon*. German, *Clapper Rosen*, or *Corn Rosen*. Dutch, *Rooden huel*.

Plate 3. Mullein or Hig-Taper. *Verbascum* or *Tapsus barbatus*

1. It grows to be six Foot high, the Leaves are a light Willow-green, & the Flowers a pale Yellow. They grow on Highways and commons, and flower in July. The leaves are used for coughs, Pains in $\frac{1}{2}$ Breast, and $\frac{1}{2}$ the Pains & outwardly in Fomentations, and are thought a specific against the Piles. Dioscorides recommends a Decoction of the Root as good for the Tooth-ach.
2. greek, Φ. & Λ. Latin, *Verbascum* or *Tapsus barbatus*. Spanish, *Jordoid*, or *Verbasco*. Italian, *Tafso barbasso*. French, *Bouillon*. German, *Beyß* *Bullkraut*. Dutch, *Wille knuyt*.

Plate 4. Garden Cucumber. *Cucumis sativus*.

1. This Plant trails on $\frac{1}{2}$ ground, the Leaves are a Yellow green, & the Flowers a pale Yellow.
2. It is raised from $\frac{1}{2}$ Seed yearly; & flowers, & bears Fruit for several Months in the Summer.
3. The Seed is used for the Stone, Strangury, heat of Urine, burning Fevers and Plurisies. Dioscorides says, the Fruit clears decayed Spirits; and recommends the Leaves boiled with Wine, and mixed with Honey as a cure for the Bite of a Dog.
4. greek, Σίκος ἡνεός. Latin, *Cucumis sativus* vulgaris. Spanish, *Concombre*. Italian, *Locomero*. French, *Concombre*. German, *Cucumera*. Dutch, *Concomieren*.



Dandelion

Eliz. Blatknell del. sculp. et Pinx.

1 Flower
2 Root
3 Seed

Dens Leonis
Taraxacum



Red Poppy

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Seed

Papaver

rubrum
cruciatum
rhoeas





Mullein

Hog Taper

Edw. Blackwell delin sculp et Pinx.

1 Flower
2 Fruit
3 Seed

Verbascum

Thapsus



Garden Cucumber

Eliz. Blackwell delin. Sculp. et Pinx.

1 Flower
2 Fruit
3 Seed

Cucumis Sativus

Plate 5. *Shepherd's Purse. Bursa Pastoris.*

1. The lower Leaves lie flat upon the Ground; the Stalk grows about a Foot high, and the Flowers are White.
2. It grows among Rubbish Banks and Walls, and flowers all the Summer.
3. This Plant is esteemed cooling, restraining, incrassating, & good in all sorts of Fluxes & Spitting of Blood, bleeding at the Nose; the too great Flux of the Catamensia, violent Floodings, & bloody Urine.
4. Greek. Latin *Bursa Pastoris*, or *Thlaspi sativum*. Italian. *Bursa Pastoris*. French. *Bourse a Pasteur*, or *Bourse de Berger*. German. *Sectelkraut*, *Secfel*, or *Zeschellkraut*. Dutch. *Borse kens cruyt*.

Plate 6. *Wild Tansie, or Silver weed. Argentina or Potentilla.*

1. This Plant creeps upon the Ground, sending Fibers from the Joints, by which it roots in the Earth and spreads; the Leaves are a light green covered as it were with a silver Down, and the Flowers yellow.
2. It grows in moist barren Ground where Water has stood all the Winter & flowers commonly in May or June.
3. The Leaves are restraining and vulnerary, good to stop all kinds of Fluxes & preternatural Evacuations; to dissolve coagulated Blood, to help those who are bruised by Falls; outwardly it is used as a Cosmetic to take off Freckles, Sun-burn and Morphea and is good in restraining Gargarisms.
4. Greek. Latin *Argentina*, *Potentilla*, *Tanacetum agreste*. Italian. *Potentilla*. French. *L'Argentine sauvage*, or *Tansie sauvage*. German. *Geneserich*, *grensich*, or *Grensfing*. Dutch. *Silvercruyt*.

Plate 7. *Rue. Ruta.*

1. The Leaves are a Willow-green, and the Flowers yellow; the Stalks grow about two Foot high.
2. It is planted in Gardens, and flowers in June and July.
3. The Leaves and Seed are used, being esteemed alexipharmic, good against all infectious and pestilential Diseases, and all kind of Fevers; it cures Disorders of the Head, Nerves, Numb, convulsion and Hysteric Fits, the Collick, Weakness of the Stomach and Bowels, it repells Poison, and cures the Bite of venomous creatures and mad Dogs. It is an Ingredient in the *Aqua Brion* comp. and the *Aqua Theriacalis*. The officinal Preparations are the simple Water, conserve of the Leaves, and an Oil by Decoction.
4. Greek. *Ῥύαρον*. Latin. *Ruta* & *Ruta hortensis major*. Spanish. *Aruda*. Italian. *Ruta*. French. *Rut*. German. *Rauten* or *Beinckraut*. Dutch. *Ruyte*.

Plate 8. *Wild Rose or Briar Rose. Rosa Canina.*

- The Leaves are a darker green than the Garden-rose; and the Flowers are some times white, but oftener a pale Red.
1. It grows in Hedges, & flowers in June & July. The Hips are fit to gather the latter End of September. On the Stalks of this Bush the *Bedeguar* grows, which is a redish green spongy hairy Excrecence, made by small Ichneumon Flies. See Ray's Catalogue of the Plants about Cambridge, p. 144.
 2. The Flowers of this Rose are thought more restraining than the Garden. Some look upon them as a specific for the Excess of the Catamensia. The Pulp of the Hips strengthens the Stomach, cools the Heat of Fevers, is pectorial, good for Coughs, Spitting of Blood & the Scurvy. The Seed is good against the Stone and Gravel. The *Bedeguar* is said to have the same Virtues. The officinal Preparation is, the *Conserve Cynosbati*.
 3. Greek. *Κυνόβατον*, *Scody Ayem* or *Κυνόσποον*. Latin. *Rosa canina*, or *Rosa Sylvestris*. French. *L. Rozier*, or *L'Eglantier* *ruissant*. German. *Bildersüß* or *Hectrofen*. Dutch. *Eglantier*.



Shepherd's Purse
 Eliz. Blackwell delin. sculp et Pinx.

1 Flower {
 2 Fruit {
 3 Root {
 4 Leaf {

Barbarea orthoceras





Wild Tansie
 Elz. Blackwell delin. sculp. et Pinx.

1 Flower
 2 Fruit
 3 Root

Argentina
 Potentilla





Rue

Eliz Blackwell delin. sculp. et Finx.

1 Flower
2 Fruit
3 Seed

Ruta





Wild Rose
 Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
 2 Fruit
 3 Seed

Rosa { canina
 silvestris

Plate 9. Wood Sage. *Salvia agrestis* or *Scorodonia*.

1. This Plant grows to be two Foot high; its Leaves are greener and broader than the garden Sage; the Flowers are yellow, with purple Stamina.
2. It grows in Hedges and bushy Places, and flowers in July and August.
3. It is esteemed good for the Gout, Rheumatism, Scurvy & Dropsy; provokes Urine & the Menstrues; it is an excellent vulnerary Plant, preventing Morbifications & gangreens.
4. Greek, Σκόροδιον. Latin, *Scordium*, *Salvia agrestis*, *Scorodonia*. Spanish, *Scordio*. Italian, *Scordio*. French, *Scordio*. German, *Basserbatenig*, or *Knoblochseraut*.

Plate 10. Sage. *Salvia*.

1. It is planted in Gardens; the Leaves are sometimes a hoary Green, & sometimes a reddish Purple, the Flowers are a bluish Purple; and grows about 13 Inches high.
2. It grows best in dry sharp Ground, and flowers in May and June.
3. The Leaves and Flowers are used, as good for all Diseases of the Head and Nerves; they are also diuretic, and good for Obstructions of Urine; and much used in all Sorts of Fevers, in Tea or Posset Drink.
4. Greek, Ελαιοσάκος. Latin, *Salvia*, and *Salvia hortensis major*. Spanish, *Salvia* and *Salva*. Italian, *Salvia*. French, *Sauvages*. German, *Salben*. Dutch,

Plate 11. White Lilly. *Lilium album*.

1. The Lilly grows about four Foot high; the Flowers are white, with yellow Apices in the middle.
2. It is planted in Gardens, and flowers in June and July.
3. The Flowers and Roots are used chiefly in external Applications; they are softening and anodine, good to dissolve and open hard Tumours and Swellings; and to break Imposthumations. Matthiolus recommends the Oil, made of the Flowers, as good for all Pains of the Joints & contracted Nerves. The official Preparation is, *Oleum Liliorum*.
4. Greek, Κεϊνον, Λέλειον. Latin, *Lilium album*, and *Lilium album flore erecto*. Spanish, *Azucena*, and *Lirio blanco*. Italian, *liglio bianco*. French, *Lis*. German, *Zilgen* and *Gilgen*. Dutch, *Lelie*.

Plate 12. Stinging Nettle. *Urtica*.

1. This Nettle grows to be two Foot high; the Leaves are of a lighter green than the Roman Nettle; the Flowers are a dull Yellow.
2. The Nettle grows every where in two great Plenty, and flowers for several Months in the Summer.
3. The Roots, Leaves and Seed are used as cooling and restraining; the Juice is thought good for all kinds of inward Bleedings, Haemorrhages and Fluxes. A Tent dipt in it stops the Bleeding of the Nose or Wounds. The Root is esteemed diuretic, and a Specific for the Jaundice. The Seed is recommended for coughs, shortness of Breath, and Obstructions of the Lungs.
4. Greek, Ακακύν or Ακακύν. Latin, *Urtica urens*, and *urens maxima*. Spanish, *Ortiga*. Italian, *Ortica*. French, *Ortie*. German, *Belschwerer Romisch Nessel*. Dutch,



Wood Sage
 Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
 2 Fruit
 3 Seed

Storodonia
 Salvia silvestris



Sage
E. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Seed

Salvia





White Lilly
 Eliz. Blackwell defin. sculp. et Pinx.

1 Flower
 2 Fruit
 3 Seed
 4 Root

Lilium album



Stinging Nettle } 1 Flower {
 Eliz. Blackwell delin. sculp. et Pinx. } 2 Seed {

Urtica



Plate 13. *Jasmine, or Jessamine. Jasminum or Jasminum album.*

1. This Shrub shoots forth long slender green Twigs, which would lie on a ground if they were not supported; the Flowers of the common Jasmine are white.
2. It is planted with us in gardens, and flowers for several Months in the Summer.
3. The Flowers are the only Part used. Schröder commends them as good to warm & relax the Womb, to heal any Schirrhus therein, and to facilitate the Birth; and also for a cough and Difficulty of breathing. The Oil made by Infusion of the Flowers is used in Perfumes. Matthiolus thinks that the Ointment made of Jasmine by the Ancients was not that Jasmine which we have now.
4. Greek. Latin, *Jasminum* or *Jasminum album* or *Jelsiminum*. Italian, *Gelsimino*. French, *Jasmin*. German, *Beireben*. Dutch.

Plate 14. *Narrow-leaved Plantain, or Ribwort. Plantago angustifolia, or Quinquenerria.*


1. It grows to eight or nine Inches high; the Leaves have five Aerves which run quite thro' them from the Root; the Flowers are of a light Amber colour with white Apices.
2. It grows in Fields and Meadows and flowers mostly in May and June, altho' you may find some of it in Flower most Months of the Summer.
3. It is cold, dry and bindow; good in all kind of Fluxes and Haemorrhages as Spitting or vomiting of Blood, bleeding at the Nose, the Excess of the Catamenia or Lochia. It stops a involuntary making of Urine, eases its Heat & Sharpness, & the Gonorrhea, & stops the bleeding of Wounds. The official Preparation is, the simple distilled Water.
4. Greek, *Ανθάρα* or *μακρό* or *ηλ. τρύα*. Latin, *Plantago angustifolia* & *Quinquenerria*. Italian, *Plantagine longa* or *Lanciola*. French, *Plantain*. German, *Spigiger Wegrich*. Dutch,

Plate 15. *S^t John's Wort. Hypericum.*

1. This Plant grows to be two Foot high; the Leaves when held up against the Light appear full of small Holes; the Flowers are a bright Yellow, with a great Number of Apices & Stamina, which being bruised between 5 Fingers emit a bloody Juice.
2. It grows in Hedges and among Bushes, and flowers in June and July.
3. S^t John's Wort is accounted operative, deterfive, diuretic, alexipharmic; good in tertian and quartan Agues; destrous Worms, and is an excellent vulnerary Plant. A Tincture of 5 Flowers in Spirit of Wine is commended against Melancholy & Maltwch. Outwards it is of great Service in Bruises, Contusions & Wounds, especially in the nervous Parts. The official Preparations are, the simple and compound Oil.
4. Greek, *Υπερικον*. Latin, *Hypericum* or *Hypericum vulgare*. Spanish, *Corajoncillo*. Italian, *Hyperico* and *Perforata*, or *Herba di S. Giovanni*. French, *Millepetais* or *Trucheran*. German, *Sanct Johannisraut*. Dutch.

Plate 16. *Fox-glove. Digitalis.*

1. It grows to be three Foot high; the Leaves have a little Down upon them; 5 Flowers are red, spotted with white, and grow all on one side of the Stalks.
2. Fox-Glove grows in Hedges and Lanes; and flowers in June and July.
3. This Plant is but rarely used inwardly, being a strong Emetic, working with Violence upwards and downwards. Parkinson extolls a Decoction of it in Ale, with Polypody Roots, as an approved Remedy for 5 Falling Sickness. The late Doctor Puisse commends a Ointment made of the Flowers and May Butter, for scrophulous Ulcers which run much dressing them with the Ointment and purging two or three Times a Week with proper Purgers. The official Preparation is, the *Unguentum digitalis*.
4. Greek. Latin, *Digitalis*, or *Digitalis purpurea*. Spanish, Italian, French, *La Digitale*. German, Dutch,



Jasmine

Eliz. Blackwell delin. sculp. et Pinx.

{ 1 Flower
 { 2 Fruit
 { 3 Seed

Jasminum



Narrow leaved Plantain
Ribwort
Eliz Blackwell delin. sculp. et Pinx.

1 Flower
 2 Pistil
 3 Seed

Plantago angustifolia
Quinquenervia





St. John's Wort

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Seed

Hypericum





Fox Glove

1 Flower

2 Fruit

3 Seed

Digitalis

Plate 17. *Wormwood. Absinthium vulgare.*

1. It grows to be three Foot high; the Stalks are hoary full of a white Pith, & Leaves are a Willow-green above, & a light hoary underneath; the Flowers are yellow.
2. It grows in Lanes and waste Places, and flowers in July and August.
3. The Leaves & Tops are used; they purge Melancholy Humours, provoke Urine, restore an Appetite that is lost by Drinking. They are good against the Disorders of the Stomach, vomiting & Surfeits, they strengthen the Viscera, kill Worms, & are of service in Dropsies, Jaundies, tertian & quartan Agues. In all the above cases it is infused in Water, Ale or Wine. A Cataplasim of the green Leaves beat up with Hog's Lard was commended to M^r. Ray by D^r. Sulse as a good external Remedy against the swelling of the Tonsils & Quinzy. See Rays Cat. Plantarum. Official Preparations are, a simple Water; a greater and a lesser compound Water; a simple and a compound Surup; an Oil by infusion, and decoction; and Oil by Distillation; an Extract; a fixt Salt.
4. Greek, Ἀψινθιον. Latin, *Absinthium vulgare* or *Ponticum*. Spanish, *Asentios* or *Alofna*. Italian, *Assenzo* or *Assentia*. French, *Aluigne* or *Alfince*. German, *Wermut*. Dutch, *Alsem*.

Plate 18. *Yarrow or Milfoil. Millefolium.*

1. The Stalks grow about eighteen Inches high, and are somewhat hairy; the Flowers are white, and grow on the Tops of the Branches in flat Umbels.
2. It grows in most Fields, and flowers in June and July.
3. The Leaves are esteemed cooling, drying, binding, serviceable in all kinds of Haemorrhages; as spitting or vomiting Blood, bleeding at the Nose, Dysentery the too great Flux of the Menstrues, violent flooding, cooling and tempering its immoderate Sharpness; it is good in a hemorrhæa. Strangury, Heat of Urine; when applied outwardly it is of Service against Ruptures, staunches the bleeding of Fresh Wounds.
4. Greek, Στεφάνιος χιδοπόλλος μέγας. Latin, *Millefolium terrestre vulgare* or *vulgare Flore albo*. Spanish, *Milbegas* or *va*. Italian, *Millefoglio*. French, *Millefeuille*. German, *Garben*. Dutch, *Duyfsud-blad*.

Plate 19. *The Garden Bean. Faba major, or major hortensis.*

1. The Garden Bean grows to be three or four Foot high; the Leaves are a pale Green, and the Flowers white, with two black Spots in them.
2. It is sown in Gardens, and flowers in May, and the Beans are ripe in June or July.
3. The Water distilled from the Flowers is used by many as a Cosmetic; & that from the Pods is accounted good for the Wind & gripes in Children. Dioscorides says, the Meal made into a Cataplasim removes the Swellings in Women's Breasts which are occasioned by the Milk; he also recommends it mixt with Roses, Time, & the white of an Egg, as good for purging all watery Rheums from the Eyes; & mixed with Wine as good for the Wob & blood-shot of the Eyes. The Meal given inwardly is esteemed good for a bloody flux. The official Preparations are, the *Aqua Florum et Siliquarum Fabarum*.
4. Greek, Κίανος. Latin, *Faba major*, or *Faba major hortensis*. Spanish, *Favas*. Italian, *Fava*. French, *Favé*. German, *Bonen*. Dutch, *Roonse*, or *Boere-Boonen*.

Plate 20. *Meadow Trefoil or Clover Grass. Trifolium vulgare.*

1. The Leaves are a pale Green, and the Flowers purple spotted with white, the Stalks grow to be eighteen Inches high.
2. It grows in most Fields and Meadows, and flowers in May or June.
3. The Leaves & Flowers are used as drying, binding, good for all kind of Fluxes, & Strangury & heat of Urine; made into a Cataplasim with Hog's Lard they are reckoned good for Tumours & Inflammations. Nathaniel Juss. a Decoction of the Whole Plant in Flower, stops the Whites in Women.
4. Greek, Τρίφυλλον. Latin, *Trifolium vulgare*. Spanish, *Troisfeuille*. Italian, *Trifoglio*. French, *Biefenclee*. German, *roode Klaveren*. Dutch, *roode Klaveren*.



Wormwood

Eliz Blackwell delin. Sculp. et Pinx.

{ 2 Fruit
3 Seed }

Wormwood



Yarrow

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Seed

Millefolium

Plate 19



The Bean
Phaseolus vulgaris L.

Fl.
 Fr.
 Seed

1.



Purple Trefoil
Clover Grass
Eliz. Blackwell delin. sculp. et Pinac.

1 Flower
2 Fruit
3 Seed

Trifolium vulgare



Plate 21. *Agrimony. Agrimonia.*

1. This is the Eupatorium of Dioscorides, Galen, & the ancient Greeks; it grows about two Foot high, having several winged hairy Leaves of a pale green colour, and yellow Flowers.
2. It grows in Hedges, and the Borders of Fields; and flowers in June and July.
3. Agrimony is esteemed cleansing and purifying for the Blood, strengthening Liver, and good in all Diseases arising from the Weakness thereof, as the Dropsy, Jaundice &c. Matthiolus recommends it with white Wine as an excellent Cure for the Strangury and bloody Water. Riverius extols it Powder of it dried Leaves for the Incontinence of Urine. It is likewise a vulnerary Plant, & put in Wound-Drinks; & outwardly used in Baths & Fomentations.
4. Greek, *Ευπράσιον*. Latin, *Agrimonia*, or *Eupatorium Græcorum*. Spanish, *Agramonia*. Italian, *Agrimonia*. French, *Agreimoine*. German, *Adermeng*. Dutch, *Agremonie*.

Plate 22. *Common Mallon. Malva vulgaris.*

1. Mallons grow to be three Foot high; the Stalks are somewhat hairy, & the Leaves are a yellowish green, & Flowers are a bright reddish Purple, striped with a deep Purple.
2. It grows commonly by Waysides, and flowers for most Months in the Summer.
3. This is one of the five emollient Herbs, being Loosening, cooling & Molifying. A Decoction of the Leaves, sweetned with Syrup of Violets, & drank now and then to the Quantity of a Quarter of a Pint, keeps the Body soluble assuages cholerick Humours, allays the heat & Sharpness of Urine, eases the Stone & Gravel, and provokes Urine. A Cataplasm made of the Leaves, eases the smart of the Place that is stung by Bees or Wasps. Where Marsh Mallons are not to be had this may supply the Place.
4. Greek, *Μαδάρν*. Latin, *Malva* & *Malva vulgaris*, or *agrestis*. Spanish, *Malvas*. Italian, *Malva*, or *Malva*. French, *Malve*. German, *Pappel*. Dutch, *Kaasscruid*.

Plate 23. *Garden Cress. Nasturtium Hortense.*

1. It grows to be eighteen Inches high; the Leaves are a bright green, & the Flowers white.
2. It is sown in gardens yearly, and flowers most Months in the Summer.
3. The Leaves are much used as a Salad, their warmth being good to help the coldness of others mixed with them. They are esteemed good for the Scurvy, Dropsy, Palsy and Lethargy. A Cataplasm of the Leaves with Hog's Lard cures scald Heads. the Seed helps the Scurvy and Dropsy, and swelling of the Spleen; and opens Obstructions in the Female sex, and prevents the falling off of the Hair.
4. Greek, *Κάπταρον*. Latin, *Nasturtium*. Spanish, *Nasturtio*, and *Malpica*. Italian, *Nasturtio* and *Agretto*. French, *Cresson de Jardin*, and *Nasturt*. German, *Garten-cress*. Dutch, *Thuyt-Kersse*.

Plate 24. *Self-Heal. Prunella or Brunella.*

1. This Plant grows to be a Foot high, the Leaves are a dark Green, and the Flowers Purple.
2. It grows in Meadows and pasture Grounds, flowering all the latter Months of the Summer.
3. It is used for all Inflammations and Ulcers in the Tongue, Jaws and Throat, either the Juice or a strong Decoction, as also for inward Bleedings & making of Bloody Water.
4. Greek *Ευπράσιον*. Latin, *Prunella* or *Prunella vulgaris*. Spanish, *Agramonia*. Italian, *Consolida minore*. French, *Agreimoine*. German, *Brunellen*, & *Adermenge*. Dutch, *Bruynelle*.



Agrimonia

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Fruit cut
4 Seed

Agrimonia
Eupatorium græcorum



Malva

Eliz. Blackwell delin. sculp. et P. ...

1 Flower
2 Fruit
3 Seed

Malva



Grev.
garden Cress
 Eliz. Blackwell delin. sculp. et Pinx.

{ 1 Flower
 2 Fruit
 3 Seed }

Nasturtium
Nasturtium hortense



Self Heal

Eliz. Blackwell delin. sculp. et Pinx.

{ 1 Flower
 { 2 Cup
 { 3 Seed

*Prunella
Brunella*

Plate 25. *Wood-Bind* or *Honey-Suckle*. *Caprifolium*, *Peryclemenum*

1. This Shrub grows to the thickness of eight or ten Inches in circumference, shooting out long slender Stalks, which twist about every thing they meet with; the Leaves are a bluish green, and the Flowers a pale red; which are succeeded by Berries of a deeper Red.
2. It grows in most Hedges, and flowers the greatest part of the Summer.
3. The Leaves are sometimes put into Gargarisms for sore Throats. Some commend a Decoction of them for a Cough and the Pysick; and to open Obstructions of y^e Liver & Spleen. The Oil, made by infusion of y^e Flowers, is accounted healing & warming, good for the Cramps & Convulsions of y^e Nerves. Matthiolus recommends the Leaves & their Juice as good in the Ointments that are used for Wounds in the Head, and Ulcers in the Legs.
4. Greek, Περικλόμενον. Latin, *Caprifolium*, & *Peryclemenum*. Spanish, *Madrefilva*. Italian, *Vincibosco*. French, *Vincibosse*. German, *Beißblatt*. Dutch, *Geitenblad*, & *Mammethes-kruyd*.

Plate 26. *Lark's-Spur*. *Delphinium*, or *Consolida regalis*.

1. It grows to be a Yard high, the Leaves are a dark green, and the Flowers commonly a fine blue; but sometimes a Purple.
2. It is sown every Year in Gardens, and flowers most part of the Summer.
3. This is esteemed a vulnerary Plant, of a healing Nature. Matthiolus says it cures the Rheums and Inflammations of the Eyes; mixed with Honey & drank with sweet Wine it removes the sharpness of Urine. It likewise closes up fresh Wounds, and heals Ulcers.
4. Greek, Δελφινιον. Latin, *Delphinium* or *Consolida regalis*. Spanish, Italian, *Consolida reale*. French, *Pied d'Alouette*. German, *Rittersporra*. Dutch, *Ridderspoorn*.

Plate 27. *Balm*. *Melissa*.

1. This Plant grows to be three Foot high; the Stalks are square, the Leaves a light yellow green, and the Flowers white.
2. It grows only in Gardens here, and flowers in July and August.
3. The whole Herb is used, and esteemed cordial, cephalic, good for Disorders of the Head and Nerves, cheers the Heart, cures its Palpitation, prevents Fainting, Melancholy, Hypochondriac, and Hysteric Disorders; resists Putrefaction, and is of great service in malignant and contagious Distempers; outwardly applied it helps the stinging of Bees and Wasps. The officinal Preparation is, the Simple Water.
4. Greek, Μελισσόδενδρον. Latin, *Melissa*, or *Melissophyllum*. Spanish, *Troncil* or *Hierba cidreira*. Italian, *Melissa*. French, *Melisse* & *Pomerade*. German, *Melissen Mutterkraut*. Dutch, *consilj de greyn*.

Plate 28. *Hedge-Mustard*. *Erysimum*.

1. It grows to be two Foot high, the Leaves are a yellow green, & y^e Flowers a pale Yellow.
2. Hedge-Mustard grows commonly by Way-sides, and on Banks, and flowers most part of the Summer.
3. This Plant is hot, dry, opens & attenuates; by its warming Quality, it dissolves thick and slimy Humours in y^e Lungs, helps a Cough and shortness of Breath. It is much recommended against an habitual Hoarseness, to recover y^e Voice. Riverius praises a Decoction of it in Wine, as a good remedy for y^e Colic. The officinal Preparation is, the Syrupus de *Erysimo*.
4. Greek, Ερύσιμον. Latin, *Erysimum*. Spanish, *Rinchaon*. French, *Vélar* or *Tortelle*. Italian, *Erysimo* or *Iron*. German, *Hederich* & *Wilder-Scuff*. Dutch, *Steen-Raket*.



Honey Suckle
Wood Bind

Elliz. Blackwell delin. sculp. et Pinz.

1 Flower
2 Fruit
3 Seed

Periclymenum
caprifolium *Matisilva*



Lark Spur

Eliz. Blackwell delin. sculp et Pinx.

1 Flower
2 Fruit
3 Seed

Consolida regalis
Delphinium



Balm

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|---|-----------------------|
| { | 1 Flower with its Cup |
| | 2 Flower separate |
| | 3 Cup |
| | 4 Seed |

Melissophyllum





Hedge Mustard

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|-------------------|---|
| 1 Flower | { |
| 2 Pod | |
| 3 Middle Membrane | |
| 4 Seed | |

Erysimum



Plate 29. White Mustard. *Sinapi album.*

1. The Stalks grow to be two Foot high, and are hairy; the Leaves are a light Green; and the Flowers a bright yellow.
2. It grows wild in dry Banks, and the Edges of Fields, and flowers in July.
3. The Seed provokes an Appetite, strengthens the Stomach and helps Digestion. Dioscorides recommends the Juice mixed with Water and Honey as good to gargle the Throat with, and help Women who are troubled with the Mother; a Cataplasm of Figs and the Juice is good for the Lethargy, by laying it on the Head, shaved, all the place grows red; & the same Cataplasm laid on y^e Hip eases the Sciatica. The Seed he recommends as good in Plasters to soften y^e Scabs of the Head.
4. Greek, Σινάπι ἄλευρον. Latin, *Sinapi album* or *alterum*. Spanish, Mostaza blanco. Italian, Senape or Senauro salvalico. French, Seneve blanc. German, gelder Senff. Dutch, Wit Mostard-Zaat.

Plate 30. Sow Thistle. *Sonchus asper.*

1. It grows about two Foot high, the Leaves are a bright green; and the Flowers a pale yellow.
2. This Sow Thistle grows commonly on Banks, and flowers in May and June.
3. The Leaves are of the same Nature with those of the Dandelion, being aperative and Laxative, and good for the gravel and stoppage of Urine. Matthiolus says the Roots and Leaves when young are much used in Italy in Salads; & recommends the Milk of the Stalk in Wine as good for an Asthma; & the distempers of the Ear, when boiled with Oil. Galen recommends y^e Leaves to be chew'd for an offensive Breath.
4. Greek, Σόγχος, Σόνχος. Latin, *Sonchus asper*. Spanish, Serraya or Serralka. Italian, Soncho, Cicerbita. French, Laiteron. German, Bitter Stachel or Gaisdistel. Dutch, Gonsje-distel.

Plate 31. Crow-foot. *Ranunculus pratensis repens.*

1. This Plant grows to be a Foot high, the Stalks and Leaves are somewhat hairy, the Flowers are a shining bright Yellow.
2. It grows in most Fields, and flowers in May.
3. Crow foot is caustic, and may be used to draw Blisters, where Antharides cannot be had; but they must not ly on too long, for fear of ulcerating the Part. The Bavarians extol the distilled Water from the Leaves of the bulbous Sort, or the Leaves infused in Brandy, as an excellent Remedy against the Plague.
4. Greek, Βαρράχιον & οὐρίον ῥανύκειον, Ρανυγκιός. Latin, *Ranunculus pratensis*. Spanish, Yerva belida. Italian, Ranoncolo or Pie Corbini. French, Grenouillette or Bassiniz. German, Ranen Fuss. Dutch, S. Anthonis Raapje.

Plate 32. Water-Mint. *Mentha aquatica* or *Sisymbrium.*

1. It grows to be 8 Inches high, y^e Stalks are hairy; & y^e Flowers a red Purple and y^e Leaves a reddish Green.
2. It grows in Ditches and Watery places, and flowers in June and July.
3. This Mint is rather hotter than y^e Garden Mint, being carminative expelling Wind out of the Stomach, & helping y^e Colic; it opens y^e Obstructions of y^e Uterus and procures the Catamenia. The Juice drop'd into the Ears is good to ease their Pain & help Deafness. Dioscorides recommends the Leaves boiled in Water as good to stop a Reaching or Vomiting.
4. Greek, Σισυμβρίον. Latin, *Mentha aquatica* or *Sisymbrium*. Spanish, Berros or Anris. Italian, Sisymbro. French, German, Dutch, Rosse water Mint.



White Mustard

Eliz. Blackwell delin. sculp et Tinx.

{ 1 Flower
2 Fruit
Seed }

Sinapa album



Prickly Sow Thistle

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Cup

Sonchus asper





Crown foot

{ 1 Flower
2 Fruit }

Ranunculus

Eliz. Blackwell delin. sculp. et Pinx.



Water Mint

Wm. Blackwell delin. sculp. et Pinx.

1 Flower
2 Cup
3 Seed

Mentha aquatica
Sisymbrium

Plate 33. *White-Archangel* or *Dead-Nettle*. *Lamium album* or *Urtica mortua*.

1. The Stalks grow to be a Foot high; the Leaves are a dark Green and the Flowers White.
2. It grows by Hedges, and flowers in April and May.
3. The Flowers are accounted a Specific against the Fluor albus, and are frequently made use of in a Conserve or Decoction for that purpose, which is to be continued for some time. Some recommend this Plant as of great use against the King's-Evil, and all scrophulous Swellings. The officinal Preparation is, the Conserve of the Flowers.
4. Greek, Ταλιοψις. Latin, *Lamium album*, or *Urtica mortua*. Spanish, *Ortica muerta*. Italian, *Ortica secca*, or *Ortica morta*. French, *Ortie*. German, *Daubnessel*. Dutch, *Dood Netelen*.

Plate 34. *Woody Night-Shade*, or *Bitter-Sweet*. *Solanum lignosum*, or *Dulcia mara*

1. This Species of Night-Shade has many long ash-coloured Branches, that climb up upon any thing it grows near to; the Leaves are a deep Green, and the Flowers Purple.
2. It grows in most Hedges & watery Places, and flowers in May and June.
3. The Leaves and Trunks are used, and are commended by some against the Dropsy, Jaundice, and King's-Evil. Parkinson says it purges violently enough. Prevotius in his *Medicina Pauperum*, commends it as a kindly Evacuator of Bile. Dioscorides commends the Berries as good to take Spots out of the Skin.
4. Greek, Αμνέδος άπλα. Latin, *Solanum lignosum* & *Dulcia mara*. Spanish, Italian, *Vite salvatica*. French, *Morele*. German, *Selengerje lieber*. Dutch, *Groote winde*.

Plate 35. *Broad-leaved Plantain*. *Plantago latifolia*, or *Septinervia*.

1. The Stalks of this Plantain grow to be eight Inches high; the Flowers are a whitish colour.
2. It grows by Way-sides and Meadows, and flowers in May.
3. Plantain is cold, dry, and binding; usefull in all kinds of Fluxes and Haemorrhages, as spitting & vomiting of Blood, bleeding at the Nose, the Excess of the Catamenia or Lochia. It is likewise esteemed good for the involuntary making of Urine, its Heat and Sharpness, & the gonorrhoea; it helps to stop & bleeding of Wounds & consolidate their Lips. The officinal Preparation is the Simple distilled Water.
4. Greek, Αρνόγλωσσον. Latin, *Plantago latifolia*, or *Septinervia*. Spanish, *Lhantem* or *Tamehagem*. Italian, *Piantagine* or *Centinerbia*. French, *Plantain*. German, *Megrich*. Dutch, *Weeg bree*.

Plate 36. *Borrage*. *Borrago*, or *Buglossum*.

1. It grows to be 18 Inches high, the Leaves are a grass Green, and the Flowers Purple.
2. It grows frequently as a Weed in Gardens; and is often found wild near Houses and upon Walls; and flowers in June.
3. The Leaves are esteemed cordial, comforting the Heart, preventing Faintness & Melancholy. The Tops are much used in Wine & Cool-Tankards. They are accounted Alexipharmic, and good in malignant Fevers. The Flowers are one of the four cordial Flowers. The officinal Preparation is the Conserve of the Flowers. Matthioli recommends the whole Plant distilled, as good for y Inflammations of the Eyes, whether inwardly or outwardly applied.
4. Greek, Βούγλωστρον. Latin, *Borrago* or *Buglossum*. Spanish, *Borrajá*, *Borrajenes*, *Borrajés*. Italian, *Borragine*. French, *Borrache*. German, *Burretsch*. Dutch, *Bernaasje*



White Archangel
Dead Nettle

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower }
2 Cup }
3 Seed }

Lamium album
Urtica mortua



Woody Night-shade
Bitter-sweet
Eliz. Blackwell delin. sculp. et Pinx.

1 Flower {
2 Fruit {
3 Seed {

Solanum lignosum
Dulca mara



Plantain

Eliz. Blackwell delin sculp. et Pinx.

{ 1 Flower
2 Seed Vessel
3 Seed }

*Plantago
Septinervia*



Borragè

Eliz. Blacknell delin. sculp et Pinx.

{ 1 Flower
 { 2 Seed

Borago

Plate 37. *White Briony. Bryonia alba or Vitis alba.*

1. The Stalks of this Briony climb up to a great Height in the Hedges; the Leaves much resemble those of a Vine; the Flowers are a whitish green Colour.
2. It grows in Lanes and Hedges, and flowers in May and June.
3. The Root is a strong Purger of serous watery Humours, which it does both upwards and downwards, & is esteemed good for $\frac{1}{2}$ Dropsy, Gout, Epilepsy, Palsy & hysteric Disorders. Doctor Sydenham commends it very much in cases of Madnels. The Faecula is much of the same Nature, but something Weaker. The officinal Preparations are the Aqua Brioniae comp. or the Hysteric Water, and the Faecula Brioniae.
4. Greek, Αυτοκλος λευκη . Latin, *Bryonia alba*, or *Vitis alba*. Spanish, *Neura*, or *Anorca*. Italian, *Brionia*, or *Zucca salvatica*. French, *Colubrine* or *Couluree*. German, *Suctwurk* or *Zeusselwurfs*. Dutch, *Wilde Wyngaarde*.

Plate 38. *Great White Bindweed. Convolvulus major albus, or Smilax laevis.*

1. It runs up to a great height when it has any thing to twist about, the Leaves are a willow green, and the Flowers white.
2. This Plant grows in most Hedges, and flowers all the latter end of the Summer.
3. The Root of the Great White Bindweed is somewhat cathartic. Prevotius in his *Medicina Pauperum* reckons it a gentle Evacuator of the Bile. Camerarius doubts whether this be the *Smilax laevis* of the Ancients.
4. Greek, Σμίλαξ λευκη . Latin, *Convolvulus major albus*, or *Smilax laevis*. Spanish, *Correquila major*. Italian, *Viticchio maggiore*. French, *Liset* or *Campanetre*. German, *Binden*. Dutch, *Groote Winde*.

Plate 39. *Clivers or Goose Grass. Aparine.*

1. This is a creeping Plant that grows annually from the Seed; the Stalks, Leaves and Seed are rough, and the Flowers are white.
2. It grows in most Hedges, and flowers for several Months in the Summer.
3. The whole Plant is used, & is esteemed moderately cooling & drying, good to sweeten $\frac{1}{2}$ Blood; It is also accounted vulnerary, & of Service in $\frac{1}{2}$ Kings-Evil, for which some give the Juice as a great Secret. It is likewise diuretic, and helps the Stone and Gravel. This is one of those Herbs which are commonly put into Spring Porridge as good for the Scurvy.
4. Greek, Αβραγιν . Latin, *Aparine*. Spanish, *Italian, Aparine, or Speronella.*
French, *German, Klebraut. Dutch, Kleef-kruyd.*

Plate 40. *Wheat, & Bearded Wheat. Triticum, & Triticum aristatum.*

1. The Wheat without Arms or Beards is that which grows most common in England; some call the Bearded Wheat Dugdale Wheat.
2. It is sown commonly in Autumn and reaped the July or August following.
3. This Grain is reckon'd more nourishing than any other Grain for Bread. A Poultice made of it boiled in Milk eases Pains, and ripens Tumours & Impoisthumations. A piece of Bread, toasted and dip'd in Wine, is good to stop Vomiting, by applying it to the Stomach. The Bran is used in cataplasms, and applied hot in Bags for Pains in the Sides. There was formerly kept in the Shops an *Emplastrum de Crusta Panis*.
4. Greek, Τριτος . Latin, *Triticum* or *Triticum aristatum*. Spanish, *Trigo*. Italian, *Grano* or *Tormento*. French, *Fourment*. German, *Beissen*. Dutch, *Tarran*.



Bryonia

Eliz. Blackwell delin sculp. et. Pinx.

1 Flower
2 Fruit & Flower
3 Fruit Green
4 Fruit Ripe

Bryonia alba
Vitis alba



Great Bindweed

Eliz. Blackwell delin. sculp. et Pinx

1 Flower
 2 Fruit
 3 Seed

Convolvulus major albus
Smilax Lervis



Clivers
Goose Grass

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower {
2 Fruit {
3 Seed {

Aparine



Wheat N^o 1

Bearded Wheat N^o 2

Liz. Blackwell delin sculp. et Pinx.

} 3 Seed {

Triticum

Triticum aristatum




Verbena

Bluz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Calyx
3 Seed

Verbena



Ox-Eye Daisy

Eliz. Blackwell delin. sculp. et Pinx

$\left. \begin{array}{l} 1 \text{ Flower} \\ 2 \text{ Seed} \end{array} \right\}$

Bellis major



Pimpernell

{ 1 Flower
 { 2 Fruit
 { 3 Seed

Anagallis terrestris mas

Eliz. Blackwell delin. sculp. et Pinx.



Heart's Bane
Pansies

Eliz. Blackwell delin. sculp. et Pins

7 *Flowers*
1 *Flower*
1 *Flower*

Plate 45. *Bramble or Blackberry Bush. Rubus or Rubus vulgaris.*

1. This Shrub has many long creeping Branches; there are commonly 5 Leaves on one Footstalk in the lower Parts, and three on the upper Parts next to Fruit; the Leaves are a deep green; the Flowers a pale Red, and sometimes White; and the Fruit when ripe is of a black Colour.
2. It grows in most Hedges, & flowers in June & July; the Fruit is ripe in September.
3. The Leaves are accounted restraining, & are frequently prescribed in Gargarisms for sore Mouths & Throats; the unripe Fruit is very binding and restraining, useful for all kinds of Fluxes & Bleeding, for Thrushes & sore Mouths. The Juice of the ripe Fruit made into Syrup is esteemed good against the Heat of Urine.
4. Greek, Βάρος. Latin, Rubus, & Rubus vulgaris. Spanish, Carza. Italian, Rova. French, Ronce. German, Briamen. Brambeer and Grakbeer. Dutch, Braam-bezein.

Plate 46. *Betony. Betonica, & Betonica silvestris or vulgaris.*

1. It grows to be eighteen Inches high, the Leaves are a deep grass Green, and the Flowers a red Purple.
2. Betony grows in Woods & Thickets & by Hedge-sides, & flowers in May and June.
3. It is accounted a good cephalic, hepatic & vulnerary Plant. The Ancients had it so much in esteem that Antonius Musa, Physician to Augustus Caesar, wrote a whole Treatise on it. The Leaves dried & mix'd with Tobacco are frequently smoked for the Head-ach, Vertigo, & sore Eyes. Mixed with Wood-Sage & Ground-Pine, it makes a good diet Drink for the Gout & Rheumatism. The fresh leaves bruised are good for green Wounds & to draw out Splinters. The official preparations are the conserve of the Flowers, and the Emplastrum de Betonica.
4. Greek, Κετρυ & Ψυότρυον. Latin, Betonica. Spanish, Bretonia. Italian, Betoneca. French, Betoine. German, Betonien. Dutch, Betonie.

Plate 47. *Marum, or Syrian mastic Thyme. Marum Syriacum.*

1. This Plant grows to be a Foot high, the Leaves are willow Green, & the Flowers red.
2. It grows naturally in Candy and Syria; and is nursed up here in the Gardens of the Curious; and flowers in July.
3. Marum is accounted a good cephalic and nervine Plant, and is much used in cephalic Snuff; but is of little service else in Physick.
4. Greek, Μάργυ ή Βόβειον. Latin, Marum Syriacum, or Majorana and Cretica, or Marum Cretense. Spanish, Italian, Maro. French, German, Dutch,

Plate 48. *Brooklime. Anagallis aquatica or Becabungia.*

1. It grows to be sixteen Inches high, the Leaves are a grass Green, and the Stalks a reddish green, and the Flowers a fine Blue.
2. This Plant grows in Bills & running Ditches, it flowers in June, & keeps its Leaves all the Winter.
3. It is accounted a good diaphoretic & antiscorbutic, abounding with volatile Parts, very good for the Scurvy, being an Ingredient of the antiscorbutic Juices, & diet Drinks for that Distemper. It is likewise deterfive & cleansing, useful in obstructions of the Kidneys by gravel or slimy Humours, as also for the Stone & Dropsy. Matthiolus says it is used by the Indians to bring away a false conception, & provoke the Menstrue.
4. Greek, Άναγallis. Latin, Anagallis aquatica. Becabungia. Spanish, Italian, French, Berle. German, Waffertummen or Backenraem. Dutch, Bekeboom & Beek-purper.



Black Berry Bush

1 Flower
 2 Fruit
 3 Seed Vessel

Rubus

Eliz. Blackwell delin. sculp. et Pinx.



Betony

{ 1 Flower
2 cup
3 Seed }

Betonica

Eliz. Blackwell delin. sculp. et Pinx.



Marum

1 Flower
2 Cup
3 Seed

Marum feryacum

Blackwell delin. sculp. et Pinx.



Brook Lime

Eliz. Blackwell delin. sculp. et Pinx.

{ 1 Flower
 2 Seed Vessel
 3 Seed

Anagallis aquatica

Beca brunga

Plate 49. *Spinge. Spinachia.*

1. It grows to be two Foot high, the Leaves are a grass Green, and the Flowers a light yellowish Green.
2. It is sown yearly in Gardens, and flowers according to the Months it is sowed in.
3. Spinage is more used for Food than Medicine, being a good boild Salad, and much eaten in the Spring, as good to temper the Heat & Sharpness of the Humours, it is esteemed cooling, moistning, & diuretic, rendring the Body soluble. Serapius an Arabian Physician says, that Spinage creates Wind; so that those who are troubled Chollic had better not eat it.
4. Greek, Σπινάχιον. Latin, *Spinachia* or *Lapathum hortense*. Spanish, *Spanache*. Italian, *Spinache*. French, *Espinaches*. German, *Spinat*. Dutch, *Spinasie*.

Plate 50. *Wild Teasel. Dipsacus silvestris* or *Labrum veneris*.

1. This Teasel grows to be four or five Foot high, the Leaves are a light grass green, and the Flowers purple.
2. It grows upon Banks in the borders of Fields, and flowers in June and July.
3. The Roots are esteemed cleansing; the Antients commend a Decoction of them in Wine, boiled to a Consistence & kept in a brazen Vessel, to be applied to y^e Rhagades, or Clefts of the Fundament, and for a Fistula therein; and to take away Warts. The Water found in the hollow of the Leaves is commended as a Collyrium to cool Inflammations of the Eyes; and as a Cosmetic to render the Face fair.
4. Greek, Δίψακος. Latin, *Dipsacus silvestris* or *Labrum veneris*. Spanish, *Cardencha* or *cardo penteador*. Italian, *Cardo da Panru* & *Dissaco*. French, *cardon*. German, *diffil*. Dutch, *Groote Wildekaarden*.

Plate 51. *Pilenwort* or *small Celendine. Chelidonium minus*

1. The Stalks grow to be 6 or 8 Inches high; the Leaves are a dark Green, and the Flowers a fine bright Yellow; the Root resembles the Piles in the Human Body.
2. It grows in Meadows, & moist Pastures, & by Hedges, and flowers in March & April.
3. This Herb is accounted to be good for the Haemorrhoides or Piles, to ease their Pain and Swelling & stop their Bleeding, the Roots being taken inwardly, & an Ointment made of the Leaves & Roots applied outwardly. Some commend it for the Jaundice; & Scurvy, especially in the Mouth, to strengthen the Gums and preserve the Teeth.
4. Greek, Κηλιδόνιον μικρόν. Latin, *Chelidonium minus*. Spanish, *Scrofolaria menor*. Italian, *Chelidonia minore*. French, *Coules de Prestres*. German, *Pfaffenhodlin*. Dutch, *Kelinspeen kruud*.

Plate 52. *Primrose. Primula Veris.*

1. The Stalks grow to be eight or ten Inches high, the Leaves are a grass Green, & the Flowers a pale Yellow; and the Roots a reddish Purple.
2. It grows in Thickets, and under Hedges, and flowers in March and April.
3. The Flowers are commended as good against Disorders arising from phlegmatic Humours. The Juice of the Root is used as an Errhine to purge the Head of tough slimy Phlegm.
4. Greek, *Primula*. Latin, *Primula Veris*. Spanish, *Primula*. Italian, *Fiore di Prima vera*. French, *Primevere*. German, *Schlusselflumen*. Dutch, *Groote Wilde sleutel-blom*.



Spinage

Wm. Blackwell delin. sculp. et Pinx.

{ 1 Flower
 { 2 Seed

spinachia



Wild Teasel

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Seed

Dipsacus Silvestris
Labrum Veneris



Pile-nwort

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Root

Chelidonium minus





Primrose

1 Flower
 2 Separate Flower
 3 Cup
 4 Seed

Primula veris

Eliz. Blackwell delin. sculp. et Pinx.



To
THOMAS PELLET M.D.
*PRESIDENT of the Royal COLLEGE
of PHYSICIANS of London, and Fellow
of the Royal Society.*

Sir

*If this WORK proves useful to MANKIND,
they are chiefly indebted for it to the
ENCOURAGERS of the Undertaking; among
whom YOU ought in a principal manner to
be remembered.*

*Permit me then on this Occasion, to acknowledge
the HONOUR I esteem your APPROBATION,
and to Subscribe my Self*

*Sir your much obliged
humble Servant,
Elizabeth Blackwell.*

Chelsea 14th of July. 1737.

Plate 53. *Male Satyrion, or Male Fools- Stones. Satyrium mas.*

1. This Orchis, which is the common Satyrion of the Shops, grows to be a Foot high; the Leaves are a bright Green spotted with Black, and the Flowers, which grow on a brownish Stalk, are a Red Purple.
2. It grows in moist Meadows, and flowers in April and May.
3. The Roots are accounted a Stimulus to Venery, strengthening the Genital Parts, and helping Conception; and for these Purposes are a chief Ingredient in the Electuarium Diasatyrum. Outwardly they are applied in form of a Cataplasm, and are esteemed good to dissolve hard Tumours and Swellings. The Official Preparation is the Electuarium Diasatyrum. Dioscorides says, that the Roots of this Plant boiled and eat by Men, makes them beget Boys; and the Roots of the Female Satyrion eat by Women, makes them conceive Girls.
4. Greek, ὄρχις Theophrastus. Σαρδύον, Dioscorides Latin, Satyrium mas. or Testiculus micronus. Spanish, Coyon de perro. Italian, Testicolo di cane. French, Coullon de Frigres. German, Schmal Knabencraut meunle. Dutch, Kullejes kruyd.

Plate 54. *Hollyhocks. Malva hortensis.*

1. This Plant grows six or seven Foot high; the Leaves are a light green, and the Flowers a pale Red.
2. It grows in Gardens, and flowers in July and August.
3. Hollyhocks are much of the Nature of the common Mallons vid. Plate 22. but less molifying; they are mostly used in Gargles for the Swelling of the Tonsils, and Relaxation of the Utricle.
4. Greek, ἀνδρὶς μαλὰχιν. Camerarius. Latin, Malva hortensis. Spanish, Malvas. Italian, Malva maggiore. French, Malves de Jardin. German, Erntrosen. Dutch, Stockrosen.

Plate 55. *March Violet. Viola martia.*

1. The Stalks of this Violet creep on the Ground; the Leaves are a dark Green, and the Flowers a blue Purple.
2. It grows wild in Hedges, and is cultivated likewise in Gardens; and flowers in March.
3. The Flowers are one of the four Cordial Flowers; so esteemed cooling, moistning, and laxative, good in Affections of the Breast and Lungs, helping Coughs and pleuritic Pains. The Syrup is given to Children to open and cool their Bodies. The Leaves are cooling and opening, and frequently put into Glisters, and Ointments against Inflammations. The Seed is reckon'd good for the Stone and Gravel. The Official Preparation is the Syrupus Violarum.
4. Greek, ἰοῦλα ἰου. Dioscorides. Latin, Viola martia. Spanish, Violetta. Italian, Viola. French, Violette. German, Merken Bielen. Dutch, Dirole.

Plate 56. *White Saxifrage. Saxifraga alba*

1. White Saxifrage grows to be a foot high; the Leaves are a light Green and the Flowers White, with Yellow Apices.
2. It grows in Meadows and flowers in April and May.
3. This Plant takes its Name from its supposed Virtues being diuretic, and lithon-
explic, good for the Stone and Gravel, and Stoppage of Urine. The Official Preparation is the Simple Water.
4. Greek, Latin, Saxifraga alba. Spanish, Italian, French, German, Dutch, Streenbreuk



Male Satyrion

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|----------|---|
| 1 Flower | { |
| 2 Fruit | |
| 3 Seed | |
| 4 Root | |

Satyrium mas



Hollyhocks

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Seed

Malva arborea



March Violet

Eliz. Blackwell delin sculp et Pinx.

1 Flower
2 Fruit
3 Seed Vessel & Seed

Viola Martia



White Saxifrage

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Fruit
3 Seed

Saxifraga alba

Plate 57. Bears-foot, or Black Hellebore. *Helleboraster*.

1. It grows to be 18 Inches high; the Bottom Leaves are dark Green, and the upper light Green; the Flowers are a very light Green, tinged with Purple round the Edges.

2. It grows on the Mountains of Swisserland, Austria, and Stiria; and is planted with us in Gardens, and Flowers the latter end of December, whence it is called the Christmas Flower.

3. Bears-foot was esteemed by the Ancients good for Melancholy and Madnes, to purge black Choler and Humours arising thence; they likewise gave it in Leprosies, Shingles, the Itch, and the like Cutaneous Affections. It is also commended for the Gout; and of late it has been very much made use of in stubborn Obstructions of the Catamenia. The officinal Medicine is the Tinctura Ellebori.

4. Greek, ἑλλέβορος μέλας. Dioscorides. Latin, *Elleborum nigrum* or *Helleboraster*. Spanish, Verde Gambré nero, or Elleboro. Italian, Elleboro nero. French, Ellebore noire. German, Christwurt. Dutch

Plate 58. Doves-foot, or Crane's Bill. *Geranium columbinum*, or *Pes Columbinus*.

1. This Species of Crane's Bill grows a foot high, the Leaves at the Bottom spread on the Ground, and are a bright Green; the stalks are a Reddish Green, and the Flowers a red Purple.

2. It grows on Banks, and Flowers great Part of the Summer.

3. It is esteemed a vulnerary Plant, usefull in inward Wounds, Bruises and Hemorrhagies, and all Fluxes. It is much cry'd up for the Cure of Ruptures in Children, given in Powder. It also helps the stone and provokes Urine.

4. Greek, Γεράνιον. Dioscorides. Latin, *Geranium columbinum*. Spanish, Pico de Anguinha. Italian, Geranio. French, Bec de Licougue. German, Belfcher Storchschnabel. Dutch, Duyvevoet.

Plate 59. Periwinkle, *Vinca pervinca*, or *Clematis Daphnoides*.

1. Periwinkle grows a foot high, the Leaves are a bright shining Green, and the Flowers a blew Purple, but sometimes white.

2. It grows in shady Banks, & dry Ditches; & Flowers most Months in $\frac{1}{2}$ Summer.

3. It is accounted a good vulnerary Plant, & is often used in Wound-Drinks, for Bruises, Contusions, inward Bleeding, Wasting & spitting of Blood; & $\frac{1}{2}$ Excess of $\frac{1}{2}$ Catamenia, & $\frac{1}{2}$ Fluor albus.

4. Greek, Κλέματις δαφνοειδής. Dioscorides. Latin, *Vinca pervinca*. Spanish, Peringua. Italian, Provenca. French, Lyserum. German, Singrün. Dutch, Vincoorde.

Plate 60. Wood-roof. *Asperula odorata*, or *Aspergula*.

1. The Stalks grow to be a foot high, $\frac{1}{2}$ Leaves are a deep grass Green, & $\frac{1}{2}$ Flowers white.

2. It grows in Woods and Copse, and Flowers in May.

3. Wood-roof is esteemed a good Hepatic, and usefull against Inflammations of the Liver, Obstructions of the Gall Bladder, and Jaundice. The Germans put it into their Wine as we do Borrage & Burnet, as a great Cordial and Comforter of the Spirits. The Green Herb bruised is applied by $\frac{1}{2}$ Country Folks to hot Tumours, Inflammations, and fresh Cuts.

4. Greek, Ασπερόδαρον ἄγριον. Dioscorides. Latin, *Asperula odorata*. Spanish, Ruvia. Italian, Robbia salvatica. French, Garence. German, Bildt Rot. Dutch



Bears foot

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 Pod & Pod open
3 Seed

Helleborus





Doves foot
Cranes Bill

Blackwell delin. sculp. et Pinx.

1 Flower
2 Cup
3 Seed & shell
4 Seed

Geranium columbinum
Pes Columbinus.



Periwinkle

Eliz. Blackwell delin. sculp. et Pinx.

1 Flower
2 the Pods
3 Pods open
4 Seed

Vinca Pervinca
Daphnoides



Wood-roof

W. Blackwell delin. sculp. et Pina

1 Flower
2 Seed

Asperula odorata
Aspergula

Plate 61. *Hyacinth* or *Flare-bells*. *Hyacinthus*

The Stalk grows 8 or 9 Inches high; the Leaves are a grass Green; the Flowers commonly a deep blue; but sometimes flesh colour and sometimes white

It grows in Hedges and Woods, and Flowers in May

The Roots are used, and esteemed by some diuretic, and good to stop all kinds of Fluxes.

Greek, ΥΑΚΙΝΘΟΣ Latin, *Hyacinthus*. Spanish, *Maïos flores*. Italian,

Hyacintho. French, *Jaciet* or *Jacinte*. German, *Merkenblumen*.

Dutch, *Hyacinthe*.

Plate 62 *Spurge Laurel*. *Laureola*.

This Shrub grows 3 foot high; the Leaves are a dark Green; and the Flowers a yellow Green.

It grows in Woods and Thickets, and Flowers in March and April, and the Fruit is ripe in September.

The Leaves and Berries are used by some, as good to purge Bile, cholerick and serous Humours; but they purge with great Violence both upwards and downwards. Some Adventurous Persons give them in Dropsies.

Greek, ΔΑΦΝΕΙΟΪΣ Latin, *Laureola*. Spanish,

Italian, *Laureola*.

French, *Laureole*. German, *Groß Kellershalß*. Dutch,

Plate 63 *Sanicle* or *Self-Heal*. *Sanicula* or *Diapentia*.

The Stalks grow to be a Foot high, the Leaves are a bright grass Green, and the Flowers white.

It grows in Woods and Flowers in May.

This is one of the Chief vulnerary Plants, being frequently put into Wound-Drinks, and traumatic Apozems; and is esteemed good for Ruptures, inward Bruises, spitting of Blood, or any Hemorrhagies; and Wounds both inward and outward.

Greek, Latin, *Sanicula* or *Diapentia*. Spanish,

Italian, *Cinquefoglia Maggiore*. French, *La Sanicle*. German,

Sanicel. Dutch.

Plate 64 *Bugle* or *middle Consound*. *Bugula*, or *Consolida media*.

The Stalks on which the Flowers grow are 9 Inches high, the Leaves are a reddish Green; and the Flowers a bright Blue.

It grows in Woods and Hedges, and Flowers in May.

Bugle is a noted vulnerary Plant, and used inwardly & outwardly for all kinds of Bruises, Wounds and Contusions, as likewise for Sores, Ulcers, Spitting of Blood, and Hemorrhagies from any Part.

Greek, Latin, *Bugula*, or *Consolida media*. Spanish

Italian,

French, *Bugle*. German,

Gulden Consel. Dutch.

No. 10.



Hyacinth or Hare Bells
Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|--------------------|---|
| 1 Flower | } |
| 2 Seed Vessel | |
| 3 Seed Vessel open | |
| 4 Seed | |

Hyacinthus.





Spurge Laurel

Eliz. Blackwell delin. sculp. et Pinx.

- | | | |
|---|--------------|---|
| } | 1 Flower | { |
| | 2 Berry | |
| | 3 Berry open | |
| | 4 Seed | |

Laureola



Sanicula
Self-heal

Eliz. Blackwell delin. sculp. et Pinx.

{ 1 Flower
2 Calyx
3 Seed
4 Seed }

Sanicula
Diapentia



Bugula
e. Blackwell delin. sculp. et Pinx.

1 Flower
2 Seed Vessel
3 Seed

Bugula
Consolida media



Plate 65. The Female Piony. *Paeonia faemina*.

1. It grows 2 or 3 foot high, & Leaves are a grass Green, & the Flowers a fine Crimson.
2. It is cultivated in Gardens, and Flowers in April and May.
3. This Plant generally Supplies the Place of & Male Piony; and is accounted good for the Epilepsy, Apoplexy, and all kinds of Convulsions and nervous Affections, both in young & old. Some recommend it in histeric Cases, the Obstructions of & Menses, and & Retention of the Lochia. The Root and Seed are hung about Children's Necks to prevent Convulsions in breeding their Teeth.
4. Greek, Γλυκυσίδη. or Παιονία Ἰνδική. Latin, *Paeonia faemina*. Spanish, Rosa del monte, or Rosa albardeira. Italian Peonia. French, Pivoine, or Pynvine. German, Peonien. Dutch,

Plate 66 The great Blew-bottle. *Cyanus major*.

1. It grows 18 Inches high, the Leaves are a deep Green on the Inside, and a light Green on the Backside; the Flowers are a full blue.
2. It grows in gardens and Flowers in June.
3. This is reckoned among the vulnerary Plants, the Juice being commended against Bruises and Intusions which come of Falls, though a Vein be broken, and the Party spit Blood; as also to heal any Cut or green Wound.
4. Greek, Κύανος. Latin, *Cyanus major*. Spanish, campese, fior Aliso, & Battifucero. French, Italian, Fior German, Cornblum. Dutch, Groote bloemen.

Plate 67. May-Weed, or foetid Camomile. *Cotula foetida*.

1. It grows about a foot high, the Leaves are a dark Green, and the Flowers white with a yellow Thrum in the middle.
2. It grows amongst the Corn, and on Banks, and waste Places, and Flowers for several Months in the Summer.
3. Some Authors commend this Plant as good against Vapours and Hysteric Fits. Mr Ray says, It was sometimes used in Scrophulous Cases. Tournefort says, That about Paris they use it in Fomentations for Pains and Swellings of Haemorrhagies.
4. Greek, Ἀνόςμις, and Ἀνόςμινος. Latin, *Cotula foetida* & *Chamaemelum foetidum*. Spanish, Manzanilla. Italian, Camamilla. French Camemima or Camomille. German, Camillen. Dutch, Stinkende Camille.

Plate 68. Treacle Mustard. *Thlaspi*.

1. This Plant grows to be a foot high, the Leaves are a grass Green, and the Flowers are white.
2. It grows in Corn-fields in Essex, and Flowers in May.
3. It is hot and dry, and somewhat diuretic; and is esteemed good to provoke Urine and to help the Dropsy, Gout, Sciatica, and forward the Menstrual Evacuations. The Seed of this Plant is what ought to be used in the Theriaca & Mithridate, but being scarcely to be had, the Seed of the Mithridate Mustard, or *Thlaspi vulgatifimum*, may be used as a Succedaneum for it.
4. Greek, Θλάσπι. Latin, *Thlaspi*. Spanish, Panigueso, de flor blanco. Italian, Thlaspi. French Senëve Sauvage. German, Besencraut. Dutch, Boeren-kersje.



Female Piony

{ 1. Flower
 { 2. Seed Vessel

Paeonia faemina

Eliz. Blackwell delin. sculp. et Pinx.





The Great Blew-bottle

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Flower Separate
 3. Seed

Cyñus major.



May-Need. or faetid Camomile
Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Fruit
 3. Seed

Matricaria inodora



Treacle Mustard

W. B. Blackwell delin. sculp. et Pinx.

{ 1 Flower
 { 2 Seed Vessel
 { 3 Seed

Thlaspi

Plate 69. Garden Flower de-luce. *Iris nostras hortensis*.

It grows to be 18 Inches high; the Leaves are a light Green; & if Flowers a bluish Purple.
 It grows in Gardens, and Flowers in May.
 The Juice of the Root is a strong Errhine; when snuff'd up the Nostrils, it purges of Head
 and clears the Brain of thin serous phlegmatic Humors.
 A strong Decoction of the Root given inwardly is a strong Vomit, and accounted good for
 the Dropsy, Jaundice and Ague.
 This Vomit is very offensive to the Stomach.
 Greek *I'ris* Latin *Iris nostras hortensis* Spanish, *Lirio Cardeno* Italian *Giglio celeste*.
 French, *Flambe*. German, *Blau gilgen Beibwart*. Dutch, *Lisch*.

Plate 70. Lillies of the Valley. *Lilium convallium*.

It grows to be 8 or 10 Inches high; the Leaves are a grass Green, and the Flowers white.
 It grows in the Vallies, but chiefly in Gardens, and flowers in May and June.
 Lillies of the Valley are of great service in all Disorders of the Head and Nerves; as Apoplexy,
 Epilepsy, Palsy, Convulsions, Vertigo
 They are much used in Errhines and cephalic Snuff.
 A Large quantity of them are put in the *Aqua Paeoniae C.* and spirit. *Lavendulae C.*
 and the *Aq. Antepileptica*.
 Greek Latin, *Lilium convallium*. Spanish
 Italian, *Lilia convallio*. French, *Muguet*. German, *Reyenblumlin*. Dutch, *Lelie-*
van den Daalen.
 This Insect was travelling upon the Lilly, but it feeds commonly upon fruit Trees, & is called if I achey from its variety of Colours.

Plate 71. Sage of Vertue. *Salvia minor or Virtutis*.

The Stalks grow to be 18 Inches high, if Leaves are a light Green, and if Flowers a pale Purple.
 It grows in Gardens and flowers in May and June.
 It is esteem'd good for all Diseases of the Head and Nerves, as if Palsy, Convulsions &c.
 They use it likewise for Uterine obstructions, and in Fevers of all sorts.
 The Leaves are used in the *Aq. Antepileptica*. *Antiparalytica*. *Vitae Composita*.
Syrup Stoechados. *Ung. Martiatum*. *Casper Commelin*.
 Greek, *Σ φάκελος*, Latin, *Salvia minor*, or *Salvia virtutis*. Spanish *Salvia* or
Salva minore. Italian, *Salvia minore*. French,
 Dutch, *Salie*. German,

Plate 72. Ladies mantle. *Alchimilla*.

It grows to be a foot high, the Leaves are a grass Green, and if Flowers a yellow Green.
 It grows in Meadow and Pasture Grounds, and flowers in May.
 This Plant is reckon'd a good vulnerary, being drying & binding, increasating and
 consolodating, and of great Force to stop inward Bleeding, the immoderate Flux of
 the Menses, and the Fluor albus.
 The Leaves applyed outwardly are accounted good for lank flagging Breasts, to bring
 them to a greater Firmness and smaller Compass.
 Greek, Latin, *Alchimilla*. Spanish,
 Italian, *Stellaria*. French, *Pie de Lyon*. German, *Synnian*. Dutch,
Synnaur; onser *Drouven mantel*.



Garden Flower-de-Luce. $\left. \begin{array}{l} 1. \text{ Flower} \\ 2. \text{ Seed Pod} \\ 3. \text{ Seed} \end{array} \right\} \text{ Iris Nostras hortensis}$
 Eliz. Blackwell delin. sculp. et Pinx.



Lillies of the Valley.

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|---------------|---|
| 1. Flower | { |
| 2. Berry | |
| 3. Stem | |
| 4. the Tackey | |

Lilium convallium.





Sage of Virtue
Philz. Blackwell delin. sculp. et Pinx.

{ 1. Flower
2. Seed Vessel
3. Seed }

Salvia minor
Salvia virtutis



Ladies' Mantle

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
2. Seed

Alchimilla



Plate 73. *The White Rose . Rosa alba .*

1. This Tree grows taller than most other kinds of Roses, having fewer Prickles on y^e Branches, and those pretty large; the Leaves are a dark Green, and the Flowers white.
2. It grows in Gardens, and flowers in June.
3. The Flowers are esteemed drying, binding and cooling.
4. The Water distilled from them is much used in Collyriums for sore inflam'd Eyes.
5. The Official Preparation is the Distilled Water.
6. Greek, Ροδὸν λεῦκον. Latin, Rosa alba. Spanish, Rosas blancos. Italian, Rosa bianca.
7. French, Roses. German, Rosen. Dutch, Witte Roos.

Plate 74. *White Hellebore . Elleborum or Veratrum album .*

1. The Stalks grow to be 2, or 3 foot high; the Leaves are a bright Green; and the Flowers a dull Green, or a dark Purple.
2. It grows in the mountainous Parts of Switzerland, Austria and Stiria; with us it is planted in Gardens, and flowers in June.
3. The Roots are a strong Cathartic and purges with great Violence; for which reason it is but seldom given inwardly.
4. The Powder of the Roots cause violent sneezing, when snuffed up the Nostrils, and is rarely used without milder Ingredients.
5. This Plant, outwardly applied, is of great service in all Distempers of the Skin, as - Tetters, Scabs, Itch, &c.
6. The Official Preparation is the Electuarius ex Helleboro.
7. Greek, ἑλλεβορος λεῦκος. Latin, Elleborum album. Spanish, Verde gambia blanco. Italian, Elleboro bianco. French, Veratre, or Ellebore blanc. German, Weiß Nigelnurt. Dutch, Witte Nieswortel.

Plate 75 *White Dittany or Fraxinella. Dictamnus albus or Fraxinella.*

1. It grows to be 2 foot high, the Leaves are a dark Green, and y^e Flowers red, & sometimes white.
2. It grows wild in several Places of France & Germany; but is planted here in Gardens, & flowers in June & July.
3. The Roots are esteemed cordial and cephalic, good to resist Putrefaction and Poisons; and useful in malignant and pestilential Distempers.
4. It is esteemed good for Epilepsia & other Disorders of y^e Head. Openings of y^e Womb, & procure M. L.
5. The Preparations are the Aq. Antiepileptic. Theriacal. Pulv. Liberans. Emph. Nipacum. Trucel.
6. Greek, Χυμαίρδιον. Official. Latin, Dictamnus albus, or Fraxinella. Spanish, Dittamo blanco.
7. Italian, Dittamo bianco. French, Dittambasurde. German, Gemeiner Dittam. Dutch, Fraxinella.

Plate 76. *Croß-wort . Cruciata*

1. It grows to be a foot high, the Leaves are a light Green, and y^e flowers Yellow.
2. It grows in Hedges and the Borders of Fields, but is rarely to be met with about London, except in Mr. Brooke's Grounds at Hampstead; it grew formerly in great plenty in Hampstead Church yard, but they have dug it up. It flowers in June.
3. It is reckoned among the vulnerary Plants, being of a drying & binding Nature, & is particularly recommended for y^e swelling of y^e Scrotum, w^h is caused by y^e falling down of the Testicles and c.
4. Greek, Ξεῖρεον. Hadrianus Junius. Latin, Cruciata. Spanish, Italian, French, German, Dutch.
5. This Caterpillar is called by some the Leopard; and produces a very beautiful Moth. see Albus Astoru, Plate 20.



The White Rose.

Eli. Blackwell delin. sculp. et Pinx.

{ 1. Flower
2 Bud }

Rosa alba



White Hellebore. } 1 Flower
 Dr. Blackwell delin sculp et Pinx. } 2 Fruit
 } 3 Seed { Eilæborum, or Veratrum album



White Dictamnus or Fraxinella

1. Flower
2. Fruit
3. Seed

Dictamnus albus or Fraxinella.

Her. Blackwell delin. sculp. et Pinx.



Cross-wort
 Eliz. Blackwell delin. sculp. et Pinx. } 1. Flower {
 } 2. Seed {
 } 3. the Leopard. }



Plate 77. Strawberries. *Fragaria*.

1. This Plant creeps upon the Ground, the Stalks on which the Fruit grows are about Eight Inches long; the Leaves are a dark Grass Green, and the Flowers white.
2. They grow in woods, and flower in May, and the Fruit is ripe in June.
3. The Leaves are used in Lotions and Gargarisms for sore Mouths and Throats and Ulcers in the Gums. Some Authors commend them for the Jaundice and all kind of Fluxes. The Fruit is accounted Cordial and good for hot bilious Constitutions, and grateful to the Stomach especially eaten with Wine and Sugar. The flowers make the Aq. Antinephritica Caspar Comelin.
4. Greek. Latin, *Fragaria*. Spanish. Italian, *Fragolaria*. French, *Fraisier*. German, *Bergelbeere*. Dutch, *Kardbesien*.

Plate 78. The Red Rose, *Rosa Rubra*.

1. This Rose Bush is less than the white or Damask; the flowers have very few Prickles on the stalks; the Leaves are a grass Green, and the Flowers a light Crimson.
2. It grows in Gardens and flowers in June and July.
3. The Red Rose is more binding and restraining than any of the Other species, &c. are esteemed good in all kinds of Fluxes. They strengthen the Stomach, prevent Vomiting, stop tickling Coughs by preventing the Defluxion of Rheum, and are of great Service in Consumptions. The Apices are also accounted cordial. The Official Preparations are a Simple Water, the *Conserva Rosarum*, *Sacharum Rosarum*, *Syrupus à Rosis fucis*, *Mel Rosarum*, *Ol. Rosarum*, *Unguentum Rosarum*, *Tinctura Rosarum* et species *Aromaticum Rosarum*.
4. Greek, *Pod'ov*. Latin, *Rosa rubra*. Spanish, *Rosas*. Italian, *Rosa*. French, *Roses*. German, *Rosen*. Dutch, *Kard Rosen*.

Plate 79. Ladies Thistle. *Carduus Mariae*.

1. The Stalks grow to be 4 or 5 foot high, the Leaves are a willow-green spotted with white, and the flowers Purple.
2. It grows frequently upon Banks and Borders of Fields, and flowers in June.
3. This Thistle is esteemed to partake of the Virtues of *Carduus veneticus*, but in a low Degree. Some commend it as a Specific for the Pleurisy, especially an Emulsion of the Seeds. It is helpful also for the Jaundice, the Stone, and stoppage of Urine.
4. Greek. Latin, *Carduus Mariae*. Spanish. Italian, *Cardo del latte*. French, *Chiardon de nostre Dame*. German, *Unfer Frauen Distel*. Dutch, *Onse Drauwe Distel*.

Plate 80 Melilot. *Melilotus*.

1. The Stalks grow to be three foot high, the Leaves are a Grass-green, and if Flowers a light Yellow.
2. It grows frequently among the Corn and in Hedges, and flowers in June.
3. The Leaves and Flowers are accounted mollifying, dissolving, dissolving and easing Pain; for which Uses they are put in Supes and Cataplasms against Inflammations, hard Tumours, any kind of Swellings. The Melilot Plaster made of this Herb boiled in Mutton Suet, Rosin and Wax, is drawing, and good for green Wounds, but is chiefly used in Dressing of Blisters. Official Preparations are the *Emplastrum Meliloti simp. & Comp.*
4. Greek, *Μελίλωτος*. Latin, *Melilotus*. Spanish, *Corona de Rei*. Italian, *Meliloti*. French, *Melilot*. German, *Ziger Graut*. Dutch, *Melilote*. This Caterpillar is called by some the Flyby; Doctor Muffet calls it the *Gayl-Yard* it feeds upon most green Plants.



Wood Strawberries

Eliz. Blackwell delin. sculp. et Pinx.

{ 1. Flower
2. Fruit }

Fragaria



The Red Rose
Eliz. Blackwell delin. sculp. et Pinx.

{ Flower }
{ Bud }

Rosa rubra





Ladies Thistle

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
2. Seed

Carduus Mariae





Melilot

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Fruit
 3. Seed
 4. The Husky

Melilotus.



Plate 81. Garden Radish. *Raphanus hortensis*.

1. The stalks grow to be Three foot high; the Leaves are a dark Green; & Flowers are sometimes a light Purple, & sometimes white, wth a red spot on each Leaf.
2. It is sown in Gardens, and flowers in May and June.
3. Radishes are esteem'd opening, attenuating and antiscorbutic. They provoke Urine, and are good for the Stone and Gravel.
4. Greek, Παράυς. Latin, Raphanus. Spanish, Ravano. Italian, Rafano. French, Roffort. German, Rettich. Dutch, Peperwortel.
- X This is called by Doctor Muffet Gryllotalpa or Mole cricket. It was commonly upon Roots, and seldome comes abroad till y^e Sun is down.

Plate 82. The Damask Rose. *Rosa Damascena*.

1. This Rose Bush grows not so tall as the white, but taller than the Red; the Leaves are a light Grass Green, and the Flowers a pale Red.
 2. It grows in Gardens and flowers for several Months in the Summer.
 3. The Flowers are of a gentle cathartic Nature, purging choleric and serous Humors.
- They are frequently given to Children & weakly Persons, mixt with stronger cathartics.
4. Greek, Ροδόν. Latin, Rosa Damascena vel pallida. Spanish, Rosas. Italian, Rosa. French, Roses. German, Rosen. Dutch, Provincie Roos.

Plate 83. Pease. *Pisum*.

1. The stalks grow to be four foot high, the Leaves are a very light Green, and the Blossomes white.
2. They are sown in Gardens & Fields; they flower in May, & y^e Fruit is ripe in June.
3. Pease are accounted good to sweeten y^e Blood & correct Salt scorbutic Humor, either eaten raw or boiled.
4. Greek, Πισόν. Latin, Pisum. Spanish, Arvejas. Italian, Pisello & Biso. French, Les Pois. German, Erbs. Dutch.

Plate 84. Hedge Nettle. *Galiopsis*.

1. The Stalks grow to be two foot high; y^e Leaves are a dark Green, & y^e Flowers red.
 2. It grows in Hedges, and on Banks, and flowers in June.
 3. This Plant is accounted by some a good vulnerary, and serviceable for all sorts of Wounds, and putrid Ulcers.
- It is esteem'd resurgens, & good to stop inward Bleeding, & y^e making of Bloody water.
4. Latin, Galiopsis. Spanish, Orlica muerta. Italian, Orlica morta. Dutch, Daubnefel. Dutch, Dove Neeblen.



Garden Radish

Eliz. Blackwell del. sculp. et Pinx.

1. Flower
2. Fruit
3. Seed
X mole cricket

Raphanus hortensis



The Damask Rose

Eliza Blackwell delin. sculp. et Pinx.

} 1. Flower
} 2. Bud

Rosa Damascena



Peas

Eliz. Blackwell delin. sculp et Pinx.

1. Blossome
2. Pod.

Pisum



Hedge Nettle.

Blackwell delin. sculp. et Pinx.

- | | |
|----------------------|---|
| 1. Flower | { |
| 2. Seed & petal open | |
| 3. Seed | |

Galiepsis.



Clove Guly-Flowers { 1. Flower
2. Flower separate } *Caryophyllus ruber*
Elin. Blackwell delin. sculp. et Pinx. { 3. Bud }



Water Betony or Figwort

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
2. Fruit
3. Seed
* a Species of *Squillae*

Scrophularia aquatica





great Figwort

- 1. Flower
- 2. Fruit
- 3. Seed

Scrophularia major

Eliz. Blackwell delin. sculp. et Pinx. X The Figwort Caterpillar.



Lettice

El: Blackwell's White

1. Flower
2. Flower separate
3. Seed

Let. M. 1



Plate 89. *Bear's Breech, or Brank Ursin. Acanthus, Branca Ursina.*

1. The Stalks grow to be two foot high, the Leaves are a shining dark Green Colour; the Flowers are white
2. It is said that the Ancients took the Pattern of their foliage Work from the Leaves of this Plant.
3. It is cultivated here in Gardens; its native Place being Italy, Spain, and the Southern Part of France; it Flowers in July.
4. This Plant is used in Glisters and Baths for Obstructions; and for the Stone and Gravel.
5. The Herb Women sell the Leaves of the Kelleboraster, or Bears foot or Sphondylium, or Con parsne p. instead of this Plant, to those that are ignorant.
6. Greek. Ἀκάνθος. Latin, Acanthus, Branca Ursina, or Acanthus sativus. Spanish, Yerva gigante and Brangua Ursina. Italian, Acantho, or Branca Ursina. French, Branze Ursine. German, Beren Aarv. Dutch.
7. This Moth was produced from the Caterpillar Plate 76.

Plate 90. *Marshmallows. Althaea, Bismalva, Ibisus.*

1. The Stalks grow to be a Yard high; the Leaves are of a yellowish green Colour; the Flowers are a pale Red.
2. It grows in Salt Marshes, and flowers in July.
3. This Plant is mollifying, digesting and Souping, of great use in the Strangury, Gravel, Stone, Heat of Urine, corroding Humors in the Stomach and Guts, Coughs, Hoarseness, Swellings & Inflammations. Official Preparations are, the Sympus de Althea, Pulv. Dialtheæ & Unguentum Dialtheæ.
4. Greek. Ἀλθαία & Ἰβίσκος. Latin, Althaea, Bismalva, Ibisus. Spanish, Hierva Caunamera or Mar-maja. Italian, Malvarvifchio. French, Guymauve. German, Ibisch. Dutch, Heemswortel.

Plate 91. *Great Celandine or Yellow-horn Poppy. Chelidonium majus.*

1. The Stalks grow to be a foot high, the Leaves are a bluish Green, and the Flowers yellow.
2. It grows among waste Grounds and Rubbish, and upon old Walls; it flowers in May and June
3. It is accounted apperative and cleansing, opening Obstructions of the Spleen & Liver, & of great Use in Curing of Jaundice and Scurvy. — Some reckon it cordial & good against pestilential Distempers. — Outwardly for sore Eyes to dry up the Rheum, and to take away Specks, Films, Tetters, Ringworms & Scurfy Breakings-out
4. Greek. Χελιδόνιον μέγα. Latin, Chelidonium majus, or Papaver Corniculatum luteum. Spanish, Celiduenia, or Yerva dellas Gotundrinas. Italian, Celidonia maggiore. French, Chelidoine, or Esclere. German, Scheibkraut. Dutch, stinkende Boume.

Plate 92. *Goats Rue. Galega, or Ruta capraria.*

1. The Stalks grow to be a Yard high; the Leaves are a grays Green, & if Flowers a pale Blue
2. It grows in several Places of Italy wild; but is planted here in Gardens, and flowers in June and July.
3. Goats Rue is esteemed cordial, sudorific, alexipharmic, good against pestilential Distempers. — It is also of use in most Fevers, the Small Pox and Measels. — It kills Worms, and is good to cure the Bites of Venemous Creatures.
4. Greek, Latin, Galega, or Ruta capraria. Spanish, Italian, French, German,

Dutch,





Bears Breech, or Brank Urein

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower
- 2. Flower Separated
- 3. Fruit
- 4. Seed

Acanthos-Branca Ursina.

X. Moth of the Leopard.



Marshmallows

Lib. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Fruit
 3. Seed

Althaea, Bismalva, Ibisus.

Plate 91.



Great Celandine or Yellow horn Poppy. { 1. Flower
2. Pod open
3. Seed }

Eliz. Blackwell delin. sculp. et Pinx.

Chelidonium majus.





Goats-Rue

Eliz. Blackwell delin. sculp. et Pinax.

- 1 Flower
- 2. Pod
- 3. Pod open
- 4. Root

Galega or Ruta capraria.



Plate 93. Great Centory. *Centaurium magus* or *magnum*.

1. The Stalks grow to be five or six foot high, the Leaves are a light Green and the Flowers purplish.
2. It grows wild in Italy, but is planted here in Gardens and flowers in July.
3. The Root is accounted drying, binding, good for all kinds of Fluxes stopping Bleeding at the Nose, Mouth, or any other Part. - It is also esteemed good to heal Wounds, taking its Name as Pliny Says from the Centaur Chiron, who cured himself of a Wound he received by one of the Arrows of Hercules, by the Use of this Plant.
4. Greek Κενταύριον μέγα. Latin *Centaurium magnum* Spanish. Ruiponce Italian. Centaurca maggiore. French. Rheponico. German. Reupontict Dutch.

Plate 94. Tutsan or Park Leaves. *Androsæmum*.

1. The Stalks grow to be two or three foot high, the Leaves are a grass Green, the Flowers Yellow, and the Berries when ripe purple.
2. It grows in Hedges and Thickets and flowers in July.
3. The Leaves and Flowers are accounted much of the Nature of St. John's Wort, being a good Wound Herb, used both inwardly and outwardly - In French it is called Toutsain, All heal, and from thence by us corruptly Tutsan.
4. Greek Ανδροσαμνον. Latin *Androsæmum*, vulgare - Clymenon. Spanish. Italian. Androsemo. French, Toutsain. German, Dutch.

Plate 95. Thorow Wax. *Perfoliata*

1. It grows to be a foot high, the Leaves are a blue Green, and the Flowers a greenish Yellow.
2. It grows among the Corn, and flowers in June & July.
3. Thorow Wax is reckon'd among the Vulnerary Plants, and is much used for green Wounds, Bruises, Ruptures, Contusions, old Ulcers and Sores, either given in Powder or the Decoction.
4. Greek. Latin *Perfoliata* - vulgaris. Spanish Italian. *Perfoliata* French. German. *Durchwachsels*. Dutch.

Plate 96. Swallow Wort. Tame Poison. *Asclepias Vincetoxicum* & *Hirundinaria*.

1. The Stalks are about a foot and an half high, the Leaves are a dark grass Green, and the Flowers white.
2. It grows here in Gardens, and flowers in June and July.
3. The Root is esteemed a great Counterpoison, especially against the bad Effects of *Apocynum*, and other poisonous Herbs. It is also used to cure the Stings and Bites of Venemous Creatures. It is helpful against Malignant pestilential Fevers which it carries off by Sweat. It is used also for the Dropsie and Jaundice.
4. Greek. Α'σκληπιανός. Latin *Asclepias*. Spanish. Italian. *Vincetoxico*. French. German. Schnalbenwurt. Dutch.





Great Centaury.

1. Flower.
 2. Flower separate.
 3. Seed.
 X. An Urchin Moth.

Centaurium majus, or magnum.

Blackwell delin. sculp. et Pinx.



Tusfan or Park Leaves.

Eliz. Blackwell delin. sculp. et Pinx.

{ 1. Flower
 { 2. Fruit
 { 3. Seed

Androsæmum.





Thoron Wäx.

1. Flower
2. Seed

Perfoliata.

Eliz. Blackwell delin. sculp. et Pinx.





Swallowwort, Tame Poison. } 1 Flower { *Asclepias Vincetoxicum & Hirundinaria.*
 Eliz. Blackwell delin. sculp. et Pinx. } 2. Calix {

Plate 97. *Pomgranates. granata, Punica mala.*

This is a low Tree, having on its Branches, a few Thorns; The Leaves are a fine Grass Green, and the Flowers a fine Scarlet.

1. Pomgranates grow in Spain & Italy and many other Countries, and flowers in June and July;
2. The *Balustia*, off. are the large double Flowers of $\frac{1}{2}$ wild Pomgranate, which differs not in its manner of Growth from the other; These, as well as the single Flowers, and the Bark are very drying & refrigerant, good for all sorts of Fluxes, Hemorrhages, Bleedings, They strengthen the Gums, fasten loose Teeth, help the falling down of the Uvula, and cancerous Ulcers in the Mouth and Throat.
3. Greek, *πόια* Latin, *Granata*. Spanish, *Granadas*. Italian, *Melagrano*, or *Pomo granato*. French, *Pomes de Grenades*, or *Mygrains*. German, *Granatapfelbaum*. Dutch, *Granaat Boom*.

Plate 98. *Costmary or Alecost. Balsamita mas. or Costus hortorum.*

1. The Stalks grow to be more than a foot high, the Leaves are a yellow Green, and the Flowers yellow.
2. It is planted in Gardens and Flowers in July.
3. The Leaves are accounted good to strengthen the Stomach, & ease $\frac{1}{2}$ Head-Ach arising from the Disorders thereof - It expells Wind and prevents sour Belchings-outwardly it is used in Pomentations to comfort and strengthen the Limbs.
4. Greek, *Κόστος* Latin, *Costus hortorum*. Spanish, *Costa*. Italian, *Menta Greca*. French, *Coch*. German, *Bußer Franzen*. Munk, *Balsame*.

Plate 99. *Arrach. Atriplex.*

1. The Stalks grow to be 3 foot high, the Leaves are a pale Green, and sometimes purplish, and the Flowers a greenish yellow.
2. It grows in Gardens and flowers in June and July.
3. The Leaves are frequently boiled & eaten, like Celerorts, with Salt Meats & in Sallads, and are esteem'd cooling, and moistning, rendering the Body soluble, and good for hot bilious Constitutions - They are used with other emollient Herbs in cooling Glisters.
4. Greek, *Αράπαξις*. Latin, *Atriplex alba hortensis pallide virens*. Spanish, *Armoles*. Italian, *Atriplice*. French, *Arroches*. German, *Molten*. Dutch, *Melde*.

Plate 100. *Wild stinking Arrach. Atriplex olida.*

1. The Stalks of this Plant spread on the Ground, and the Leaves are covered with a mealy Green, the Flowers are small and Green. The whole Plant has a strong foetid fishy Smell.
2. It grows on Dunghills & Waste Places flowering for some Months in the Summer.
3. This Herb is peculiarly appropriated to $\frac{1}{2}$ female Sex, being operative, desobstruent, usefull in uterine Disorders good to promote the Menfes, expell $\frac{1}{2}$ Afterbirth, help Childbed Purgations, appease $\frac{1}{2}$ Strangulations of $\frac{1}{2}$ Womb, take of histeric Fits. It is usually given in a Decoction - There is a Syrup kept in $\frac{1}{2}$ Shops made with $\frac{1}{2}$ Juice of this Plant & Sugar.
4. Greek, *Αράπαξις αγρία* Latin, *atriplex olida silvestris*. Spanish, *Armoles*. Italian, *Reppice salvatico*. French, *Arroches sauvages*. German, *Bild Molten*. Dutch, *Bild Melde*. No. 25.





Pomgranates.
Granata Punica mala.
 1. Flower
 2. Bud
 The Blackwell delin. sculp. et Pinx.



Costmary or Meacost. { 1. Flower { Balsamita mas or Costus hortorum.
 Eliz. Blackwell delin. sculp. et Pinx. } 2. Part of \bar{q} Root }






Atriplex.

1. Flower
 2. Seed Vessel
 3. Seed Vessel open
 4. Seed

Atriplex.


Eliz. Blackwell delin. sculp. et Pinx.



Wild stinking Arrach.
 Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Seed

Atriplex olida.



To
Sir HANS SLOANE Bar.^c M.D.
PHYSICIAN in Ordinary to her MAJESTY
and
PRESIDENT of the Royal Society.

Sir

*The Encouragement this WORK has met with
from your generous Assistance, in giving me the
Liberty to draw such foreign Plants from your
SPECIMENS (as were not to be had in
ENGLAND) oblige me to this publick Acknow-
ledgment, that it may be known to whom I have
been indebted in this UNDERTAKING, and that
I may have the Honour to Subscribe my Self*

Chelsea y^e 2^d of August 1737.

*Sir, your much obliged
humble Servant
Elizabeth Blackwell.*

Plate 101. *The Peach Tree. Persica Malus.*

1. This Tree grows to no great Bigness here, the Leaves are a deep Green, and the Flowers a fine Pink Colour.
2. It is planted in Gardens & flowers in March; the Fruit is ripe in August.
3. The Flowers are opening and purging, and are chiefly given to Children to carry off thin serious Humors, and to kill Worms. The Fruit is cooling and moistning gratefull to the Palate; but apt to putrefy and cause Surfiets.
4. Greek $\pi\epsilon\rho\sigma\iota\kappa\alpha$. $\mu\eta\lambda\alpha$, and $\rho\omicron\delta\alpha\kappa\eta\nu\alpha$. Latin, *Persica Malus*. Spanish, *Pexegos*. Italian, *Pesche* & *Perfiche*. French, *Peschés*. German, *Pfersich*. Dutch,

Plate 102. *Plowman's Spikenard great Conysa. Baccharis Monspeliensium.*

1. The Stalks grow to be Three foot high, the Leaves are a dull Green, and the Flowers Yellow.
2. It grows on hilly chalky Places and flowers in July.
3. This Plant is esteemed by some a good Vulnerary, for Bruises, Contusions, Ruptures, and Inward Wounds, Pains in y^e Side, & Difficulty of Breathing.
4. Greek $\kappa\omicron\nu\iota\zeta\alpha$. Latin, *Baccharis Monspeliensium*, and *Conysa major vulgaris*. Spanish, *Attadegua*. Italian, *Coniza* or *Pulicaria*. French, *Herbe aux Puces*. German, *Geel Munk*. Dutch,

Plate 103. *Flea-bane. Conysa & Pulicaria.*

1. The Stalks grow about a Span high, the Leaves are a grass Green, and the Flowers yellow.
2. It grows in moist Places, and where Water has stood all the Winter, and flowers in August and September.
3. This is the *Pulicaria* of Lobel, so call'd because by its Smell it destroys Fleas and Gnats. Parkinson and Gerard commend the *Conysa Media* as better than this. Some commend an Ointment made of this Plant as good for the Itch.
4. Greek, $\kappa\omicron\nu\iota\zeta\alpha$ $\mu\iota\kappa\rho\alpha$. Latin, *Conysa* and *Pulicaria*. Spanish, *Attadegua minore*. Italian, *Conysa minore*. French, *Herb aux Puces*. German, *Geel Munk*. Dutch,

Plate 104. *Basil. Basilicon or Ocimum*

1. It grows about a foot high, the Leaves are a light Green, and the Flowers white.
2. It is sown in Gardens and flowers in July and August.
3. The Ancients condemn the inward use of this Plant as hurtfull to the Sight. Schroder commends it as good to cleanse y^e Lungs of Flegm, and provoke the Menfes. The Leaves are used in the Aq. *HystERICA* and Ung: *Martiatum*. The Seed is used in the Aq. *Vitæ comp.* Syrup. *Artemisiae*. Puh. *Diarrhodon*. See Casper Commelin p. 56.
4. Greek, $\xi\lambda\epsilon\upsilon\theta\epsilon\rho$. Latin, *Basilicon* & *Ocimum*. Spanish, *Allahaca*. Italian *Basilico*. French, *Basilic*. German, *Basilien*. Dutch, *Basilicon*.



THE UNIVERSITY OF CHICAGO
LIBRARY

1892

THE UNIVERSITY OF CHICAGO
LIBRARY
1892

THE UNIVERSITY OF CHICAGO
LIBRARY
1892



The Peach Tree

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|---------------|---|
| 1. Flower | { |
| 2. Fruit | |
| 3. the Stone | |
| 4. the Kernel | |

Persica Malus.



Plowman's Spiknard great Conyza } 1. Flower
Fliz. Blackwell delin. sculp. et Pinx. } 2. Seed { *Baccharis Monspeliensis.*





Fla. lene.
Eu. Fla. lene. lene. lene. et Pina.

{ 1. Flower.
 { 2. Seed

onyssa and Pulicaria



Basil

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
2. Fruit
3. Seed

Basilicon or Ocimum.

Plate 105. The Almond Tree. *Amygdalus*.

1. This Tree resembles that of the Peach in the Leaves and Blossomes; only the Blossomes in this are paler.
2. The Almond Tree is a Native of Spain and Barbary, it flowers early in y Spring and the Fruit is ripe in August.
3. Sweet Almonds are accounted nourishing, but if eaten too much hard of Digesting. The Oil of the Sweet is good in Affections of the Lungs, Stone Gravel &c. It is good for Women to take freely of it before they Expect their Delivery; and of great Service to purge Children mixed with any opening Syrup. The Bitter are used as a Cosmetic, being cleansing and beautifying. The Oil dropt into the Ears is good for Deafness, & is frequently put among Anodine Liniments. The Official Preparations are the Expressed Oils.
4. Greek, *Αμυγδαλος*. Latin, *Amygdalus*, - amara & dulcis - sativa. Spanish, *Almondras*. Italian, *Mandrole*. French, *Amandes*. German, *Mandelbaum*. Dutch, *Amendelboom*.

Plate 106. Marygold. *Calendula*.

1. The Leaves are a light green and the Flowers Yellow.
2. It grows in Gardens, and flowers great part of the Summer.
3. The Leaves and Flowers are accounted Cordial, Maxipharnice, good in all kinds of Feavers; they promote sweat and are frequently used to drive out the small Pox and Measles. Some commend them for the Jaundice, sore Inflamed Eyes, and Warts.
4. Greek, *Καλνδύλα*. Latin, *Calendula*, - simplicis flore - maxima. *Caltha vulgaris*. Spanish, *Italian*, *Fior Rancio*. French, *Pouilly*. German, *Ringel-blum*. Dutch, *Boudelbloem*.

Plate 107. Night- Shade. *Solanum hortense*.

1. It grows to be 2 foot high, the Leaves are a grass Green, and the Flowers White with a Yellow Umbra in the Middle.
2. It grows by High Ways, and among Rubbish, and Flowers in August.
3. The Flowers and Leaves are used, and esteemed cooling, good for all kinds of Inflammations and hot Swellings, the Shingles and other cuticular Eruptions; as also for Burns and Scalds. This is the *Solanum* that should be put in the Unguentum *Populeon*; but the Herb-folks sell the *Solanum lignosum* in its stead, which is of a contrary Nature; therefore it is better to use the *Solanum lethale* which is to be had at the same time, and agrees better with y other Ingredients.
4. Greek, *ΣΤΡΕΧΝΟΣ ΚΝΑΒΙΟΣ*. Latin, *Solanum hortense* - vulgare. Spanish, *Yerva mora*. Italian, *Salatro* or *Herbamorella*. French, *Morelle*. German, *Nachtshatt*. Dutch, *Nachtshade*.

Plate 108. Wild Cucumber. *Cucumis agrestis*, - *aspinus*.

1. The Stalk of this Plant creep on the Ground; the Leaves are a light Green and the Flowers Yellow.
2. It is sown in Gardens here, and flower in July.
3. This is a strong Cathartic, carrying off serous watery Humors both upwards and downwards, with great Violence; whence it is of great Use in the Dropsy when y Bowels are not decayed; it forcibly brings down the Catamena, and even destroys the Foetus in the Womb, & is therefore only fit to be administered by a very skilful Hand.
4. Greek, *ΣΤΙΚΟΣ ἄγριος*. Latin, *Cucumis*, ^{agrestis} *agrestis* - *aspinus*. Spanish, *Cogombillos amargo*. Italian, *Coconero salvatico*. French, *Cogombre sauvage*. German, *Bilder cucumer*. Dutch, *Foels Comcommer*.



The Almond Tree.
 Eliz. Blackwell delin. sculp. et Pinx.

1. Blossom
 2. Fruit
 3. Stone
 4. Kernel

Amygdalus



Mary gold.
Eur. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Flower separate
 3. Petal
 4. Seed

Calendula.



Night- Shade
Elz. Blackwell delin. sculp. et Pinx.

1. Flower	{	<i>Solanum hortense</i>
2. Calyx		
3. Berry		
4. Seed		



Wild cucumber

Ellis Blackwell delin. sculp. et Pinx.

- 1 Flower
- 2 Fruit
- 3 Fruit open
- 4 Seed

Cucumis agrestis spinosus

Plate 109. *Sturnwort, or Aster Attic. Aster Atticus or Inguinalis.*

1. The stalks grow to be a foot and an half high, the Leaves are a Grass Green, & the Flowers purple with a Yellow Thrum in the Middle.
2. It is planted here in Gardens, its native place being Greece, Italy, Spain, & the Southern Parts of France. It flowers in August.
3. The Ancients commended the Leaves, beaten & applyed as a Cataplasme, against Buboës and Swellings in the Groin.
Dioscorides recommends it for the too great Heat of y^e Stomach, & Inflammations of the Eyes.
4. Greek, Ἀστὴρ ἀττικὸς. Latin, *Aster Atticus*, *Inguinalis* or *Bubonium*. Spanish, *Astaraticon*. Italian, *Asteratico*. French, *Peute Espargoutte*. German, *Stern Grait*. Dutch,

Plate 110. *The Eupatorium of Avicenna. Eupatorium Avicennae.*

1. The Stalks grow to be two or three foot high, the Leaves are a light Grass Green, & the Flowers purplish.
2. It grows by Rivers and Ditches and flowers in August.
3. Schroder commends this as a very good Vulnerary Plant, used inwardly, but especially outwardly; & useful to correct an Ill Habit of Body, & cure Coughs & Catarrhs.
4. Greek, Latin, *Eupatorium Avicenna* or *vulgare*. Spanish, *Agrimonia*. Italian, *Eupatorio*. French, German, *Einigundt Grait*. Dutch,

Plate 111. *White Henbane. Hyoscyamus albus.*

1. The Stalks grow to be two Foot high, the Leaves are a dark Green, and the Flowers a pale Yellow.
2. It is a Native of the warm Countries, being planted with us in Gardens, flowering in July and August.
3. This Henbane is accounted milder than the Black, and therefore safer to be given inwardly, being emollient cooling and Anodyne, good for Inflammations, and Defluxions of hot Rheum, and is often put into cooling repelling Ointments.
4. Greek, Ὑοσκύαμος λεύκος. Latin, *Hyoscyamus albus*. Spanish, *Velenho blanco*. Italian, *Iusquiamo bianco*. French, *Iusquame blanc*. German, *Bilsam*. Dutch, *Bilsenkryd*.

Plate 112. *Alkanet. Anchusa.*

1. The Stalks grow about two foot high, the Leaves are a dark Green, and the Flowers a blue Purple.
2. It grows in Gardens here, and flowers in June and July.
3. Dioscorides & other Ancients commend the Roots as good against the Bites of Venomous Creatures being drank in Wine; - & outwardly against Burns & S^t Anthony's Fire; - Parkinson commends the Infusion of the Bark in Petroleum as good for fresh Cuts and green Wounds.
4. Greek, Ἄνθη ὀρεῖα. Latin, *Anchusa*. Spanish, *Sagem*. Italian, *Anchusa*. French, *Orchanette*. German, *Rot Ochsenjungeln*. Dutch, *Alkanne*.



Starnwort or Aster altic
Elia. Blackvell delin. sculp. et Pinx.

1. Flower
 2. Flower separate
 3. Seed

Aster alticus or Inguinalis.



The Eupatorium of Aricenna
 Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|---|--------------------|
| { | 1. Flower |
| | 2. Flower separate |
| | 3. Seed |

Eupatorium



— White Henbane
 Elz. Blackwell delin. sculp. et Pinx.

- 1. Flower separate
- 2. Seed Vessel
- 3. Calyx
- 4. Seed

Hyoscyamus albus.





Alkanet.

Eliz. Blackwell delin. sculp. et. Pinx

1. Flower, separate
2. Calyx
3. Seed

Anchusa

Plate 113. *Sopenwort or Briasewort. Saponaria vulgaris.*

It grows to be a foot and an half high, the Leaves are a grass green, and the Flowers a pale Purple.

It grows in Watery Places near Rivers and flowers for several Months in the Summer.

It is called *Saponaria*, or *Sopenwort*, because its Juice will get greasy Spots out of Cloaths. - It is esteemed opening and attenuating and somewhat sulcorific. It is recommended by some against the *Lues Venerea*. - Outwardly applied it helps hard Tumours and Whitlows.

Greek, *Αυξίς*. Latin, *Saponaria vulgaris*, or *Lychnis*. *Saponaria dicta*. Spanish, Italian, *Lichnide coronaria*. French, *Margenroslin*. Dutch, *Seepkruid*. German,

Plate 114. *The Mirtle Tree. Myrtus - Bactica sylvestris*

This is a little Tree shooting forth many slender tough Branches, the Leaves of which are a grass Green, and the Flowers White.

It grows wild in Spain and Italy, flowering in August.

The Leaves as well as the Berries are accounted drying & binding, good for a Diarrhæa or Dysentery, spitting of Blood, catarrhus De fluxions upon the Breast, the Fluor albus, the falling down of the Womb or Fundament, both taken inwardly. - Outwardly they are used in Powders & Injections. Preparations from it Berries are Sympus Myrtinus. Pul: Diamargariton frigid. Ol: Myrtinum. Ung: ad stringens. Fernel. Empl. ad Rapturas.

Greek, *μυρτίον*. Latin, *Myrtus*. Spanish, *Murta*, or *Rajam*. Italian, *Myrto mortina* & *Mortella*. French, *Meurte*. German, *Belckheiderbeerbaum*. Dutch, *Myrte Boom*.

Plate 115. *Toad-Flax. Linaria - lutea vulgaris.*

The Stalks grow a little more than a foot high, the Leaves are a willow green, and the Flowers Yellow.

It grows common on Banks and Hedges, and flowers in July.

The whole Plant is used, being accounted diuretic, opening Obstructions of the Liver & Spleen, helping the Dropsy and Jaundice, which it carries off by Urine.

The Continent made with Hogs Lard, and a good Quantity of this Herb, is esteem'd a good Remedy of the Piles by anointing the Part; - at the time of Using it mix some of it with it. - The Official Preparation is it Ung. *Linariæ*.

Greek *Κουσίς*. Latin, *Linaria - lutea vulgaris* and *Osyris*. Spanish, *Linaria*. Italian, *Linaria*. French, *Linair*. German, *Harnkraut*. Dutch,

Plate 116. *Tarragon. Dracunculus hortensis.*

It grows to be two foot high, the Leaves are a shining dark Green, and the Flowers a Yellowish colour.

It is planted in Gardens, and flowers in July and August.

The Leaves which are chiefly used are accounted heating and drying, good for those who have cold Stomachs, for which they are often put into salads. - Some say they expell Wind, provoke Urine & the Menstrues.

Greek, Latin, *Dracunculus hortensis*. Spanish, *Dragono*. Italian, *Dragone*. French, *Targon*. German, *Draguncell*. Dutch, *Dragon*.





Lapenwort or Bruijenwort.
 Eliz. Blackwell delin. sculp. or Pinx.

- 1. Flower
- 2. Seed Vessel
- 3. Seed

Saponaria vulgaris



The Myrtle Tree

1. Flower
2. Calyx
3. Berry
4. Berry open
5. Seed

Myrtus - Baccia sylvestris.


Eliz. Blackwell delin. sculp. et Pinx.





Toad-Flax.

Eliz. Blackwell delin. sculp. et Pinx. } 1. Flower }
 2. Fruit } *Linaria. lutea vulgaris.*
 3. Seed }



Tarragon.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
2. Fruit
3. Seed

Dracunculus hortensis.

Plate 117. *The great Burdock. Bardana major. Lappa major.*

1. The stalks grow to be two Foot high, the Leaves are white, hoary underneath, and a deep grass Green above, and the Flowers are Purple.
2. It grows by Way-sides and flowers in June and July.
3. The Roots are sudorific and alexipharmic, good in malignant Fevers, & are therefore used in the *Aq. Theriacalis*. - They are accounted good against the Gout and Pains in y Limbs. - The Leaves boiled in Milk, and applied as a Cataplasm are by some used for the same Distemper; as also for Burns, and Inflammations, and are one of the Ingredients of the Unguent *Populneum*. - The Common People apply them often to y Feet & Wrists in Fevers - The Seed powdered and given in white Wine is good to provoke Urine, and help Fits of the Stone.
4. Greek, *Agkēiov*. Latin *Bardana*, *Personata* or *Lappa major*. Spanish, *Bardana*. Italian, *Lappola maggiore*. French, *Gloteron* or *Bardana*. German, *Groß Pletten*. Dutch, *Klitsen*.

Plate 118. *Dead or Spotted Asmart. Persicaria maculata or maculosa.*

1. It grows to be two Foot high, the Leaves are a deep Green with a spot in y middle in shape like a half Moon, and the Flowers are a pale Red.
2. It grows in moist Places by Ponds and Ditches and flowers in July.
3. The Leaves are esteemed by some of a cooling Nature, good against hot Tumors Inflammations, Imposthumes and green Wounds.
4. Greek, *Υδρονέριον*. Latin, *Persicaria maculosa*. Spanish, *Hierva peceguiera*. Italian, *Persicaria maggiore*. French, *Curage*. German, *Schmerken*. Dutch, *Perfich-kruyd*.

Plate 119. *Sharp Asmart or Water Pepper. Hydropiper.*

1. This Plant grows to the same height as the former; the Leaves are lighter and want the spot in the dead Asmart, and the Flowers are a paler Red.
2. It grows in the same Places as the other, and flowers at the same time.
3. The great M^r. Boyle, in his Book of the Usefulness of Experimental Philosophy recommends the distill'd Water of this Plant as a good Remedy against the Stone. It is commended also as very cleansing, and good for old Scurvy Ulcers.
4. Greek, *Υδρονέριον*. Latin, *Hydropiper*, and *Persicaria maculata*. Spanish, *Hierva manchas*. Italian, *Pepe aquatico* and *Persicaria*. French, *Curage*. German, *Baßerpfeffer*. Dutch, *Perfich-kruyd*.

Plate 120. *Buckshorn or Swines Cresses. Coronopus Ruellii.*

1. The lower Leaves of this Plant lie on the Ground, and are in shape and colour like the Garden Cresses, the Flowers are White.
2. It grows by Way-Sides and flowers great Part of the Summer.
3. In the West Country this is much used as a Salad, both raw and boiled, for its great Usefulness in the Stone and Gravel; and several Gardeners about London cultivate it in their Gardens for this End, being a great diuretic.
4. Greek, Latin, *Coronopus Ruellii*, *recta* or *repens* *Ruellii*.
 Spanish, Italian, French.
 German, Dutch.

Handwritten text, likely bleed-through from the reverse side of the page. The text is written in a cursive script and is mostly illegible due to fading and blurring. It appears to be a list or a series of entries, possibly names or dates, arranged in a vertical column.



The great Burdock.

W. Blackwell delin. sculp. et Pinx.

1. Flower
2. Flower separate
3. Seed

Bardana major.
Lappa major.




Spotted or spotted Smartweed
 Blackwell delin. sculp. et Pinx.

1. Flower
 2. Seed } *Persicaria maculata* or *maculosa*



Sharp Asmart or Water Pepper
 Fliz. Blackwell delin. sculp. et Pina.

} 1. Flower {
 } 2. Seed { *Hydropiper.*



Buckhorn or *Grass* *hexes*. } 1. Flower }
 Elix. Blackwell delin. sculp. et Pinx. } 2. Fruit } *arvense* Ruelh.
 } 3. Seed }



Plate 121. The Cornel Tree. *Cornus-mas.*

1. This Tree grows to the Size of a Cherry Tree; the Leaves are a deep Green, the Flowers Yellow, and the Berries red.
2. It grows in Gardens, & flowers in March & April; but y^e Fruit is not ripe till August or September.
3. The Fruit is esteem'd cooling, drying and binding, Strengthening y^e Stomach, stopping all kinds of Fluxes & Loosness; & is good in Fevers, especially if attended with a Diarrhea. The Official Preparation is the Rot-de Cornis.
4. Greek, Κραμία. Latin, *Cornus*, and *Cornus hortensis mas.* Spanish, Cornizotos. Italian, Corniolo. French, Cornier. German, Cornelbaum. Dutch, Corneelje.

Plate 122. Garden Clary. *Horminum hortense. Sclarea.*

1. It grows to be two Foot high; the Leaves are a dull Green on the Face, and hoary on the Backside; the Flowers are a light Blue.
2. It grows in Gardens, flowering in June and July.
3. Clary is esteem'd warming & drying. - Infused in Wine it comforts a cold windy Stomach. Some commend it as a great strengthener of the Reins, helping the Fluor Albus, & invigorating a Cold relax'd Womb. Matthiolus recommends y^e Leaves infused in Vinegar, & a little Honey as good for Boils. - The same Author says that the Women in Italy put a single seed into their Eyes when they are troubled with any Redness, humors, or Dimness; but Mr. Miller gives this Virtue to the Wild Clary.
4. Greek, Ορμινον. Latin, *Horminum hortense*, and *Sclarea*. Spanish, *Scarlegia*. Italian, *Scarleggia*. French, Orval, or Toulbonne. German, Scharlach. Dutch, Scarlen.

Plate 123. Garden Spurge, or Lathyrus. *Cataputia minor & Lathyrus.*

1. The stalks grow to be three or four Foot high; the Leaves are a bluish Green and the Flowers yellowish.
2. It grows in Gardens, and flowers for several Months in the Summer.
3. Some use this Plant to purge watery Humors, which it does with great Violence both upwards and downwards, and is seldome used for this but by Emperics. The Milk of the stalks destroy Warts by anointing them with it.
4. Greek, Λαθυρις. Latin, *Lathyrus*, & *Cataputia minor*. Spanish, Tartago. Italian, Cataputia minore. French, Espurge. German, Springerkraut. Dutch, Springskruid. Spurge.

Plate 124. Shepherd's Staff. *Virga Pastoris.*

1. It grows to be four or five Foot high; the Leaves are a light Grass Green, and the Flowers Yellowish.
2. It grows in Marshy Grounds, particularly behind the Bishop of London's House at Fulham.
3. Matthiolus says this has the same Vertues as the Teafels; & y^e Root of this boiled to the Consistence of Beefe Wax in Wine, and kept in a Brazen Vessel is good for a Fistula and Cysts in the Fundament. - The Rain Water found in y^e Hollow of the Leaves is commended by some to cool Inflammations of y^e Eyes, & to render the Face fair.
4. Greek, *Virga Pastoris*. Latin, *Virga Pastoris*. Spanish, *Virga di Pastore*. French, Virge de Pasteur. German, Dutch,



The Cornel Tree

Eliz. Blackwell delin. sculp. et Pinx.

- | | | |
|--------------------|---|-------------|
| 1. Flower | } | Cornus-mas. |
| 2. Flower separate | | |
| 3. Fruit | | |
| 4. Stone | | |
| 5. Stone open | | |
| 6. Kernel | | |

Cornus-mas.



Garden Clary

Eliz. Blackwell delin. sculp. et Pinoc.

- 1. Flower
- 2. Fruit
- 3. Seed

{ *Horminum hortense* Sclarea.



Garden Spurge or Lathyris
 Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Seed vessel open
 3. Seed

Cataputia minor & Lathyris.



Shepherd's Staff

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Flower, separate
 3. Seed

Virga Pastoris.

Plate 125. The Fig Tree: *Ficus*

1. It seldom grows to be a Tree of any great Bigness in England; the Leaves are a grass Green, and the Fruit when ripe of a brownish Green; it beareth no visible Flowers, which makes it believed they are hid in the Fruit.
2. Its Native soils are Turkey, Spain and Portugal; and its time of Bearing is in Spring and Autumn; the Figs are cured by dipping them in scalding hot Lye, made of y^e Ashes of the Cuttings of the Tree, and afterwards they dry them carefully in the Sun.
3. Figs are esteem'd cooling and moistning, good for coughs, shortness of Breath and all Diseases of the Breast; as also the Stone and Gravel, - and the small Pox and Measels, which they drive out. - Outwardly they are dissolving and ripening, good for Imposthumations and Swellings; and pestilential Bubbles.
4. Greek, Σίκα. Latin, Ficus. Spanish, Figo. Italian, Fichi. French, Figues. German, Fengen. Dutch, Uygen.

Plate 126. The Mulberry Tree. *Morus*. - *nigra vulgaris*.

1. This grows to be a tall Tree, the Leaves are a dark Green, the Flowers yellowish, and the Berries when ripe a dark Purple.
2. It grows in Gardens, and the Fruit is ripe in August and September.
3. The Bark of the Root is thought to warm and dry, opening obstructions of the Liver and Spleen, and helping the Jaundice. - The unripe Fruit is binding and drying, good in all kinds of Fluxes, and Inflammations of the Mouth and Throat. - The ripe Fruit is cooling, good to allay the Heat of Burning Fevers, and create an Appetite.
4. Greek, Μορέα ἢ συκάμινος. Latin, Morus, & Morus arbor. Spanish, Moras del Moral. Italian, Moro. French, Maurier. German, Maulbeerbaum. Dutch, Moerbessen.

Plate 127. The Male Cypress Tree. *Cupressus mas*.

1. This grows to be a tall Tree, but is not so much branched as the Female; the Leaves are a grass Green, the Flowers a dirty Yellow, & the Cones, which are rounder than y^e Females, brown.
2. It grows wild in Greece; the Flowers come forth the Beginning of Summer, and y^e Cones are ripe in Autumn.
3. The Cones are accounted drying and binding, good to stop spitting of Blood, Dyarrheas, Dysenteries, immoderate Flux of the Menstr, involuntary Miction. - They likewise prevent the Bleeding of the Gums and fasten loose Teeth. - Outwardly they are used in stiptic Fomentations and Cataplasms.
4. Greek, Κυπάρισσος. Latin, Cupressus mas. Spanish, Cipres. Italian, cipresso. French, Cypress. German, Cypressen. Dutch, cypresse Boom.

Plate 128. Horse Tongue, or Double Tongue. *Hippoglossum Bislingua*.

1. The Stalks grow five or six Inches high, the Leaves are a deep Green, the Flowers whitish, and the Berries red.
2. It grows wild in Italy, and flowers in June.
3. This Plant is esteem'd heating and drying, good for Disorders and Suffocations of the Womb, Hysterick Fits, hastening the Birth, expelling the After Birth, and procuring the Catamenia.
4. Greek, Ἱππόγλωσσον. Latin, Bislingua, Hippoglossum. Spanish, Lengua de Cavallo. Italian, Bislingua or Bonifacia. French Bislinguã. German, Xapfflin Graut. Dutch,



The Fig Tree
Eliz Blackwell delin. sculp. et Pinx. } 1. Fruit
2. Fruit open

Ficus.




The Mulberry Tree

Eliz. Blackwell delin. sculp. et Pinx.

1. Cluster of Flowers
2. Flower separate
3. Fruit
4. Seed

Morus-nigra vulgaris



The Male Cypress Tree

Eliz. F. Blackwell delin. sculp. et Pinx.

1. Cone
2. Seed

Cupressus mas.

3



Worse Tongue or Double Tongue

Ellz. Blackwell delin. sculp. et Pinx.

1. Flower
2. Berry
3. Berry separate

Hippoglossum Bilingua.

Plate 129. *Guinea Pepper. Capsicum. Piper indicum.*

1. The Stalks grow to be two Foot high, the Leaves are a deep grass Green, the Flowers white and the Fruit red.
2. It is sown in Gardens, and flowers in August, the fruit being ripe in September.
3. Some commend a Decoction of this with Penny Royal as good to expell a Dead Child.
4. The Skins boil'd and used as a Gargle help the Tooth Ach. A Cataplasm of the Seeds powder'd and mixt with Honey apply'd to the Throat, is good for the Quinsy.
5. It is much used as a Sauce for any Thing that is flatulent and Windy.
6. Greek, Καπικόν. Latin, capsicum. Siliquastrum. Spanish, Pimiento cornuto. Italian, Pepe d'India. French, Poudre d'Inde. German, Indianisch Pfeffer. Dutch

Plate 130. *Smooth Sonr-thistle. Sonchus laevis.*

1. It grows about two Foot high, the Leaves are a light grass Green, and the Flowers yellow.
2. It grows upon Banks and Way-sides, and flowers in May and June.
3. The Leaves are much of the Nature of Dandelion, being apperative and diuretic, good for the Gravel and Stoppage of Urine. Some boil the Leaves in Posset drink & give it in Fevers. The Young Shoots are often eat among Sallads as Lettice.
4. Greek, Σόνχος. Latin, Sonchus laevis. Spanish, Serraya. Italian, Cicertita. French, Laiteron. German, Gansdistel. Dutch,

Plate 131. *Water Calamint. Calamentha aquatica*

1. It grows to be a Foot high, the Leaves are a dull Green, and the Flowers purple.
2. It grows in moist Places where Water has stagnated all the Winter, and flowers in June and July.
3. It is hot and Dry, and is peculiarly appropriated to the female Sex; it is esteem'd a good Uterine, provoking the Menfes and Lochia. It warms the Bowels, and helps the Chollic and Jaundice.
4. Greek, Καλαμίνθα ὕδρως. Latin, Calamentha aquatica. Spanish, Nevedo. Italian, Calamento aquatico. French, Poullio de German, Baftermunk. Dutch, Water-Calamench.

Plate 132. *Groundsel. Erigeron. Senecio*

1. The Stalks grow to be a Foot high, the Leaves are a light Green and the Flowers yellow.
2. It grows on Banks, Walls, and Rubbish; flowering the greatest part of the Year.
3. Some take the Juice of this Herb in Ale as a Gentle Vomit, to ease the Pains in the Stomach, evacuate Choler, help the Jaundice, and destroy Worms. Outwardly it is usefull in scrophulous Tumours, and Inflammations of the Breast, and helps scald Heads.
4. Greek, ηριγρον. Latin, Erigeron. Spanish, Bon varron. Italian, Carduncello. French Senefon. German, Greuknurt. Dutch, Kruijskruid.





Guinea Pepper
Elv. Blackwell delin. sculp. et Pinx.

1. Flower
 2. Fruit
 3. Fruit open
 4. Seed

Piper indicum



Smooth Sow-thistle

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|--------------------|---|
| 1. Flower | } |
| 2. Flower separate | |
| 3. Calyx | |
| 4. Seed | |

Sonchus laevis.



Water Calamint

1. Flower separate
2. Calyx
3. Seed

Calamintha aquatica.

Ellis. Blackwell delin sculp et Pinks.



Groudfel

Edw. Howell delin. sculp. et Pinx.

1. Flower separate
2. Calix
3. Seed

Erigeron, Senecio.

Plate 133. *Love-Apple. Amoris Pomum.*

1. The Stalks grow to be two Foot high, the Leaves are a light yellowish green, and the Flowers yellow.
2. It is sown in Gardens, and flowers in July, the Fruit being ripe in September.
3. Love Apple outwardly applyed is esteemed cooling and moistning, good for Inflammations, Erysipelas; the Juice is commended in hot Defluxions of Rheum upon the Eyes. In Italy they eat them with Oil and Vinegar as we do Cucumbers.
4. Greek, ΣΤΡΟΥΧΡΟΝ ΚΙΝΗΔΟΝ. Latin, Pomum Amoris. Solanum pomiferum. Spanish Italian, Pomo d'Oro. French Pommes d'Amours German, Gold apffel. Dutch.

Plate 134. *Mastich Tree or Herb Mastich. Marum vulgare.*

1. It grows to be a Foot high, the Leaves are a deep green, and the Flowers white.
2. It is planted in Gardens, and flowers in June and July.
3. It is much of the Nature of Marjoram; Some commend it for the too great Flux of the Catamenia, a Drachm of the Powder being given in rough Wine Dioscorides commends a Decoction of the Leaves as good for the Dropsy, when it has not got too great a Head; and the Leaves mixt with Honey as good for removing the Blackness of any Bruise.
4. Greek, Σάμψυκον η Αμάρακος. Latin, Marum vulgare. Sampsuchius. Spanish, Majorana Italian, Majorana gentile. French, Marone gentil. German, Megeran. Dutch, Mastick ruykende Marum.

Plate 135. *Buckthorn. Rhamnus catharticus. Spina cervina.*

1. This Bush has Branches full of long stiff Thorns, the Leaves are a yellowish green, and the Flowers yellow.
2. It grows in Woods & Hedges; flowers in June; and the Berries are ripe in September. The Juice of the Berries purges serous watery Humours; and is esteem'd good for the Gout, Dropsy, Jaundice, Scurvy, Itch, and all manner of Eruptions in the Skin. The Official Preparation is the Syrupus e Spina Cervina.
3. Greek, Ράμνος. Latin, Rhamnus catharticus. Spina Cervina Spanish, Scambrones. Italian, Spino merlo, or Spino cervino. French, Burguespin or Neprun. German, Begdorn. Dutch, Rhynhesien.

Plate 136. *Black or Stinking Horehound. Marrubium nigrum. Ballote.*

1. The Stalks grow to be two Foot high, the Leaves are a dark Green, and the Flowers a blue Purple.
2. It grows by High Ways and Hedges, flowering for several Months in the Summer.
3. Dioscorides says the Leaves beaten with Salt, and applyed to the Wound, cures the Bite of a Mad Dog; and the Juice mixt with Honey is good to cleanse foul Ulcers. Doctor Bowle commends it as a singular Remedy against Hysterick & Hypochondriac Affections.
4. Greek, Βαλλωτή. Latin, Marrubium nigrum or Ballote. Spanish, Marrojo negro. Italian, Marrobbio bastardo. French, Marruben noir. German, Schwiarts Andorn. Dutch, Sewart Andoon.



Love Apple.

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|----------------|---|
| 1. Flower. | { |
| 2. Ripe Fruit. | |
| 3. Fruit open. | |
| 4. Seed. | |

Amoris Pomum.



Mastic Tree or Herb Mastic.

Edw. Blackwell delin. sculp. et Pinx.

- | | |
|---------------------|---|
| 1. Flower. | { |
| 2. Calyx. | |
| 3. Flower separate. | |
| 4. Seed. | |

Marum vulgare.



Buckthorn.

Wm. Blackwell delin sculp. et Pinx

1. Flower.
2. Berry.
3. Seed.

Rhamnus catharticus.
Spina cervina.



Black or Stinking Horehound. } : Flower separate.
 Lin. Blackwell delin. sculp. et Pinx. } 2. Calyx.
 3. Seed. } Marrubium nigrum. Ballote.

Plate 137. *Quincea*. *Cydonea*, or *Mala cotonea majora*

1. This Tree seldom grows so big as the apple Tree, having usually a crooked Body, with many weak Branches. The Leaves are like those of the apple Tree, but rounder and whitish underneath; the Blossoms are a whitish Purple, and the Fruit a yellow Green, covered with a Down.
2. It is commonly planted by Ponds and Moats, flowering in May, the Fruit being ripe in September and October.
3. The Fruit is accounted cordial and strengthening to the Stomach, helping Digestion, and stopping Vomiting & the Hiccough. They are also esteemed good for all sorts of Fluxes. The Seed is balsamic and mollifying, tempering the Acrimony of Humors & serviceable against sore Mouths, Throats, and a Thrush; for which a Mucilage made of them is frequently prescribed. Outwardly it is applied to heal sore chapped Nipples.
4. Greek, Σπόδιον. Latin, *Cydonea*, or *Cotonea majora*. Spanish, *Membrillos*. Italian, *Mele cotogne*. French, *Pomes de Coing*. German, *Groß Quitten*. Dutch, *Quee-Boom*.

Plate 138. *Hart's Tongue*. *Lingua Cervina*, & *Phyllitis*.

1. This Plant grows to be a Foot high; the Leaves are a fine grass Green, the Seed grows in broad oblique Lines on the Backside of the Leaves.
2. It grows in Shady Lanes and old Stone Buildings, being green all the Year.
3. It is much commended for Disorders of the Liver and Spleen, being good to Dissolve hard scirrhus Tumours in either. - It is usefull in the Rickets, Spitting of Blood and the Bloody Flux. - M^r Ray recommends the Powder, or Conserve of y^e green Leaves, for Histeric & Convulsive Fits, and the Palpitation of the Heart.
4. Greek, Φυλλίτις Latin, *Lingua cervina*. Spanish, *Lingua cervina*. Italian, *Lingua cervina*. French, *Lang de cerf*. German, *Hirschzungen*. Dutch, *Herts Tonge*.

Plate 139. *Agnus castus*, or *The Chaste Tree*. *Vitex*, or *Agnus castus*.

1. This Tree grows about the Bigness of a small Cherry Tree; the Leaves are a dark Green above, and whitish underneath; the Flowers are a whitish Purple, & y^e Seed a blackish Grey.
2. It is a Native of Italy, & is planted here in Gardens, flowering the latter End of Summer.
3. The Leaves Flowers & Seed are esteemed warming and drying; helps the Hardness of the Liver & Spleen, expells Wind & brings down y^e Catamenia. Formerly y^e Seed was much used to allay venereal Heats, & preserve Chastity, but this Age has left that Medicine out of their Dispensatory as useles.
4. Greek, Ἄγνος καὶ Λύγος. Latin, *Vitex*, *Agnus castus*, *Salix Ameriana*. Spanish, *Galligallo casto*. Italian, *Vitice* or *Agno casto*. French, *Casto*. German, *Schafsmullet*. Dutch, *Kuys Boom*.

Plate 140. *Privet* or *prim Print*. *Ligustrum*.

1. This is a low Shrub; the Leaves are a grass Green, the Flowers white & the Berries Black.
2. It grows in Hedges and flowers in May & June, y^e Berries being ripe in September.
3. The Leaves and Flowers are accounted cooling drying & restringent; good for Ulcers & Inflammations of y^e Throat, Bleeding of the Gums and Relaxation of the Utrula. Dioscorides commends the Flowers steep'd in Vinegar as good for the Head-ach.
4. Greek, Κόμπος. Latin, *Ligustrum*. Spanish, *Alfena* or *Hallena*. Italian, *Gustrico*, *Olivella*. French, *Troefne* or *Trezillon*. German, *Beinholt oder*. Dutch, *Mondhout keelkruid*.



Quinces.


Eliz Blackwell delin. sculp et Pinx

1. Blossom.
2. Fruit.
3. Fruit open.
4. Seed

donea.
or *M. la. cotonea majori.*



Hart's Tongue. } 1. Seed. } *Lingua Cervina.*
Eliz. Blackwell delin. sculp. et Pinx. } } *& Phyllis.*



Vitex agnus-castus, or The Chaste Tree.

Wm. Blackwell delin sculp et Pinx.

1. Flower separate
2. Calyx
3. Seed Vessel
4. Seed

Vitex, or *Agnus castus*.



Privet, or prim Print.

Flz. Blackwell delin. sculp et Pinx.

1. Flower.
2. Berry.
3. Seed

Ligustrum.

Plate 141. The Apple Tree. *Malus sativa*.

1. Among the great variety of Apples, those which are accounted best for Medicinal Use are the Pearmain and Pippin. - The largest Pearmain is $\frac{1}{2}$ Herefordshire. The Leaves are a dark grass green above, and hoary underneath; and the Blossoms white tinged with purple.
2. It is planted in Gardens and flowers in March.
3. Apples are accounted cordial, chearing the Spirits and driving away Melancholy. Of the Juice is made the Syrupi \grave{e} Pomis, which is an Ingredient in $\frac{1}{2}$ Confectio Alkermis.
4. Greek, Μᾶλ' ἄ. Latin, *Malus sativa*. Spanish, *Mansanas*. Italian, *Mele*, or *Pome*. French, *Pomes*. German, *Deffel*. Dutch, *Appelen*.

Plate 142. Devil's Bit, or smooth Succisa. *Morus Diaboli & Succisa*.

1. The Stalks grow to be a Foot and a half high, the Leaves are a grass green, and the Flowers a blue Purple.
2. It grows in Meadows and Pasture Grounds, and flowers $\frac{1}{2}$ latter end of Summer.
3. The Leaves are esteem'd alexipharmic, usefull in malignant Fevers and Pestilential Distempers. Outwardly as a Cataplasm they are good for Bruises and Contusions. The Herb Women sell the Leaves of this Plant instead of the common Scabious.
4. Greek, Latin, *Succisa* or *Morus Diaboli*. Spanish Italian, *Morfo di Diavolo*. French, German, *Zeuffels Abtiss*. Dutch, *Duyvels Beed*.

Plate 143. Male Speedwell. *Veronica mas*.

1. This is a low creeping Plant; the Leaves are a light Green, and the Flowers a bluish Purple.
2. It grows in Woods and Shady Places, flowering in June.
3. This is esteemed a vulnerary Plant, being used both inwardly & outwardly. Some account it good for Coughs and Consumptions, the Stone, Stranguary, and pestilential Fevers.
4. Greek, Latin, *Veronica mas*. Spanish, Italian, *Veronica*. French, German, *Threnpreiss*. Dutch

Plate 144. Saffron. *Crocus*.

1. The Stalks grow four or five Inches above Ground; The Leaves are a dark grass Green, and the Flowers purple; with red Stamina, which is $\frac{1}{2}$ Saffron of the Shops.
2. The best Saffron grows in Essex, Suffolk and Cambridgeshire; it flowers in September and October.
3. Saffron is esteemed a great cordial, strengthening $\frac{1}{2}$ Heart & vital spirits, resisting Putrefaction, & usefull in all kinds of malignant & contagious Distempers, Fevers, Small Pox & Measles. It opens obstructions of $\frac{1}{2}$ Liver & Spleen, helps $\frac{1}{2}$ Jaundice, Brui-sonn & Catamenia, expedites the Birth, & expells $\frac{1}{2}$ Secundines. It is also good in Dysuria, & $\frac{1}{2}$ Lunas, or distmmas, or consumptions. Outwardly in Poultices it eases Pain, & ripens Impostumes.
4. Greek, $\kappa\rho\omicron\kappa\omicron\varsigma$. Latin, *Crocus & Crocus sativus*. Spanish, *Azaffran*. Italian, *Zaffrano*. French, *Zaffran*. German, *Saffran*. Dutch, *Saffraan*.



The Apple Tree or Pearmain

1. Blossom.
2. Fruit.
3. Fruit open.
4. Seed.

Malus sativa.

Flor. Blackwell delin. sculp. et Pinx.



Devil's Bit, or smooth Succisa. { 1. flower { Morfus Diaboli, & Succisa.
 Blackwell delin. sculp. et Pinx. { 2. calyx {
 { 3. seed. }



Male Speedwell.
 $\left. \begin{array}{l} 1. \text{ Flower.} \\ 2. \text{ Seed Vessel.} \\ 3. \text{ Seed.} \end{array} \right\}$
 Veronica mas.
 Kliz. Blackwell delin. sculp. et Pinx.



Saffron

Eliz. Blackwell delin. sculp. et Pinxo.

{ 1. Flower.
2. Stamina. }

Crocus.

Plate 145. *Pomgranates. Granata, Punica mala.*

1. The Pomgranate Tree which bears Fruit produces a single Flower. of the same Colour as the double; and the Tree it self differs very little from the other.
2. This Tree, as well as the other, grows in Spain, Italy, and the warm Countries.
3. The single Flowers are drying and restringent, good for Hemorrhagies & Bleedings both inward and outward. The Fruit is gratefull and strengthening to the Stomach; stops Looseness and the immoderate Flux of the Terms; and is usefull in hot bilious Fevers, and Gonorrhœas.
4. Greek, Ρό'ια. Latin, *Granata*. Spanish, *Granadas*. Italian, *Melagrano*, or *Pomo granato*. French, *Pomes de Grenades* or *Mylgrains*. German, *Granatopffelbaum*. Dutch, *granaat Boom*.

Plate 146. *Tobacco. Petum, Tabaccum.*

1. It grows to be three Foot high, the Leaves are a grass Green, & the Flowers a pale Red.
2. It is sown in the Spring and flowers in July and August.
3. The green Leaves are used in Ointments and Oils, for Wounds, Ulcers, Inflammations, Tumours, Piles and the King's Evil. The dried Leaves are a strong Emetic, & ought to be used with great Caution. - chew'd or smoak'd it evacuates Phlegm. - A Drop of the Distilled oil taken inwardly will kill a Cat. sometimes this Oil is dropt into a hollow Tooth to cure the Tooth-ach. The Dust destroys Fleas, Lice, & other Vermine.
4. Greek, Ὑόκυ'αρος. Latin, *Petum, Hyoscyamus Peruvianus*. Spanish, *Petun* and *Tabaco*. Italian, French, *Herba de la Roine Mere*. German *Indi- nisch Bunderkraut*. Dutch, *Taback*.

Plate 147. *Sow-bread. Artanita, Cyclamen.*

1. The Stalks grow to be six or eight Inches high, the Leaves are a grass Green spotted with white above, & purplish underneath, & the Flowers a pale Red.
2. It is planted here in Gardens, flowering in September and October; its Native Places being the Alps, Austria, & Syria.
3. The Root is very forcing, and usefull to bring away the Birth and Secundines, and provoke the Menfes. Some commend the Juice against vertiginous Disorders of the Head, used in form of an Errkine; it is also good for cutaneous Eruptions.
4. Greek, Κυκλάμι'νος. Latin, *Artanita, Cyclamen*. Spanish, *Pan de Puerco*. Italian, *Pan Porcino*. French, *Cyclamen* or *Pain Porcin*. German, *Schweinbrot*. Dutch, *Darkensbrood*.

Plate 148. *The greater Spurge or Palma Christi. Cataputia major & Ricinus.*

1. The Plant grows to be Six or Seven Foot high, the Leaves are a fine grass Green; the Flowers are small and staminous of a yellow Colour.
2. It is planted in Gardens, and flowers late in the Summer.
3. The Kernels are used by some to purge watery Humors; but they must be used with great Caution. The Oil express'd from the Seeds is good to destroy Lice in Children's Heads.
4. Greek, Κ'ικι ή κ'ρόταν. Latin, *Ricinus*. Spanish, *Figueira dell' Inferno*. Italian, *Mirafôle*. French, *Palma Christi*. German, *Bunderbaum*. Dutch, *Donder boom*.



Pomgranates.

Eliz. Blackwell delin. sculp. et Pinx.

<p>1. Flower. 2. Fruit. 3. Fruit open. 4. Berry. 5. Stone.</p>	<p>{ <i>Granata, Punica mala.</i></p>
--	---------------------------------------



Tobacco.

Petum, Tabacum.

Flor. Blackwell delin. sculp et Pinx. { 1. Flower.
2. Calyx.
3. Seed vessel.
4. Seed. }



Sow-bread.

Fliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Seed Vessel.
3. Seed.

Artanita, Cyclamen.





The greater Spurge or Palma Christi } 1. Flower
 Fl. Blackwell delin. sculp. et Pinx. } 2. Seed Vessel
 3. Seed } *Lataputia major & Ricinus*

Plate 149. *Haw-thorn. Spina Alba.*

This grows to be a pretty large Tree, the Leaves are a deep grass Green, the Flowers white with reddish Apices in the Middle, and the Berries red.

It flowers in May, and the Fruit is ripe in September.

The Flowers & Fruit are both used in the Shops, and are accounted diuretic, good for γ Stone, Gravel, & Pleurisy. The Aqua Nephritica is made of the Flowers.

Greek, Μεσπίλος. Latin, Mespilus, Oxyacanthus. Spanish, Azarolo. Italian, Azarolo. French, Nesplier. German, Dornbaum. Dutch, Doornboom.

Plate 150. *Musk Crane's Bill. Geranium moschatum.*

The Stalks grow to be a Foot high, the Leaves are a light grass Green, and the Flowers purple.

It is generally planted in Gardens, flowering great part of the Summer; sometimes it is found Wild, in several Parts of England.

This is accounted a vulnerary Plant, and is useful in inward Wounds, Bruises and Haemorrhagies, and most Fluxes.

Greek, Γεράνιον. Latin, Geranium moschatum. Spanish, Pico de Anghenha. Italian, Geranio terzo. French, Bec de Licongne. German, Storchschnabel. Dutch, Storchschnabel.

Plate 151. *Elder. Sambucus.*

This is a common Hedge Tree, & seldom grows to any great bigness, the Leaves are a light grass Green, the Flowers white, and the Berries a deep purple.

It grows frequently in Hedges near Ditches, and flowers in May the Berries being ripe in September.

The Bark, Leaves, Flowers & Berries are used. - The inner Bark is much used for the Dropsy. - The Leaves outwardly are good for Inflammations, St. Anthony's Fire & the Piles; the Flowers are used for the same, and are also put in Fomentations & Cataplasms for all kinds of Swellings, Tumours, & Pains in the Limbs; inwardly they expell Wind, & help the Cholick. The Berries are cordial & useful in hysteric Disorders. In the Trunk of this Tree grows an Excrecence which they call Jews Ears, being accounted good for γ swelling & Inflammation of the Tonsils, sore Throats and Quinsseys.

Greek, Άκτιν. Latin, Sambucus. Spanish, lavinero. Italian, Sambuco. French, Sayer. German, Holder. Dutch, Duerboom.

Plate 152. *Black Alder. Alnus nigra.*

This Tree never grows to any great bigness, the Leaves are a grass Green, the Flowers white, and the Berries black.

It grows in moist thick Woods, as Hampstead and Hornsey, and flowers in May the Fruit being ripe in September.

The Inner Bark purges serous Humours, and is commended for γ Dropsy & Jaundice, but it ought to be prepared with proper Aromatics, or else it will cause Griping and Vomiting; beaten in a Mortar and mix'd with Vinegar, it is accounted good for the Itch, the Parts being wash'd with the express'd Liquor.

Greek, Πλάτεια. Latin, Alnus nigra, and Frangula. Spanish, Italian, Frangola. French, Aune noir. German, Faulbaum. Dutch, Pylhout, Sporkenboom.





Harb - thorn. {

 1. Flower.
 2. Fruit.
 3. Stone.

}
 Spina alba.

Eliz. Blackwell delin. sculp. et Pinx.



Musk Geranium.

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|-----------------|---|
| 1. Flower. | } |
| 2. Calyx. | |
| 3. Seed Vessel. | |
| 4. Seed. | |

Geranium moschatum.





Elder.

Ed. Blackwell delin. sculp. et Pinx.

1. Flower
2. Berry.
3. Seed.

Sambucus.






Black Alder.

{ 1. Flower. {
 { 2. Fruit. }

Alnus nigra

Eliz. Blackwell delin. sculp et Pinæ.





To
ALEXANDER STUART M.D.
PHYSICIAN in Ordinary to her MAJESTY,
and Fellow of the ROYAL COLLEGE of
PHYSICIANS, & y^e Royal Society of London

Sir,

*As you have given me the greatest Marks of your Favour, by encouraging and promoting this **WORK** on all proper Occasions; more especially by shewing some of the first **DRAWINGS** at a publick **HERBARIZING** of the Worshipfull Company of **APOTHECARIES**, and recommending me to the **FRIENDSHIP** of M^r **ISAAC RAND**, without whose **ASSISTANCE** this **WORK** would have been very imperfect. I should be guilty of the highest Ingratitude if I omitted this **OCCASION** to make a publick Acknowledgment, and to*
Subscribe my Self

*Sir your much obliged
humble Servant*

Chelsea y^e 2.^d of August. 1737.

Elizabeth Blackwell.



To

ALEXANDER STUART M.D.

PHYSICIAN in Ordinary to her MAJESTY,

and Fellow of the ROYAL COLLEGE of

PHYSICIANS, & y^e Royal Society of London

Sir.

*As you have given me the greatest Marks of your Favour; by encouraging and promoting this **WORK** on all proper Occasions; more especially by shewing some of the first **DRAWINGS** at a publick **HERBARIZING** of the Worshipfull Company of **APOTHECARIES**, and recommending me to the **FRIENDSHIP** of M^r ISAAC RAND, without whose **ASSISTANCE** this **WORK** would have been very imperfect. I should be guilty of the highest Ingratitude if I omitted this **OCCASION** to make a publick Acknowledgment, and to*
Subscribe my Self

Sir your much obliged
humble Servant

Chelsea y^e 2.^d of August. 1737.

Elizabeth Blackwell.



THE TRUTH OF THE MATTER
AND THE
MATTER OF THE TRUTH
AND THE
MATTER OF THE TRUTH

The first part of the book is devoted to a discussion of the nature of truth and the relation of truth to the human mind. The author argues that truth is not a mere collection of facts, but a system of ideas which are connected by logical relations. He then proceeds to show how the human mind is able to grasp these relations and how it is able to distinguish between true and false ideas. The second part of the book is devoted to a discussion of the nature of the human mind and the relation of the mind to the world. The author argues that the mind is not a mere passive receiver of impressions, but an active agent which is able to shape its own world. He then proceeds to show how the mind is able to grasp the nature of the world and how it is able to distinguish between the real and the ideal. The third part of the book is devoted to a discussion of the nature of the world and the relation of the world to the human mind. The author argues that the world is not a mere collection of facts, but a system of ideas which are connected by logical relations. He then proceeds to show how the human mind is able to grasp these relations and how it is able to distinguish between true and false ideas.

Plate 153. *The Vine Vitis, Vinifera.*

1. The Vines generally differ according to the Countries they grow in, both in Height and Fruit; this Vine is the *Uvae pascuae majores*, or Raisins of the Sun.
2. This Vine is a Native of the warm Countries as Spain, Portugal, Italy and France; it flowers in April and the Grapes are ripe the latter End of Summer.
3. Wine is accounted cordial, strengthens the Stomach, helps Digestion, comforts y^e Bowels, and is a great Preservative against the Plague. The Raisins of the Sun are made by cutting the Stalks of the Branches, when on the Tree almost in two, by which means they hinder the sap from coming to them in so great a Quantity as it would do other ways, till by the Heat of y^e Sun, & Defect of Nourishment they are sufficiently cured.
4. Greek. *Ἀμπέλιος* *ἡ ποπόρος*. Latin, *Vitis, Vinifera*. Spanish. Italian, *Vite Vinifera*. French, *Vigne*. German, *Weinrebe*. Dutch,

Plate 154. *The Medlar Tree. Mespilus*

1. It grows as big as an Apple Tree; the Leaves are a grass Green; the Flowers white, and the Fruit when ripe of a brownish Green.
2. It is planted in Gardens; flowers in May, and the Fruit is ripe in November.
3. Medlars are esteem'd cooling, drying and binding, (especially before they are quite ripe) and are useful in all Kinds of Fluxes. Some commend the Hard Seed as good for y^e Gravel and Stone. They are an Ingredient in the *Syrupus Mirtinus*.
4. Greek. *Μέσπυλον*, ἡ μεσπύλη. Latin, *Mespilus sativa*. Spanish, *Nesper*. Italian, *Nespoto*. French, *Nesplier*. German, *Nespele*. Dutch,

Plate 155. *Kneeholm or Butcher's-broom. Bruscus or Ruscus.*

1. The Stalks grow to be a Foot high, the Leaves are a deep Green, the Flowers Yellow with a purple Umbel in the Middle, and the Berries red.
2. It grows in Hedges and Thickets, particularly on Epping Forrest, and flowers for several Months in the Summer.
3. The Root is one of the five Opening Roots, and is accounted good for Obstructions of the Liver and Spleen, the Jaundice and Dropsy. It is a strong Diuretic, provokes Urine, helps the Gravel and Stone, and brings down the Catamenia. Tournefort commends a Conserve of the Berries to stop a Gonorrhea.
4. Greek. *Μυρσίνη ἡ ἄγρια* & *Ὀξύμυρσίνη*. Latin, *Oxymir sine*. Spanish, *Jus barba*, and *Jil barbera*. Italian, *Brusco* & *Pongitopi*. French, *Brus*. German, *Brusch*. *Reusdorn*. Dutch,

Plate 156. *Pellitory of the Wall. Parietaria, Helxine.*

1. It grows to be Eight Inches high, the Leaves are a dark Green, and y^e Flowers red before they are full blown, and white afterwards.
2. It grows upon old Walls, and flowers in May.
3. The whole Herb is used being cooling opening and cleansing, containing a nitro sulphureous Salt, which recommends it for the Stone, Gravel, Stoppage and Heat of Urine; for which Ends the Juice or Decoction is given at the Mouth, and in Clusters. Some commend it for Coughs.
4. Greek. *Ἐλξίνη ἡ τοειόκλιον*. Latin, *Helxine*. Spanish, *Yerva del muro*. Italian, *Vetriola*. French, *Parietaire*. German, *Zagund Racht*. Dutch,



THE TRAVELLER'S GUIDE
TO THE
TOWN OF
LONDON
AND
THE
COUNTY OF MIDDLESEX
IN
THE
YEAR 1790

By
J. G. K. L.
Author of
The Traveller's Guide
to the
Towns of
Middlesex
and
Surrey
in
the
Year 1790
LONDON
Printed by
J. G. K. L.
in the
Year 1790



The Vine.

Eliz. Blackwell delin. sculp. et Pinx.

- | | | |
|---|---------------|---|
| { | 1. Flower | { |
| | 2. Fruit | |
| | 3. Fruit open | |
| | 4. Stone. | |

Vitis vinifera



The Medlar Tree


Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Fruit.
3. Fruit open.
4. Seed.

Mespilus.



<i>Kneeholm or Butcher's-broom.</i>	{ 1. Flower. { 2. Berry.	<i>Bruscus or Ruscus.</i>
<i>Eliz. Blackwell delin. sculp. et Pinx.</i>		



Pellitory of the Wall } 1. Flower. { *Parietaria, Helxine.*
Flz Blackwell delin. sculp. et Pinx.



Plate 157. The Citrul or Water-melon. *Citrullus* or *Anguria*

1. The Stalks creep on the Ground like the Stalks of a Cucumber; the Flowers are yellow and the Fruit Green; and commonly grows as big as a Pomkin.
2. It is much cultivated in the Warm Countries, as Italy, Spain, Turkey, the East & West Indies; and flowers according to the Months it is sown in.
3. Water Melons are much esteem'd for their cooling and refreshing Quality, being very serviceable in great Heats. The Seed is one of the greater Cold Seeds, and is much of the Nature of Melon and Cucumber, agreeing with them in their cooling diuretic Faculties.
4. Greek, *ἄγκυρα*. Latin, *Anguria*. Spanish, *Logombro*. Italian, *Anguria*. French, *combres*. German, *Erdapffel*. Dutch, *Locomero*.

Plate 158. Wild Iris or Stinking Gladwyn. *Iris silvestris. spatula fetida*.

1. It grows to be a Foot high; the Leaves are a grass Green, and the Flowers a dull Colour with purple Veins, and the Seed Red.
2. It grows in Hedges and Thickets, particularly by Jack Straws Casle beyond Islington, and flowers in June.
3. Some account the Root a Specific for the King's-Evil; and scrophulous Swellings, both given inwardly and applied outwardly. It is said also to provoke Urine, and to be usefull in Hysteric Disorders.
4. Greek, *ἰρις*. Latin, *Iyris*. Spanish, *Livio Spadanal*. Italian, *Spatola fetida*. French, *glaiul*. German, *Baudtheusskraut*. Dutch,

Plate 159. Rosemary. *Rosmarinus*.

1. This Shrub grows larger in England than in most Countries; the Leaves are hoary underneath and a dark green above, and the Flowers a pale Purple.
2. It grows wild in Spain & Southern Parts of France; but it is planted here in Gardens flowering in April.
3. It is accounted good for affections of the Head & Nerves. It strengthens y^e Sight and Memory, and opens Obstructions of the Liver & Spleen. - The Dried Herb burnt is good to sweeten the Air. Officinal Preparations are, *Conserva Anthos*, *Aqua Reginae Hungariae*, the Chymical Oil and fix'd Salt.
4. Greek, *ῥοσμάρις*. Latin, *Libanotis* or *Rosmarinum coronarium*. Spanish, *Romero*. Italian, *Rosmarino coronario*. French, *Rosmarin*. German, *Rosmarin*. Dutch, *Rosemaryn*.

Plate 160. Flax. *Linum*.

1. The Stalks grow to be a Yard high, the Leaves are a grass Green, and the Flowers blue.
2. It is sown in Fields and flowers in June.
3. Linseed is esteem'd emollient, digesting and ripening, of great use in Inflammations, Tumours and Imposthumes. Cold drawn Linseed Oil is of great Service in all Distempers of the Breast and Lungs. - It also helps the Colic and Stone, both taken at the Mouth and given in Clysters.
4. Greek, *λίνον*. Latin, *Linum sativum*. Spanish, *Lino*. Italian, *Lino*. French, *Lin*. German, *Lein* or *Flack*. Dutch, *Blas*.





The Citrul or Water-melon. } 1. Flower. {
 } 2. Fruit. {
Eliz. Blackwell delin. sculp. et Pinx. } 3. Seed. { *Citrullus* or *Anguria*.



Wild Iris or Stinking Gladiolus. } 1. Flower.
 } 2. Seed 1. and open. } *Iris silvestris. Spatula fetida.*
 Eliz. Blackwell delin. sculp. et Pinx. } 3. Seed.





Rosemary.

Fliz. Blauswell. John sculp. et Pinx.

1. Flower separate
2. Calix.
3. Seed.

Rosmarinus.






Rosmarin.

Fl. Blakwell. P. n. p. et Pinx.

1. Flower separ. det.
2. Calix.
3. Seed.

Rosmarinus.





Flax.

{ 1. Flower. }
 { 2. Fruit. }
 { 3. Seed. }

Linum.

Eliz. Blackwell delin. sculp. et Pinx.



Plate 161. *Red Winter Cherries. Alkekengi or Halicacabum.*

1. The Stalks grow two Foot high, the Leaves are a dull green, the Flowers white with yellow Stamina, and the Fruit red.
2. They are planted here in Gardens, flowering in July and August, the Fruit being ripe in September.
3. The Leaves are esteem'd cooling; and the Berries a good Diuretic, usefull in the gravel and Stone. - Boiled in Milk and sweetned with Sugar they cure the Heat of Urine, making bloody Water, Ulcers in the Kidneys and Bladder. They help the Jaundice by opening the Obstructions of the Liver and Gall Bladder, and the Dropsy by carrying off the Water thro' the Urinary Passages. The officinal Preparation is the *Trochisci Alkekengi*.
4. Greek, Στρογγύλον. ἀδικάκας. Latin, *Solanum verrucarium*. Spanish, *Besiga de Perro*. Italian, *Alcachengi*. French, *Buquenandes*. German *Judenturschen*. Dutch, *Krieken van Oerzee*.

Plate 162. *French Mercury. Mercurialis mas & foemina.*

1. It grows about a Foot high, the Leaves are a grass Green, & the Flowers yellowish.
2. It grows frequently in Gardens, waste Places, and Rubbish, flowering for several Months in the Year.
3. The Leaves and Stalks are accounted apperative and mollifying, a Decoction of them purges cholerick and serous Humours, used in Glisters. - *Matthiolus* commends a Decoction of the Seed with Wormwood for the yellow Jaundice. The Juice is good to take away Warts.
4. Greek, Αἰνόςωστος. Θήλυς. Latin, *Mercurialis vulgaris mas et foemina*. Spanish, *Mercuriale*. Italian, *Mercaurella femina*. French, *Mercuriale femelle*. German, *Bingelcraut Weib*. Dutch,

Plate 163. *The smaller Spurge. Esula minor Pityusa.*

1. The Stalks grow more than a Foot high, the Leaves are a grass Green, and the Flowers yellowish.
2. It is planted in Gardens here, & flowers for several Months in the Summer.
3. This Plant is a violent strong cathartic & Emetic; and is said to be good for the Dropsy, Gout, & other Obstinate Distempers; But must be used with great Caution.
4. Greek, Τίτυμαδος Κοτταγιάρις. Latin, *Esula minor*. Spanish, *Lecce tregua*. Italian, *Esula minore*. French, *Titymale*. German, *Gypfene Bolffsmilch*. Dutch,

Plate 164. *Chickweed. Alsine.*

1. It grows to be eight Inches high, the Leaves are a light grass Green and the Flowers white.
2. It grows every where in moist Places, and too often in Gardens, flowering most Months in the Year.
3. It is esteem'd cooling and moistning, good for Inflammations of the Liver, S^t Anthony's Fire, Redness and Pimples in the Face; being applyed to the Parts affected as a Cataplasme, or Cloths dipt in its Juice. - A Poultice made of it & Hog's Lard, helps hot Swellings & Tumours; the Juice dropt into the Eyes helps Redness & Bloodshot.
4. Greek, Αλσίνη. Latin, *Alsine*. Spanish, Italian, *Paparino*. French, *Mouron*. German, *Bogelcraut*. Dutch, *Muur*.



Red Winter Cherries.

Eliz. Blackwell delin. sculp. et Pinx.

- | | | |
|----------------|---|--------------------------|
| 1. Flower | { | Alkekengi or Halicacalum |
| 2. Calyx open | | |
| 3. Cherry | | |
| 4. Cherry open | | |
| 5. Seed | | |




French Mercury.

Feliz Blackwell delin. sculp. et Pinx.

{ 1. Flower. }

Mercurialis mar & peruviana.



The smaller Spurge.
 Eliz Blackwell delin. sculp. et Pinx.

1. Flower. }
 2. Detail. }
 3. Root. }

Euphorbia minima L.



Chickweed.

Fliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Petal.
3. Seed vessel.
4. Seed.

Alsiene.



Plate 165. *The Barberry Bush. Berberis, Oxyacantha.*

1. It seldom grows to any great Bigness, the Leaves are a fine grass green, the Flowers yellow and the Berries red.
2. In some Parts they grow wild, and are also planted in Gardens, flowering in May; the Berries being ripe in September.
3. The Inner Bark of this Bush is accounted a Specific for the Yellow Jaundice, either taken in an Infusion or Decoction; being opening and attenuating. The Berries are good to moisten the Mouth and quench Thirst in Burning Fevers, being cooling & restraining. The Conserve is serviceable against all kinds of Looseness, Fluxes & of Jaundice. The Seed is esteemed binding & restraining. The officinal Preparation is the Conserve of the Fruit.
4. Greek, Οξυακάνθα. Latin, Oxyacantha. Spanish, Italian, Crespino. French,
Finette. German, Berfische. Dutch, Berberisse.

Plate 166. *Mountain Calamint. Calamentha montana.*

1. It grows to be a Foot high, the Leaves are a deep green, & the Flowers a pale Purple.
2. There are two sorts of this Calamint found in Kent in great Plenty; growing by Hedges, and flowering in June and July.
3. This Calamint is hotter than common Mint, being a good Stomachic, expelling Wind, and helping the Colic. - It is of great Service to the Female Sex, in Obstructions of the Catamenia, bringing them to a regular Course; this it does, taken inwardly, or by a strong Decoction given as a Clyster. The officinal Preparation is the Pulo Diacal. simplex.
4. Greek, Καλαμίνθα ὄβρινα. Latin, Calamentha, vulgaris, montana. Spanish, Nevada. Italian, Nipotezza montana. French, Poullio montain. German, Bergmint. Dutch, Calamenth.

Plate 167. *The common Calamint of the Shops. Calamentha officinalis.*

1. This Calamint is much like the former, only this lies much upon the Ground, and the Leaves are smaller, the Leaves and Flowers are alike in Colour to the former.
2. It grows in like Places as the former, but flowers in July and August.
3. It has much the same Virtues as the other, being opening and deobstruent, and is used often for the other, because it grows in greater Plenty, and the Shops are mostly Supplied with this.
4. Greek, Καλαμίνθα. Latin, Calamentha officinalis, or Pulegi odore Nepeta. Spanish, Nevada. Italian, Calamenta. French, Poullio sauvage. German, Bilder polen. Dutch, Berg Calamenth.

Plate 168. *White Ladies-Bed-Straw. Gallium album latifolium.*

1. It grows to be two Foot high, the Leaves are a grass Green, and the Flowers White.
2. It grows on Banks and dry barren Places, flowering in June and July.
3. This Plant is esteemed drying and incrustating good to stop all kinds of Fluxes and Haemorrhages, and cure Wounds. Some commend a Decoction of it for the Gout and a Bath made of it to refresh the Feet when tired with overwalking. In the North they use this Plant instead of Rennet in making their Cheeses.
4. Greek, Γάλλιον. Latin, Gallium. Spanish, Coaja Leche Yerva. Italian, Galio. French, Petit Muquet. German, Weger Grait. Dutch,



The Barberry Bush.
Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Berry open.
3. Seed.

Berberis Oxyacantha.



Mountain Calamint.

Ellz. Blackwell delin. sculp. et Pinx.

1. Flower separate.
 2. Seed Vessel.
 3. Seed.

Calamintha montana.





The Common Calamint of the Shops { 1. Flower separate. *Calamintha officinalis*
} 2. Seed Vessel open.
 Eliz. Blackwell delin. sculp. et Pinx. } 3. Seed.



White Ladies-Bed-Straw.
 Eliz. Blackwell delin. sculp. et Pinx.

1. Flower. 2. Seed.	{	<i>Galium album latifolium,</i>
		<i>or Mollugo alba latifolia.</i>

Plate 169. *Golden Rod. Virga aurea.*

1. The Stalks grow to be two or three Foot high; the Leaves are a light grass Green and the Flowers yellow.
2. It grows in Woods and Hedges, flowering in July.
3. The Leaves and Tops are used, this being accounted one of our best vulnerary Plants; and is much used inwardly in traumatick, Ipoezems, and Wound Drinks; and outwardly in Cataplasms and Fomentations. Some recommend it for Spitting of Blood and other Haemorrhagies, and think it of great Service in the Stone.
4. Greek, *Virga aurea angustifolia minus ferrata.* Spanish, *Virga aurea.* French, *La Vierge doree.* German, *Heydnisch Bundkraut.* Dutch,

Plate 170. *Fluellin or Female Speedwell. Elatine or Veronica foemina.*

1. This Plant creeps on the Ground, and has small hairy Stalks about eight Inches long; the Leaves are a dark Green, and the Flowers Purple and yellow.
2. It grows in Corn Fields, and flowers the latter End of Summer.
3. This is a vulnerary Plant, being accounted good for old Ulcers and spreading cancerous Sores, Fluxes, Haemorrhagies, and Inflammations of the Eyes.
4. Greek, *Elativn.* Latin, *Elatine.* Spanish, *Italian, Elatina.* French, *German, Fhrenpreis.* Beible. Dutch,

Plate 171. *Motherwort or Marrubium called Cardiaca. Cardiaca.*


1. It grows to be eighteen Inches high; the Leaves are a dark Green on the Face and light on the Back, and the Flowers a red Purple.
2. It grows in Waste Places and Lanes, flowering in June.
3. This Plant, from a supposition that it relieves the Disorders of the Heart, as a Palpitation and Swooning, takes the Name of *Cardiaca*. Doctor Bowles has commended a Decoction of it sweetned with Sugar as a singular Remedy for the above Illness, and for Affections of the Spleen and Hysterick Fits. The Powder given in Wine to the Quantity of a Dram is commended as a present Remedy to expediate the Birth.
4. Greek, *Πγάδιον.* Latin, *Marrubium Cardiaca dictum.* Spanish, *Marjojo.* Italian, *Cardiaca.* French, *Gripaume.* German, *Herkgesper.* Dutch,

Plate 172. *Garden Parsly. Apium hortense or Petroselinum vulgare.*


1. It grows to be two Foot high; the Leaves are a light grass Green and the Flowers white.
2. It is sown in Gardens, and flowers for several Months in y Summer according to the time it is sown.
3. The whole Plant is opening, attenuating, diuretic, usefull for Obstructions of the Liver and Spleen, helps the Jaundice, provokes Urine, and eases the Stone, Gravel and Strangury. The officinal Preparation is, the Simple Water.
4. Greek, *Σελίνιον κνισάριον.* Latin, *Petroselinum vulgare.* Spanish, *Perescil.* Italian, *Petrosémolo.* French, *Persil de Jardin.* German, *Peterlin.* Dutch,



Golden Rod. } 1. Flower separate.
 Eliz. Blackwell delin. sculp. et Pinx. } 2. Calyx.
 } 3. Seed. Virga aurea.



Elatine or Female Speedwell. $\left. \begin{array}{l} 1. \text{ Flower.} \\ 2. \text{ Seed Vessel} \\ 3. \text{ Seed.} \end{array} \right\} \text{ Elatine or Veronica foemina}$
Eliz. Blackwell delin. sculp. et Pinx.



Motherwort or Marrubium call'd Cardiaea.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower separate.
2. Calix.
3. Seed

Cardiaea.



Garden Parsley { 1. Flower.
2. Seed. Vessel. } *Apium hortense* or *Petroselinum*.
Eliz. Blackwell delin. sculp. et Pinx. 3. Seed.

Plate 173. *The Common Service Tree. Sorbus torminalis*

1. This Tree grows pretty tall, the Leaves are a light grass Green, the Flowers a very pale Yellow and the Berries red.
2. It grows in Woods and Thickets, flowering in May; but the Fruit is not ripe till October or November.
3. The Fruit is accounted restraining and binding, good for all kinds of Fluxes, either of Blood or Humors; when ripe it promotes Digestion and prevents the too hasty Passage of the Food into the Bowels; some commend it in Fevers attended with a Diarrhed.
4. greek, Οὔα. Latin, *Sorbus vulgaris*. Spanish, *Sorbas*. Italian, *Sorbo saluatico*. French, *Sorbes sauvage*. German, *Eheraschen*. Bogelbeer. Dutch, *Wilde Qualster*.

Plate 174. *The Manur'd Service Tree. Sorbus sativa.*

1. This Tree grows much to the same Height as the former, ^{the Flowers the same,} the Leaves are a light green on the Face & somewhat hoary on the Back, and the Fruit a redish Brown.
2. It grows wild in Staffordshire and Cornwall, flowering in May, the Fruit being ripe in November.
3. The Fruit when green is very restraining, and useful for all kinds of Fluxes. This Fruit is seldom to be met with in our Markets, which obliges many to make Use of the former Service Tree in the Place of this.
4. greek, Οὔα. Latin, *Sorbus legitima*. Spanish, *Sorbas*. Italian, *Sorba*. French, *Cormes*. German, *Sperbiern*. Dutch, *Tame Qualster*.

Plate 175. *The Bay Tree. Laurus.*

1. The Bay Tree seldom grows to any great Bigness here, the Leaves are a dark green above & a pale underneath, the Flowers are yellowish, and the Berries Black.
2. It grows wild in Spain, Italy and France, flowering in May, the Fruit being ripe in October.
3. The Leaves and Berries are accounted heating, drying, and emollient good for Hind in the Stomach and Bowels, helping the Colic, comforting the Head and Nerves, preventing Infections, provoking Urine & the Menfes, & expelling the Secundines. Outwardly they are used in Warming and Strengthening Fomentations & Ointments. Official Preparations are, the Elect. de Baccis Lauri; Emp. de Baccis Lauri; and the Oleum Laurinum.
4. greek, Δάφν. Latin, *Laurus latifolia major*. Spanish, *Lauret*. Italian, *Lauro*. French, *Laurier*. German, *Lorberbaum*. Dutch, *Laurierboom*.

Plate 176. *Coriander. Coriandrum.*

1. It grows to be two or three Foot high, the Leaves are a bright Green, and the Flowers white.
2. It grows wild in some Places, but is commonly sown for the Benefit of the Seed, flowering in June.
3. The Seed is esteem'd to strengthen the Stomach & expell Wind & is frequently used to correct strong purging Medicines. Some account it good for the Kings Evil.
4. greek, Κόριον ἢ Κορίανρον. Latin, *Coriandrum majus vulgare*. Spanish, *ahíandro*. Italian, *Coriandolo*. French, *Coriandre*. German, *Coriander*. Dutch, *Coriander*.



The Common Service Tree.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
 2. Berry.
 3. Berry open.
 4. Seed.

Sorbus terminalis.



The Manured Service Tree. { 1. Flower. {
 Eliz. Blackwell delin. sculp. et Pinx. { 2. Fruit. {

Sorbus sativa.



The Bay Tree.

Eliz. Blackwell delin. sculp. et Pinx.

- | | | |
|---|----------------|---|
| { | 1. Flower. | } |
| | 2. Fruit. | |
| | 3. Fruit open. | |
| | 4. Kernel. | |

Laurus.



Coriander.

{ 1. Flower.
2. Seed Vessel.
3. Seed. }

Coriandrum.

Eliz. Blackwell delin. sculp. et Pinx.

Plate 177. *Garden Succory. Cichorium sativum* or *Seris*.

1. It grows to be a Yard high, the Leaves are a grass Green and the Flowers blue.
2. It is planted in Gardens and flowers commonly in June and July.
3. Most of the Ancients say that this Plant is cold, but its Bitterness shews it to be hot; and is esteem'd operative, diuretic, opening Obstructions of the Liver, & helping the Jaundice. It also provokes Urine, and cleanses of Urinary Parts of slimy Humors. The Official Preparation is, the *Syrupus de Cichorio cum Rhabarbaro*.
4. Greek, Σίσις ἀγρία ἡμερος. Latin, *Seris*, and *Intubus sylvestris*. Spanish, *Almerones*. Italian, *Cichoria domestica*. French, *Cichorée*. German, *Begnweise*. Dutch, *Lichoren*.

Plate 178. *The Wilding or Crab Tree. Malus sylvestris*.

1. This Tree grows smaller than the Garden Apple, the Leaves and Blossoms are much the same in Colour.
2. It grows in Hedges and flowers in April and May.
3. Ferjuice is made of the Juice of the Fruit, which is stiptic and Binding, good for restraining Gargles, Ulcers in the Mouth and Throat, and falling down of the Uvula. Outwardly it is good for Burns, Scalds, Inflammations, St. Anthony's Fire and red inflamed Eyes.
4. Greek, Μέλων ἀγρίον. Latin, *Malus sylvestris*. Spanish, *Mausanas*. Italian, *Mele salvatico*. French, *Pomes sauvages*. German, *Bild Depfell*. Dutch, *Wilde Appelen*.

Plate 179. *Wall-Flower. Keiri, Cheiri.*

1. It grows two Foot high, the Leaves are a blue Green and the Flowers yellow.
2. It grows upon old Walls and flowers in March and April.
3. The Flowers are cordial and cephalic, strengthen the Nerves, help the Apoplexy and Palsy, ease the Green-Sickness, and procure the Menses. The official Preparation is, the Oil by Infusion of the Flowers, which is warming, comforting and good for Pains in the Limbs.
4. Greek, Λευκόιον ὀχρὸν. Latin, *Leucojum luteum vulgare*. Spanish, *Violetas*. Italian, *Viola gialla*. French, *Violets*. German, *gelb Regel Beil*. Dutch,

Plate 180. *Small Germander. Chamaedrys, Trifago.*

1. It grows about eight Inches high, the Leaves are a deep Green & the Flowers a red Purple.
2. It grows here in Gardens and flowers in June and July.
3. This Plant is accounted warm, opening Obstructions of the Liver Spleen and Kidneys, helping the Jaundice, Dropsy and Stoppage of Urine. Some cry it up as a Specific for the Gout, Rheumatism and Pains in the Limbs.
4. Greek, Χαμαίδρυς. Latin, *Chamaedrys minor*. Spanish, *Chamedreos*. Italian, *Calamandrina*. French, *Germandrée*. German, *Gamanderle*. Dutch, *Bathengel*.

THE HISTORY OF THE
CITY OF BOSTON
FROM THE FIRST SETTLEMENT
TO THE PRESENT TIME
IN TWO VOLUMES
BY NATHANIEL BENTLEY
OF THE BARR

THE FIRST VOLUME
CONTAINING THE HISTORY
FROM THE FIRST SETTLEMENT
TO THE YEAR 1780
IN TWO VOLUMES
BY NATHANIEL BENTLEY
OF THE BARR

THE SECOND VOLUME
CONTAINING THE HISTORY
FROM THE YEAR 1780
TO THE PRESENT TIME
IN TWO VOLUMES
BY NATHANIEL BENTLEY
OF THE BARR



Garden Succory
Eliz. Blackwell delin. sculp. et Pinx. } *Cichorium sativum* or *Seris*
 1. Flower.
 2. Flower separate.
 3. Calix.
 4. Seed.



The Wilding or Crab Tree. } 1. Blossome { *Malus sylvestris.*
 Ehrh. Blackwell delin. sculp. et Pinx. } 2. Fruit. {



The Wilding or Crab Tree.

Eliz. Blackwell delin. sculp. et Pinx.

1. Blossome
2. Fruit.

Malus sylvestris.



Small Germander.

- | | |
|----------------------|---|
| 1. Flower | { |
| 2. Flower, separate. | |
| 3. Seed. | |
| 4. Seed. | |

Thymus serpyllifolius, Trifrago.

Blackwell delin. sculp. et Pinx.

Plate 181. *White Stock July-flower. Leucojum album.*

1. It grows about two Foot high, the Leaves are a light Green, and the Flowers sometimes White, and often Red and White.
2. It is planted in Gardens and flowers most Months in the Summer.
3. Dioscorides commends the Flowers for Ulcers & Chaps in the Fundament & Inflammations of the Matrix. Galen says, that they help the Infirmities of the Liver & Spleen, and provoke the Terms, and hasten the Birth.
4. Greek, Λευκόιον. Latin, *Leucojum album et purpureum*. Spanish, *Violetas blancas et amarillas*. Italian, *Viola bianca & pavonazza*. French, *Violettes blanches & rouges*. German, *Rot Braun und weiß Beil*. Dutch,

Plate 182. *Red Archangel. Lamium rubrum.*

1. This Archangel is much less than the White, the Leaves are a grass Green, and the Flowers a pale Purple.
2. It grows commonly by Highways and Hedges, flowering the greatest part of the Year.
3. This Archangel is accounted as great a Specifick for the Excess of the Catamenia, and all Haemorrhages, as the White Archangel is for the Fluor Albus. Some commend it for great Service in Wounds & Inflammations when outwardly applyed.
4. Greek, Ιαλιόφυλον & Ιαλεοβόλον. Latin, *Lamium purpureum, foetidum or Galeopsis purpurea*. Spanish, *Ortica muerta bermeja*. Italian, *Ortica fetida*. French, *Ortie rouge*. German, *Daubnessell*. Dutch, *Dove Neetelen*.

Plate 183. *Wild Succory. Cichorium sylvestre.*

1. The Stalks of this don't grow so tall as the Garden, but are more stubbed & twisted; the Leaves are a fine grass Green, and the Flowers a fine Blue.
2. It grows in Lanes and by Hedges, flowering in July and August.
3. The Virtues of this are much the same as the Garden, See Plate 177.
4. Greek, Κίχουρον ἄγριον. Latin, *Intubus sylvestris*. Spanish, *Cichoria de Bosque*. Italian, *Cichoria salvatica*. French, *Cichoree sauvage*. German, *Bild Begwurt*. Dutch, *Cichorey*.

Plate 184. *Mistletoe. Viscum or Viscus quercinus.*

1. This Plant takes root on the Branches of Trees, and sometimes grows two or three Foot long; The Leaves are a yellow Green, the Flowers Yellow and the Berries almost the Colour of white Currants.
2. It grows upon several Trees, as the Apple, Crab, Hazel, Ash, Mapple, Lime, Willow, White-thorn & Oak. The last of which is hardly to be met with here in England, which perhaps added to the Honour that the Ancient Druids paid this Mistletoe.
3. Mistletoe is accounted Cephalic and nervine, particularly useful for all kinds of Convulsion Fits, the Apoplexy, Palsy, and Vertigo, for which Purposes some commend the Mistletoe of the Hazel as better than the others. The Viscus Aucupum, or Bird Lime, was formerly made of the Berries of this Plant; but now in England it is made of the Bark of the Holly Tree. Bird Lime is a powerfull Attractive, good to ripen hard Tumours and Swellings. See Sir John Colebatch's Discourse of Mistletoe.
4. Greek, Ιζος. Latin, *Viscum*. Spanish, *Visco*. Italian, *Vischio or Panio*. French, *guy*. German, *Bogelleim*. Dutch,



White Stock July-flower.
 Eliz. Blackwell delin. sculp. et Pinx.

{ 1. Flower.
 2. Pod.
 3. Seed. }

Leucojum album.



Red Archangel

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower separate
 2. Calix.
 3. Seed.

Lamium rubrum.



Wild Succory.

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Flower separate.
- 3. Calyx.
- 4. Seed.

Cichorium sylvestris.



Mistletoe.

Fliz. Blackwell delin. sculp. et Pinx.

{ 1. Berry. { *Viscum or Viscus quercinus.*
 { 2. Stone.

Plate 185. Field Scabious. *Scabiosa vulgaris pratensis*.

1. The Stalks grow to be two or three Foot high, the Leaves are a grass Green, and the Flowers purple.
2. It grows in Meadows, and flowers in June.
3. The Leaves are esteem'd cordial alexipharmic, sudorific, pectoral, good for Distempers of the Lungs, as Coughs, shortness of Breath &c; as also sore Throats and Quinsies. Outwardly, they are serviceable in the Itch, scabby Sores, Tettars and other cutaneous Distempers: They also take black and blue Marks out of the Skin.
4. Greek, Ψαα. Latin, *Scabiosa*. Spanish, *Italian, Scabiosa.*
French, *Scabieuse.* German, *Apostemen Kraut.* Dutch, *Scabiense.*

Plate 186. The Scarlet Oak. *Ilex coccigera*.

1. This is a small shrubby Oak, with prickly Leaves, on the Twigs of which grow little round Grains, or rather Nests of Insects of a shining reddish Colour, about as big as Peas, made by small Flies; These Nests are gather'd while they are full of little Worms, and being beat in a Mortar, the Scarlet Liguor is strain'd thro' a Sieve, and mixt with its equal Weight of Sugar, which is the Succus Kermes of the Shops.
2. It grows in the southern Parts of France, Italy and Turkey.
3. The Succus Kermes is accounted cordial, moderately binding, comforting y Heart, clearing the Animal Spirits, and good to prevent Miscarrying. It also drives out the small Pox and Measles.
4. Greek, Κόκκος Βαφικόν. Latin, *Ilex aculeata cocciglandifera*. Spanish, *Grana in Grano.* Italian, *Grana da tingere.* French, *Vermillon.* German, *Scharlachbeer.* Dutch, *Scharlaaken Besien Boom.*

Plate 187. The Juniper Tree. *Juniperus*.

1. This seldome grows to any great Bigness in England; the Leaves are a bluish Green, the Flowers a greenish Yellow, and the Berries black.
2. It grows upon Heaths, and flowers in May and June; the Berries are green the first Year and ripe the Second.
3. The Wood, Berries and Gum are used; the Wood is accounted hot, dry and cephalic; good to burn in times of Pestilence & contagious Distempers. The Berries are esteemed carminative, diuretic, expelling Wind, and usefull in the Stone, Gravel & stoppage of Urine. The Fume of the Gum is said to be good for Catarrhs, & serous Defluxions upon the Nose and Eyes. The Officinal Preparation is, the Distill'd Oil.
4. Greek, Αρνικόν. Latin, *Juniperus vulgaris*. Spanish, *Enebro.* Italian, *Ginepro.* French, *Genevre.* German, *Bechholter.* Dutch, *Deneber Boom.*

Plate 188. The Ivy Tree. *Hedera arborea*.

1. This Shrub climbs upon any Thing it grows to, the Leaves are a deep Green, y Flowers yellow, and the Berries black.
2. It grows in Hedges, & flowers in September; y Berries being ripe in January & February.
3. The Leaves are accounted good for Inflammations in Issues, Scabs, Sores & scald Heads. M^r Boyle commends a large Dose of the full ripe Berries as a Remedy against y Plague. The Gum is said to take spots and Freckles out of the Face.
4. Greek, Κάρδος. Latin, *Hedera*. Spanish, *Eda, or Hedera.* Italian, *Iella, or Hedera.* French, *Lierre.* German, *Raner.* Dutch, *Klimop Boombyl.*



Wild Scabious.
Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
 2. Flower separate.
 3. Seed.

Scabiosa sylvestris



The Scarlet Oak.

Eliz. Blackwell delin. sculp. et Pinx.

1. Catkin. 2. Flower separate.
 3. Fruit. 4. Cup.
 5. Acorn. 6. Kernell.

Ilex coccifera.



The Juniper Tree.
Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Berry.
3. Seed.

Juniperus.



The Ivy Tree.

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Berries.
- 3. Berry open.
- 4. Seed.

Hedera arborea.



Plate 189. *The Pine Tree, or manur'd Pine. Pinus, or Pinus sativa.*

This is a large Tree, with slender, sharp pointed, dark green Leaves, yellow catkins, and brown oblong round pointed Cones.

It grows wild in Italy, but is planted here in gardens, flowering early in the Spring.

The Nuclei or Kernels are of a balsamic nourishing Nature, and esteem'd good for Consumptions, Coughs and Hoarseness; restorative, and of Service after long Illness. They also help of Strangury, Heat & Sharpness of Urine.

Greek, Πίνυς. Latin, Pinus. Spanish, Pino. Italian, Pino. French, Pin. German, Fichtenbaum. Dutch, Pijn Boom.

Plate 190. *The wild Pine. Pinus sylvestris.*

This Pine grows near as tall as the former, its Leaves are much shorter and slenderer, especially on the Bottom of the Branches, the Catkins & Cones smaller and sharper; but much of the same Colours.

It grows in great Plenty in Germany, & flowers much about of time with the other.

From this Tree comes the common Turpentine, chiefly used by the Ferriers; from which is distill'd the oil of Turpentine, and the Spirit; the Dregs that are left at the Bottom of the Still is the common Rosin. M^r Dale affirms from Doctor Krey that of Burgundy Pitch is made of Turpentine from this Tree. The Curious may consult M^r Miller, the Apothecary's Botanicum officinale p. 347. where there is a beautiful Account of this Tree.

Greek, Πίνυς ἀγρία. Latin, Pinus montana. Spanish, Pino de bosque. Italian, Pino salvatico. French, Pin sauvage. German, Bildfichtenbaum. Dutch, Wilde Pijnboom.

Plate 191. *Orpine or Live-long. Crassula or Fabaria.*

The Stalks grow to be a Foot high, the Leaves are a light blue Green, and the Flowers a pale Purple.

It grows in Hedges and shady Places flowering in June and July.

The Leaves and Flowers are accounted cooling and binding, good for the bloody Flux, tempering the Heat and Acrimony of those Humours which cause an Erosion of the Bowels. Outwardly they are used against Burns and Scalds, and all kinds of Inflammations.

Greek, Τηλεφίον. Latin, Telephium vulgare. Spanish, Italian, Fava crassa. French, Reprise or Toularde des Vignes. German, Schmerwurkel. Dutch, Smeerniortel.

Plate 192. *Featherfen. Matricaria.*

The Stalks grow about two Foot high, the Leaves are a yellow Green, the Flowers white with a yellow Thrum in the Middle.

It grows in Hedges and Lanes, flowering in June and July.

This Plant is particularly appropriated to the Female Sex, being of great Service in all cold flatulent Disorders of the Womb and hysterical Affections procuring the Catamenia, and expelling the Birth and Secundines.

About two Ounces of the Juice, taken an Hour before the Fit, is good for all kinds of Agues. It also destroys Worms, provokes Urine, and helps the Dropsy and Jaundice.

Greek, Παρθένιον. Latin, Parthenium. Spanish, Italian, Matricaria or Amarella. French, Matricaire. German, Rutterkraut. Dutch, Moederkruid.



The Pine Tree, or manurid Pine. } 1. Jackin.
 Eliz. Blackwell delin. sculp. et Pinæ. } 2. Cone.
 } 3. Scale.
 } 4. Shell of the Kernel.
 } 5. Kernel. Pinus, or Pinus sativa.





The Wild Pine.

Pinus sylvestris.
 1. Bark.
 2. Cone.
 3. Scale.
 4. Shell of the Kernel.
 5. Kernel.

Pinus sylvestris.



Orpine, or Live long. } 1. Flower.
 Eliz. Blackwell delin. sculp. et Pinx } 2. Seed Vessel.
 } 3. Seed. } Grassula or Fabaria.



Featherfenn.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Flower separate
3. Seed.

Matricaria.

Plate 189. *The Pine Tree, or manurid Pine. Pinus, or Pinus sativa.*

1. This is a large Tree, with slender, sharp pointed, dark green Leaves, yellow Catkins, and brown oblong round pointed Cones.
2. It grows wild in Italy, but is planted here in gardens, flowering early in the Spring.
3. The Nuclei or Kernels are of a balsamic nourishing Nature, and esteemed good for Consumptions, Coughs and Hoarseness; restorative, and of Service after long Illness. They also help of Strangury, Heat & sharpness of Urine.
4. Greek, Πίνυς. Latin, Pinus. Spanish, Pino. Italian, Pino. French, Pin. German, Fichtenbaum. Dutch, Pijn Boom.

Plate 190. *The wild Pine. Pinus sylvestris.*

1. This Pine grows near as tall as the former, its Leaves are much shorter and slenderer, especially on the Bottom of the Branches, the Catkins & Cones smaller and sharper; but much of the same Colours.
2. It grows in great Plenty in Germany, & flowers much about of time with the other.
3. From this Tree comes the common Turpentine, chiefly used by the Ferriers; from which is distill'd the oil of Turpentine, and the Spirit; the Dregs that are left at the Bottom of the Still is the common Rosin. M^r Dale affirms from Doctor Lemj that of Burgundy Pitch is made of of Turpentine from this Tree. The Curious may consult M^r Miller, the Apothecary's Botanicum officinale p. 347. where there is a beautiful Account of this Tree.
4. Greek, Πίνυς ἄγρία. Latin, Pinus montana. Spanish, Pino de bosque. Italian, Pino salvatico. French, Pin sauvage. German, Bildfichtenbaum. Dutch, Wilde Pynboom.

Plate 191. *Orpine or Live-long. Crassula or Fabaria.*

1. The Stalks grow to be a Foot high, the Leaves are a light blue Green, and the Flowers a pale Purple.
2. It grows in Hedges and shady Places flowering in June and July.
3. The Leaves and Flowers are accounted cooling and binding, good for the bloody Flux, tempering the Heat and Acrimony of those Humours which cause an Erosion of the Bowels. Outwardly they are used against Burns and Scalds, and all kinds of Inflammations.
4. Greek, Τηλεφύλον. Latin, Telephium vulgare. Spanish, Italian, Fava crassa. French, Reprise or Soubarbe des Vignes. German, Schmerzwurzel. Dutch, Smeerniertel.

Plate 192. *Featherfenn. Matricaria.*

1. The Stalks grow about two Foot high, the Leaves are a yellow Green, the Flowers white with a yellow Thrum in the Middle.
2. It grows in Hedges and Lanes, flowering in June and July.
3. This Plant is particularly appropriated to the Female Sex, being of great Service in all cold flatulent Disorders of the Womb and hysteric Affections, procuring the Catamenia, and expelling the Birth and Secundines. About two Ounces of the Juice, taken an Hour before the Fit, is good for all kinds of Agues. It also destroys Worms, provokes Urine, and helps the Dropsy and Jaundice.
4. Greek, Παρθένιον. Latin, Parthenium. Spanish, Italian, Matricaria or Amarella. French, Matricaire. German, Rutterkraut. Dutch, Moederkruid.

Section 1. The first part of the document is a list of names and titles, including the names of the members of the committee and the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 2. The second part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 3. The third part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 4. The fourth part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 5. The fifth part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 6. The sixth part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 7. The seventh part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 8. The eighth part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 9. The ninth part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:

Section 10. The tenth part of the document is a list of the names of the persons who have been appointed to the various positions. The list is arranged in alphabetical order, and the names are followed by their respective titles. The list is as follows:



The Cork Tree.

Eliz. Blackwell delin. sculp. et Pinx. }
 1. Fruit.
 2. Cup.
 3. Corn.
 4. Kernel. }

Suber.



The Bay of Alexandria.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Fruit.

Laurus Alexandrina.





The Mastich or Lentisk Tree.
Eliz. Blackwell delin. sculp. et Pinx.

{ 1. Flower. }
{ 2. Fruit. }

Lentiscus.





The Box Tree.

1. Flower.
 2. Berry.
 3. Berry open.
 4. Seed.

Buxus.

Eliz. Blackwell delin. sculp. et Pinx.



Plate 193. *The Cork Tree. Suber.*

This is a kind of ever green Oak, its Leaves are thicker and much less indented than the common Oak, and the Acorns smaller.

It grows in Spain and Italy, and the Southern Parts of France

The Bark of which they make Cork, is separated from the Tree by making a long Incision from the Head to the Root of the Tree, which they take care to do in dry Weather; for the young tender Bark is liable to be destroyed, and the Trees kill'd by Rain. Cork is said to be restraining and good for all kinds of Fluxes; Some commend the Ashes or burnt Cork, for the same Purposes.

Greek, *Πεδύς*. Latin, *Suber latifolium perpetuo virens*. Spanish, Italian, *Sugaro*. French, German, *Pantoffelholz*. Dutch, *Kurck*.

Plate 194. *The Bay of Alexandria. Laurus Alexandrina.*

1. The Stalks are tough & limber, seldom growing to any great Height; the Leaves are a light Green, the Flowers are greenish with a purple Umbel in the Middle.

2. It grows in the Mountainous Parts of Italy, and in Hungary.

3. Dioscorides and Galen recommend it to open Obstructions of the Kidneys & the Womb; to provoke Urine & the Menses; and to help long & hard Labour. Some account it a good vulnerary Plant, & useful to dry up old Ulcers and Sores.

4. Greek, *Δάφνη Αλεξανδρική*. Latin, *Laurus Alexandrina semina*. Spanish, Italian, *Lauro Alisandrino*. French, *Laurier Alexandrin*. German, Dutch,

Plate 195. *The Mastich or Lentisk-Tree. Lentiscus.*

1. This Tree grows to a considerable Bigness in its native Soil; the Leaves are a dark grass Green, the Flowers a greenish Yellow and the Berries black.

2. It grows in the Southern Parts of France and in Italy, but it yields the gum Mastich only in the Island of Scio, or Chios, in the Archipelago.

3. The Gum is esteem'd heating & drying, strengthening the Head & Nervous System, & Stomach; it eases a Cough, stops spitting of Blood & stays Vomiting. The Ladies in Turkey chew it to preserve the gums & Teeth & procure a Sweet Breath. - Outwardly it is used in Plaisters for the Head Ach & Tooth Ach. The Wood is accounted drying & binding, good for all kinds of Fluxes.

4. Greek, *Σχίνος*. Latin, *Lentiscus vulgaris*. Spanish, *Mata or Arveira*. Italian, *Lentisco*. French, *Lentisque*. German, *Mastixbaum*. Dutch, *Mastix Boom*.

Plate 196. *The Box Tree. Buxus.*

1. Box seldom grows to any great Bigness here, the Leaves are a deep shining Green, the Flowers yellow, and the Fruit a brownish Green.

2. It grows wild in some Parts of Kent & Surry, as at Box-hill near Darkin.

3. Some commend the chips of the Wood for the Lues Venerea, instead of Guaiacum, being much of the same Nature. The Oil distill'd from the Wood is used for the Tooth Ach, a little Lint or Cotton being dyt in it, & put into y^e Hollow Tooth.

4. Greek, *Πύξος*. Latin, *Buxus arborescens*. Spanish, Italian, *Bosso*. French, *Buis*. German, Dutch, *Palmboom*.



The Sweet Cistus of Candy. *Cistus laurifolius vera irvica*
 Eliz. Blackwell delin. sculp. et Pinx.
 1. Flower.
 2. Seed Vessel
 3. Seed Vessel open
 4. Seed.



The Pitch Tree

- { 1. Cone
 2. Scale with a Leaf & Seed
 3. Leaf separate.
 4. Seed..

Picea.

Eliz. Blackwell delin. sculp. et Pinx.



The Olive Tree.

Eliz. Blackwell delin. sculp. et Pinx. {

1. Flower.
2. Fruit.
3. Fruit open.
4. Stone
5. Kernel

Olea, or Olea sativa.



The Small wild Daisy.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Flower separate.
3. Petal.
4. Seed.

Bellis sylvestris minor

Plate 197. The true sweet Gum *Cistus* of Candy. *Cistus ladanifera vera Cretica*.

1. This Shrub grows to be two or three Foot high, the Leaves are a grass Green, the Flowers a pale Red with a large purple spot in y^e End next the Seed Vessel.
2. It grows in y^e Island of Candy, & other places in y^e Archipelago & flowers in July.
3. From this Tree comes the Gum Labdanum of y^e Shops, which some commend as good for a Looseness & Gripes, caused by sharp Humours. The Fume of it comforts the Brain, & stops catarrhus Defluxions. Outwardly applied, it is accounted strengthening to the Stomach, and stays Vomiting. See Mr Joseph Miller's *Botanicum Officinale* p. 252. & 253.
4. Greek, Κίσσος Κιθαρόν, & Κίθαρόν. Latin, *Cistus Ledan Cretense*. Spanish, *Ierguacos*. Italian, *Cisto*. French, *German*, *Dutch*, *Labdanum Boom*.

Plate 198. The Common Fir, or Pitch Tree. *Abies rubra* or *Picea*.

1. This grows to be a large Tree, the Leaves are small slender & prickly, of a bright grass Green colour, the Catkins greenish, the Cones a light Brown & y^e Seed Brown.
2. It grows wild in Germany & Scotland, sending out its Catkins in the Spring.
3. The Leaves and Tops are used in Diet Drinks for the Scurvy, & are an Ingredient in the Brunswick Mum. The Strasburg Turpentine comes from this Tree, which is mollifying healing & cleansing & a great Diuretic. usefull in Wounds, Ulcers, a Gonorrhea, the Fluor albus, the Stone & Gravel, & Affections of y^e Breast & Lungs. Tar is also the Product of this Tree, and is accounted a good pectoral Medicine, useful for shortness of Breath and Obstructions of the Lungs.
4. Greek, Πεύκη. Latin, *Picea*. Spanish, *Pino negro*. Italian, *Pezzo*. French, *Pesse*, *Pignet*, or *Garipolt*. German, *Rat Zannenbaum*. Dutch, *Denne Boom*.

Plate 199. The Olive Tree. *Olea* or *Olea sativa*.

1. This Tree grows to a great Bigness in its native Climate, the Leaves are a deep Green above & hoary underneath, the Flowers yellow, & the Fruit black when ripe.
2. It grows in Spain, Italy and Turkey.
3. The Oil is moderately healing & mollifying, rendring the Body lax & soluble: it helps Disorders of y^e Breast & Lungs, & eases Gripings & the Collic. It is of great use against all corrosive mineral Poisons, as Arsenic, Sublimate &c. It opens y^e Urinary Passages & is good for y^e Stone & Gravel. The pickled Olives are grateful to y^e Stomach, and provoke an Appetite. The ripe Olives are a great Part of y^e Food of the Eastern Countries, among the Greeks, especially in Lent.
4. Greek, Ελάια. Latin, *Olea*. Spanish, *Olivo* or *Azeytano*. Italian, *Olivo*. French, *Olivier*. German, *Dellbaum*. Dutch, *Olyf*.

Plate 200. The Small wild Daisy. *Bellis sylvestris minor*.

1. The Stalks grow about four Inches high, the Leaves are a light Green, the Flowers white set about a yellow Thrum, & sometimes red round y^e Edges & red underneath.
2. It grows in Fields & Meadows flowering in March April and May.
3. This is accounted a traumatick & vulnerary Plant, being used in Wound Drinks, the Leaves are esteem'd good to dissolve congeald & coagulated Blood help y^e Pleurisy and Peripneumonia. Some commend a Decoction given Inwardly and a Cataplasm of y^e Leaves applied outwardly as extraordinary Remedies in the Kings Evil.
4. Greek, Latin, *Bellis minor*. Spanish, Italian, *Fior di prima vera*. French, *Marguerites* or *Pasquette*. German, *Masglieben*. Dutch, *Maagdeleben*.



To
ROBERT NICHOLLS
Apothecary

Sir

The Encouragement you have given this
WORK by promoting its **INTEREST**
amongst your **ACQUAINTANCE** and
assisting me in the Prosecution of it, by
procuring me several choice **SPECLMENS**
of the **PLANTS**, are Favours which deserve
this Acknowledgment; that I may have the
Pleasure to tell how much I am indebted
to your **FRIENDSHIP**, and to Subscribe my Self
with great Respect. *Sir*

*your much obliged
humble Servant,
Elizabeth Blackwell.*

Chelsea 3^d of August. 1737.

ROBERT. J. VINTAGE

Plate 201. *The Tamarind Tree. Tamarindus*

1. This is the west India Tamarind; the Specimen of the Tree is taken from one in the Grove in a Physick garden, and the Fruit is taken from the Life out of M^r. Rand's collection. This Tree grows very large in the West Indies; the Leaves are a light drab Green, the Flowers white & yellow with purple Veins; the Pods a brownish yellow tingured with Red; the Pulp of the Pods is yellow at first & then changes into a brownish black; & the Stones are a reddish shining Brown.
2. It grows in the West Indies, and flowers in Summer.
3. These Tamarinds are generally eat by themselves, without any other Medicine mixt with them; and are accounted good to purge cholerick Humours, & correct the bilious Heat in the Stomach and Bowels.
4. Greek, Όζυπόινκες. Latin, Tamarindus. Spanish, Italian,
French, German, Dutch, Tamarinde.

Plate 202. *The Palm, or Date Tree. Dactylus or Palma.*

1. This is a large Tree with a rough scaly Bark on the main Stem, the Leaves grow on the Top of the Tree in form of the sticks of a Fan; the Flowers are white and the Fruit yellow and red.
2. It grows in Barbary, Egypt and Syria.
3. The Dates are much used for Food in the Countries where they grow; here they are esteem'd drying and binding, usefull for Fluxes, and to smooth the Roughness of the Aspera Arteria.
4. Greek, Ποίβιζ. Latin, Palma, Spanish, Palmera. Italian, Palma. French, Palmier. German, Dattelbaum. Dutch, Dadel.

Plate 203. *The male Fir, or Silver Fir. Abies mas.*

1. This grows to be very large, the Leaves are broad at the Ends & white underneath; and the Cones grow erect.
2. This Tree is said to grow wild in some Parts of England; but is found in great Plenty in the mountainous Parts of Germany.
3. This is the Tree which ought to be used in the Shops according to the Dispensatory but not being so common as the Spruce, that generally supplies its Place, the Vertues of both being much the same. See the Explanation of Plate 198.
4. Greek, Ελάτην. Latin, Abies mas, Conis sursum spectantibus. Spanish, Abeto. Italian, Abiet. German, Dannenbaum. Dutch, Denne Boom.

Plate 204. *Colts-foot or Fole's-foot. Tussilago or Farfara.*

1. The Stalks on which the Flowers grow are about four Inches high, the Leaves are a yellow Green above & whitish underneath, and the Flowers yellow.
2. It grows in moist watery Places and flowers in February & March.
3. The Leaves & Flowers are accounted pectoral, good for Diseases of the Lungs and Breast, as Coughs, Consumptions, & shortness of Breath, some smok the dryed Leaves among Tobacco for Coughs & Affections of the Lungs.
4. Greek, Βρυχίον. Latin, Ungula caballina. Spanish, Unha de Asno. Italian, Farfarella. French, Pas de Asne. German, Brandblutich. Dutch, Hoesblad.



The Tamarind Tree.
Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Pod.
3. Stone.

Tamarindus.



The Palm or Date Tree.
 { 1. Husk with ♀ Flower.
 2. Fruit.
 3. Stone.

 Dactylus or Palma

Eliz. Blackwell delin. sculp. et Pinx.



The male Fir, or Silver Fir.

Eliz. Blackwell delin. sculp. et Pinx.

1. Leaf.
2. Cone.
3. a single Scale.
4. Seed.
5. the pith of the cone.

Abies mas.



Colts-foot or Foles-foot.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Flower separate.
3. Seed.

Tussilago or Farfara.



Plate 205. *The Holly-Tree. Aquifolium.*

This Tree grows to be pretty large; the Leaves are a deep Green, the Flowers yellowish, and the Berries red.

It grows wild in the Warm Countries, and flowers in the Spring.

From this Tree is made our Bird-lime, which is a powerfull attractive, & good to ripen Hard Tumours & Swellings; & is an Ingredient in *ij* Emplastrum Diachylon magnum.

Greek, Latin, *Aquifolium*. Spanish, Italian, *Agri-folio*.
French, *Houx*. German, *Ballholsteln oder Stechpalmen*. Dutch, *Hulst*.

Plate 206. *The Magellanic Bay like Tree or Winter's Bark. Cortex Winteranus.*

The Bark of this Tree, which is *ij* Part chiefly used, is a brownish Ash colour; the Leaves a blue Green, & the Flowers purple succeeded by Green Berries.

It grows on the Magellanic Coasts.

This Bark is rarely to be met with in the Shops; it is accounted a specific against the Scurvy, and a good Nervine Medicine, helpfull in Palsies and Convulsions; some account it good for Diseases of the Stomach and Bowels.

Greek, Latin, *Cortex Winteranus, Laurifolia Magellanica cortice acri*.
Spanish, Italian, French, German,
Dutch,

Plate 207. *Noble Liverwort. Hepatica nobilis.*

The Stalks grow about four or five Inches high, the Leaves are a grass Green, the Flowers sometimes white, sometimes blue & sometimes a red Purple.

It is planted in Gardens, and flowers in March.

The Leaves are commended by some foreign Authors as a good Vulnerary, and useful in Distempers of the Liver.

Greek, Latin, *Trifolium aureum*. Spanish,
Italian, *Herba Trinita*. French, German, *Gulden Leberkraut*.
Dutch, *Edel Leverkruyd*.

Plate 208. *Venetian Orobus. The True Orobus. Orobus Venetus & Orobus*

The Plant mark'd with the Figure 1. is the Broad-leaved or Venetian Orobus and has generally a purple Flower; That mark'd 2. is the Ervum or bitter Vetch, which is commonly used in the Shops; the separate Figures belong to this last, for the Seed, Pod and Flower of the other are very different; the Seed of the first being black, the Pod pretty large & the Flower a pale Purple; the Seed of *ij* other is white, the Flower white & the Pod small.

They grow in Italy and some Parts of France, flowering in June.

The Powder of Orobus mixt with Honey is said to cleanse the Lungs of Tough Phlegm; and is a strong Diuretic, expelling the Stone & Gravel; but if taken too frequently it causes bloody Urine.

Greek, *Ogobos*. Latin, *Ervum*, & *Orobus Alpinus latifolius*. Spanish,
Italian, *Ervu* or *Mocho*. French, German, Dutch,



The Holly-Tree.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Berry.
3. Seed.

Aquifolium.



The Magellanic Bay-like Tree,
or Winter's Bark.
Phil. Bl. Knell delin. sculp. et Pinx.

1. Berries.
2. the Bark dried.

Cortex Winteranus



Noble Liverwort.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Seed Vessel.
3. Seed.

Hepatica nobilis.



Venetian Orobus.
The true Orobus.
Eliz. Blackwell delin. sculp. et Pinx.

1. Venetian Orobus.
 2. True Orobus.
 3. Flower. 4. Calyx.
 5. Pod. 6. Seed.

Orobus Venetus.
& Orobus.

Plate 209. *The Carol Tree. Carobe or Siligua.*

1. This Tree grows to a considerable Bigness in its native Climate, the Leaves are a bright grass Green, the Flowers red, the Pods a brownish red, and the Fruit a deep red.
2. It grows in Syria & Greet, & flowers in Spring, the Fruit being ripe in Autumn.
3. Matthiolus recommends the Fruit as good for the Stomach, and Gripping of the guts, & to provoke Urine. The Decoction of the Beans is accounted by him a great Cure for an inveterate Cough, and the Tifick.
4. Greek, Κεράρια. Latin, Siligua. Spanish, Alfárbas or Carrouges. Italian, Caroboli. French, Caronge. German, S. Johannis Brodt. Dutch, Sint Jans Blom.

Plate 210. *The Tree of Life. Arbor Vitae.*

1. It seldom grows to any great Bigness in England, the Leaves resemble much those of the Cypress Tree, & the Cones are a light Brown.
2. Its native Climate is Canada.
3. The Leaves are accounted digesting and attenuating. Parkinson says they have done great Service in freeing the Lungs from thick Flegm, by chewing them fasting in the Morning.
4. Greek, Κεῖδος λυκία. Latin, Lycia Cedrus. Spanish, Cedro Lycio. French, German, Dutch, Italian.

Plate 211. *Thyme. Thymus.*

1. It grows about half a Foot high; the Leaves are a dark Green and the Flowers a pale Purple.
2. It grows wild in Spain, and flowers here in July.
3. Thyme is esteem'd heating and attenuating good to free the Lungs from viscid Flegm and help Wheezing and shortness of Breath. It is also accounted cephalic and good in all Diseases of the Head & Nerves. The Official Preparation is, The Oleum Thymi distillatum.
4. Greek, Θύμος. Latin, Thymum divius. Spanish, Tomillo salero. Italian, Timo. French, Tim. German, Romischer Duendel. Dutch, Thym.

Plate 212. *Rue-leaved Whitton Grass. Paronychia rutacea folio.*

1. This Plant seldom exceeds four or five Inches in height, the Leaves are a reddish Green, and the Flowers white.
2. It grows on the Tops of Walls & flowers in March and April.
3. M^r Boyle commends this Plant as a Specific for the Kings Evil S^r John Colebatch, in his Essay upon Acids & Alkalis, makes mention of a poor Girl in Worcester-shire, afflicted with Scrophulous Ulcers who received great Benefit from it.
4. Greek, Παρωνυχία. Latin, Ruta muraria. Spanish, Italian, German, Dutch, French, Manverrauten.



The Carob Tree.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Pod.
3. Fruit.
4. Stone.


Carobe. or Siliqua.





The Tree of Life. } 1. catkin. } *Arbor Vitae.*
 Elz. Blackwell sculp. et Pinx. } 2. cone. }





Thyme.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Flower separate.
3. Latex.
4. Seed.

Thymus.



Rue-leaved Whitlow Grass.

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Flower, separate.
- 3. Calyx.
- 4. Seed.

Paronychia, rutacea folio.

Plate 213. *The Wild Olive Tree. Olea sylvestris, or Oleaster.*

This Tree grows less than the manur'd Olive, the Leaves are a grass Green, the Flowers white with a blush of purple in them, & the Fruit black when ripe.

It grows in great Plenty in Tuscany and flowers in April.

Nuttholus recommends the Leaves & the Wood as binding & cooling. Dioscorides says the Oil is exceeding astringent; and accounts the Leaves and Fruit good for S.^t Anthony's Fire and corroding Sores.

Greek, Ἀγριέλαια. Latin, Oleaster. Spanish, Zebuche. Italian, Olivo salvatico. French, Chiver sauvage. German, Bilder olbaum. Dutch, Wilde Olyf.

Plate 214. *The Savine Tree. Sabina.*

It seldome grows tall in England; the Leaves are a grass Green, the Flowers green and the Berries a blackish purple.

It is planted here in Gardens, and seldome produces Fruit for which some have thought it barren.

Savine is accounted hot & dry, opening & attenuating, being a great Provoker of the Catamenia, causing Abortion & expelling the Birth. It is esteem'd good to destroy Worms in Children, for which Purpose M^r. Ray commends the Juice mixt with Milk & sweetned with Sugar; the Juice beat into a Cataplasma with Hog's Lard, cures Children's Scabby Heads. Official Preparations are the Ol. Sabinae per Infusionem et decoctionem, & the Oleum Sab. chymicum.

Greek, Σαβίνος. Latin, Sabina. Spanish, Sabina. Italian, Savina. French, Savinier. German, Sebenbaum. Dutch, Sevenboom.

Plate 215. *Wall fern or Polypody of the Oak. Polypodium Quercinum*

This Plant grows about eight or ten Inches high, on the back of the Leaves grow the Flowers of a reddish brown Colour.

It grows on old Walls and Trees, and flowers in Autumn.

The Roots are esteem'd opening, & good to purge bilious Humours, & open Obstructions of the Liver, help the Jaundice & Dropsy & provoke Urine. Some account them good for the Scoury for which they are frequently an Ingredient in Antiscorbutic Diet Drinks.

Greek, Πολυπόδιον. Latin, Filicula. Spanish, Polipodio. Italian, Potipodio. French, Polypode. German, Dropffwurk. Dutch, Boomvaren.

Plate 216. *Spleen Wort, Ceterach, Miltwast. Asplenium, Ceterach, Scolopendrium.*

It grows about four Inches high, the Leaves are a dark Green on the upper Side, & brownish on the back Side, which is occasioned by the Seeds growing there.

It grows on Old Walls and Buildings.

This is one of the five Capillary Plants, taking its Name from the good Effects it has in curing the Diseases of the Spleen, taking away the Swellings, and hundering its too great Largness, whence it is called Miltwast: it also opens Obstructions of the Liver, and helps the Jaundice, and is good to cure the Rickets in Children.

Greek, Ἀσπληνιον. Latin, Asplenium. Spanish, Doradillo. Italian, Aspleno. French, Cetrach. German, Miltwast. Dutch, Scolopendrie.



The Wild Olive Tree.

Eliz. Blackwell delin. sculp. et Pinx. } 1. Fruit. } *Olea sylvestris, or Oleaster.*





The Savine Tree.

Eliz. Blackwell delin. sculp. et Pinx.

1. Fruit.
2. Seed.

Sabina.





Wall-fern or Polypody of the Oak.
Eliz. Blackwell delin. sculp. et Pinx.

1. Fruit }

Polypodium Quercinum.



Spleen Wort, Ceterach, Milenvast } 1. Seed. { *Asplenium, Ceterach, Scolopendria.*
Eliz. Blackwell delin. sculp. et Pinx.



Plate 217. *Horsetail. Cauda equina.*

1. The stalks that bear the Seed grow to be 7 or 8 Inches high, & those that bear the Leaves are about 2 Foot high; the Leaves are a bright Green & y Flowers brown.
2. It grows in Ditches and marshy Grounds, flowering in March.
3. Horsetail is accounted restraining drying & binding, good to stop Bleeding in Wounds, and all Haemorrhagies in any part of the Body, the Catamenia and Fluor albus, Ulcerations in y Kidneys or Bladder; & is useful in all kinds of Ruptures.
4. Greek, Ἱσδορύγισ. Latin, Equisetum. Spanish, coda de Mula. Italian, coda di Cavallo. French, Queue de Cheval. German, Rosschwanz. Dutch, Paardestaart.

Plate 218. *Sea Scurvy-grass. Cochlearia Britannica marina.*

1. It grows to be 8 Inches high, the Leaves are a light Green & the Flowers white.
2. This Scurvy-grass grows in great plenty by the Thames Side below Woolwich, and flowers in March and April.
3. This Plant is frequently used in Scorbutic Remedies along with the Garden Scurvy-grass, but wanting its fine volatile Parts, it seems not so prevalent; but abounding more in Saline it may be used to good Purpose as a Diuretic.
4. Greek, *Cochlearia Britannica*. Spanish, *Italian*.
French, *Herbe aux Cuiuers*. German, *Dutch, Lepelbladen.*

Plate 219. *White Maiden Hair. Adiantum album.*

1. The Stalks grow about 3 or 4 Inches high, the Leaves ^{are} a light Green above, and brown underneath by reason of the Seed.
2. It grows on old Stone Walls & Buildings.
3. This is one of the five Capillary Herbs mentioned in the Dispensatory, & has the same Virtues with the rest of the Maiden Hairs, being opening & attenuating and good for Distempers of the Lungs and Breast; and is useful in pectoral Decoctions and Diuretic Apozems.
4. Greek, Ἀδίατον λευκόν. Latin, *Ruta muraria*, or *Sateria Vtae*. Spanish, *Culantrillo depozzo blanco*. Italian, *Capel Venere bianco*. French, *Capit Venere blanche*. German, *Frauen Har*. Dutch, *Steenruyte*.

Plate 220. *Black Maiden Hair. Adiantum nigrum.*

1. This Maiden Hair grows about a Span high, the Leaves are a bright Green above, and underneath they are covered with small Brown Seed.
2. It grows in Shady Lanes and at the Roots of Trees.
3. This is also one of the five Capillary Herbs; & its Virtues are much the same as y common Maiden Hair, being useful for Coughs & all affections of y Lungs and Diseases of y Kidneys; Some commend it as good for the Jaundice.
4. Greek, Ἀδίατον μέλον. Latin, *Adiantum nigrum vulgare*, or *Ompeteris foemina*. Spanish, *Culantrillo depozzo negro*. Italian, *Capel venere*. French, *Capit venere noir*. German, *Frauen Har*. Dutch, *Donnen Haarkruid*.



Horsetail.

Eliz. Blackwell delin. sculp. et Pinx.

1. The Head which
contains the Seed.
2. Seed.

Cauda equina.



Sea Scurvy-grass. } 1. Flower
Eliz. Blackwell delin. sculp. et Pinx. } 2. Seed Vessel. } *Cochlearia Britannica marina.*
3. Seed.





White Maiden Hair.

1. The Back of
the Leaf.

Adiantum album.

Eliz. Blackwell delin. sculp. et Pinx.



Black Maiden Hair. } 1 The Back of
 Eliz. Blackwell delin. sculp. et Pinx. } the Leaf. } *Adiantum nigrum.*



Plate 221. *The East India Tamarind. Tamarindus indica Orientalis.*

1. This Tree differs from the West India Tamarind in the Leaves & Fruit; & is better to be used in Medicines than the other because the Fruit contains more Pulp.
2. It grows in the East Indies and flowers in the Spring. this Specimen of the Tree and fruit is taken from the Malabar Garden.
3. Tamarinds are accounted cooling and opening, good to purge cholerick Humors, and correct the bilious Heat of the Stomach and Bowels; they also are good to allay Thirst, promote Urine, and help the Jaundice.
4. Greek, Οξυφοίνικες. Latin, Tamarindi. Spanish, Italian,
French, German, Dutch,

Plate 222. *Butterbur. Petasites.*

1. The Stalks grow about a Span high, the Leaves are a bright Green above and whitish underneath, and the Flowers purplish.
2. It grows in Marshy Grounds, and on Banks by River Sides; & flowers the Beginning of March.
3. The Roots are esteem'd sudorific, and alexipharmic, good for all Kinds of Fevers and malignant Distempers; preventing Fainting and shortness of Breath, provoking Urine and destroying joint Worms. Outwardly they are used as a cataplasm for pestilential Buboës, and Plague Sores. A good Quantity of them is put into the Aq. Theriacalis.
4. Greek, Βήκιον μέγα. Latin, Petasites major. Spanish, Italian,
Farsara maggiore. French, German, Pestilenzwurt Dutch,

Plate 223. *Ladies Smock, Cuckowflower. Cardamine.*

1. The Stalks grow about a Foot high, the Leaves are a grass Green and the Flowers a pale purple, and often white.
2. It grows in Meadows and on Banks, flowering in March and April.
3. It is accounted heating and warming, good for the Scurvy, the Stone and Gravel, Dropsy and Jaundice.
4. Greek, Σιουμβριον ἐτέρον. Latin, Nasturtium pratense magno flore.
Spanish, Berros. Italian, Gressione minore. French, Gresson de l'Eau.
German, Wasser Gressen. Dutch,

Plate 224. *Wild Naven. Napus sylvestris.*

1. The Stalks grow to be a Foot high, the Leaves are a bright Green, and the Flowers yellow.
2. It grows on Banks and the Edges of Fields, flowering in April.
3. The Ancients commend the Seed as good against all Kinds of Poisons and the Bites of venomous Creatures; and good to provoke Urine and the Terms. Andromachus junior prefers the Seed of this Wild Sort before the Garden, as of a hotter Nature.
4. Greek, Βορριάς ἀγρία. Latin, Buinas sylvestris. Spanish, Nubias
Italian, Navone salvatico. French, Navet sauvage. German, Stechturben. Dutch



East India Tamarind.
Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
 2. Pod open.
 3. Stone.
 4. Leaf Separate.

Tamarindus indica occidentalis.



Butterbur.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
 2. Flower separate
 3. Seed.

Petasites.



Ladies Smock.

Eliz. Blackwell delin sculp. et Pinx.

1. Flower.
2. Flower, separate.
3. Calyx.
4. Pod open.
5. Seed.

Cardamine.





Wild Naven.

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|---|--------------|
| { | 1. Flower. |
| | 2. Calix. |
| | 3. Pod open. |
| | 4. Seed. |

Napus sylvestris.



Plate 225. *Ground Ivy or Alehoof. Hedera terrestris.*

1. The Stalks grow about eight Inches long, the Leaves are a grass Green, and the Flowers blue.
2. It grows by Hedges and Banks, flowering in April.
3. This Plant is esteemed a very good Pectoral, being much used for Coughs, Shortness of Breath and other Disorders of the Lungs; for which a Tea made of the Leaves & a Syrup of the Juice is very beneficial. It is this Plant that they make the Gill Ale with, being accounted antiscorbutic and apperative, and good to provoke Urine & cleanse y^e Ureters. Some Authors commend it steeped in Brandy as of Great Service against the Collic. The Official Preparation is, the Syrup of y^e Juice.
4. Greek, Κίωδος χερόαις. Latin, Chamaecifus. Spanish, Eila. Italian, Hedera terrestris. French, Lierre de la Terre. German, Gündelreben. Dutch, Hondsdraf.

Plate 226. *The Cowslip or Paigle. Paralysis.*

1. The Stalks grow about six Inches high, the Leaves are a grass Green above and whitish underneath, and the Flowers yellow.
2. It grows in moist Meadows and Marshes, flowering in April.
3. The Flowers are accounted cordial, and beneficial to the nervous Sistem, good against the Epilepsy, Palsy, Apoplexy & Pains in y^e Head. Some say they are anodyne & good to procure Sleep for which Purpose they make Tea of them. The Leaves are used in warming, strengthening Ointments, particularly the Unguent Nervinum. Official Preparations are, The Simple Water, The Syrup, and the Conserve.
4. Greek, Λαίν. Latin, Primula veris major. Spanish, Italian, Fiore di Primavera. French, Primvere. German, Schlüsselblumen. Dutch, Sleutelblom.

Plate 227. *Scurvy-Grass. Cochlearia Batava.*

1. The Stalks grow to be eight or nine Inches high, the Leaves are a grass Green, and the Flowers white.
2. It grows wild in the North of England by the Sea Side, but is very much cultivated in Gardens, and flowers in April.
3. This Plant abounds with fine volatile Parts, and therefore y^e Herb infused or the Juice expressed, is more prevalent than a Decoction the volatile Parts flying away in the Boiling, and is accounted a Specific Remedy against the Scurvy Clean and purifying the Juices of the Body from the bad Effects of that Diatemper, and clearing the Skin from Scabs Pimples & foul Eruptions. Official Preparations are, The Simple Water, The Spirit, and a Conserve.
4. Greek, Latin, Cochlearia Batava rotundifolia hortensis. Spanish, Italian, French, German, Löffelkraut. Dutch, Lepelbladen.

Plate 228. *Wake Robin or Cuckow-pint. Arum.*

1. The Stalks grow more than a Foot & an half high, the Leaves are a deep Green, the Flowers purple and the Fruit a yellowish Red.
2. It grows in Hedges and dry Ditches, and flowers in May.
3. The Roots dried & powdered are accounted good for a Cachexy, the Scurvy & Asthma; and the Quantity of a Drachm of y^e Roots of y^e Spotted Sort dried is commended as an excellent Interperiential, & y^e Leaves beat to a Cataplasm is good for Plague Sores. Mathiolus says a Poultice of y^e Roots beat to mash & mixt with cow Dung, eases the Pains of the Gout.
4. Greek, Αpor. Latin, Arum maculatum Maculis nigris. Spanish, Yaro. Italian, Cigaro. French, Vit de Chien. German, Deutscher Imber. Dutch, Kalfsfoot.



Ground Ivy or Mehoof

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Flower separate
- 3. Calix.
- 4. Seed.

Hedera terrestris.



The Cowslip or Paigle.
Eliz. Blackwell delin. sculp. eo Pinx.

1. Flower.
 2. Flower separate.
 3. Calyx.
 4. Seed.

Paraly. 11



Scurvy Grass.

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Flower separate
- 3. Calix.
- 4. Seed.

Cochlearia Batava.





Wake Robin or Cuckow-pint. } 1. Berries.
Eliz. Blackwell delin. sculp. et. Pinx. } 2. Berry separate.
3. Seed.

Arum.



Plate 229. *The Common Aloes. Aloe vulgaris.*

1. The Stalks grow about two or three Foot high, the Leaves are a whitish Green, and the Flowers a pale yellow.
2. It grows in Spain, Italy and the West Indies, flowering in the Spring.
3. The Aloes Hepatica of the Shops or the Barbadoes Aloes is made from this Plant. Aloes is a purging Medicine much in Use, and very beneficial to cold moist Constitutions, but is seldom given by it self unless it be to Children for \oint Worms. It is a main Ingredient in most of the Official Pills, as also in \oint Species Elera Pica.
4. Greek, Αλόη. Latin, Aloe. Spanish, Kierva babosa. Italian, Aloe. French, Moes. German, Bitter Aloes. Dutch, Aloe.

Plate 230. *Sorrel. Acetosa.*

1. The Stalks grow eight or ten Inches high, the Leaves are a grass Green, and the Flowers small and Staminous.
2. It grows in Fields and Meadows, flowering in May.
3. The Leaves are accounted cooling and cordial, and very good in Fevers, resisting Putrefaction. The Root is esteem'd serviceable in the Scurvy & bilious Fluxes. The Seed is restringent, & is put into Diascordium & other binding Medicines.
4. Greek, Οζαρίς. Latin, Oxalis & Acetosa pratensis. Spanish, Azedas. Italian, Acetosa. French, Saliette. German, Saur Umpffer. Dutch, Veld Suringh.

Plate 231. *Turnep. Rapum.*

1. The Stalks grow about three Foot high, the Leaves are a grass Green, and the Flowers yellow.
2. It is sown in Fields and Gardens, flowering in April.
3. Turneps are accounted very wholesome and nourishing, but somewhat windy. A Syrup, made with slices of Turnep and brown Sugar Candy baked in an Oven, is commended as a good pectoral, and of great Service for Coughs and Consumptions.
4. Greek, Ρογγύλη. Latin, Rapum. Spanish, Nabo. Italian, Rapo. French, Rave. German, Ruben, Dutch, Raapen knollen.

Plate 232. *Wall-pepper or Stonecrop. Sedum minimum.*

1. The Stalks grow about five Inches high; the Leaves are a pale Green, and the Flowers yellow.
2. It grows on Walls and Houses, flowering in May.
3. This Plant is often used in the Shops for the Sedum minus, by the Ignorance of the Herb Women, altho' its Qualities are directly opposite to the other Sedums and is more apt to raise than cure Inflammations. This Stonecrop is much commended for the Scurvy, and King's Evil; taken inwardly in Decoction, and the Limbs bathed with it in Fomentations.
4. Greek, Αειβάς Είδος τοίτου. Latin, Sempervivum minimum. Spanish, Semperviva. Italian, Herba Grassella. French, Joubarbe le plus petit. German, Ranver Pfeffer. Dutch, Muur Peper.



The Common Aloe. { 1. Flower.
 { 2. Seed Vessel open.
 { 3. Seed. *Aloe vulgaris.*
Eliz. Blackwell delin. sculp. et Pinx.



Sorrel.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Flower separate.
3. Seed.

Acetosa.





Turnep.

Eliz. Blackwell delin. sculp. et Pinx.

{ 1. Flower.
2. Leaf.
3. Seed.
4. Seed. }

Rapum.





Wall-pepper or Stonecrop. } 1. Flower. { *Sedum minimum.*
Eliz. Blackwell delin. sculp. et Pinx. }

Plate 233. *Yellow Asphodel or Kings Spear. Asphodelus vertus luteus or Hallia Regia.*

1. The Stalks grow about two Foot high, the Leaves are a dark blue Green striped with a willow Green, and the Flowers yellow.
2. It grows naturally in Italy and Sicily, and is planted here in Gardens flowering in April and May.
3. Dioscorides commends the Root as good to provoke Urine and bring down the Menses; and an Ointment made from the Ashes of the Root he says procures the Hair to grow when it has fallen off thro' any Distemper.
4. Greek, Ασφόδελο Ἰνδία or μῆλις. Latin *Asphodelus foemina or luteus*. Spanish, Gamonites. Italian, Anfodillo. French, Asfodelé. German, Gell Affodellwurk. Dutch,

Plate 234. *Wild Bugloss. Buglossum Sylvestre.*

1. The Stalks grow near a Foot high, the Leaves are a light grass Green, and the Flowers a light Blue.
2. It grows by Hedges and amongst Corn, flowering in April and May.
3. Bugloss is much of the Nature of Borrage being accounted cordial and good to exhilarate the Spirits, & drive away Melancholy, & is of Service in hypochondriac and hysteric Disorders.
4. Greek, Βούλγαρον ἄγριον. Latin *Buglossum sylvestre minus*. Spanish, Borrajenes. Italian, Buglossa salvatica. French, Buglose sauvage. German, Ochsenzung. Dutch, Buglose or Ofse tongen.

Plate 235. *Red Beet. Beta rubra, or nigra.*

1. The Stalks grow about two Foot high, the Leaves are a dark Green, tinged with Purple, and the Flowers small and Staminate.
2. It is planted in Gardens and flowers in April and May.
3. Beets are esteemed good to loosen the Belly, and temperate hot choleric Humors. The Juice of y^e Roots is sometimes used as an Errhine, being snuffed up y^e Nose to clear the Head of Flegm and mucous Humors, and by that means to help old Head Aches.
4. Greek, Τέντρον ἐγιστόν. Latin, *Beta rubra vulgaris*. Spanish, Acelgas. Italian, Bietola rossa. French, Poiree rouge. German, Rot Ruben. Dutch, Roode Beete.

Plate 236. *Chervil. Chaerophyllum.*

1. The Stalks grow about a Foot high, the Leaves are a grass Green, and the Flowers white.
2. It is sown in Gardens, flowering in April and May.
3. This Plant has much of the nature of Parsley, being aperitive & attenuating and good for the Stone and Gravel, and to provoke Urine and the Menses.
4. Greek, Χαίερφύλλον. Latin, *Chaerophyllum sativum*. Spanish, Italian, Cerofoglio. French, German, Gerbelcraut. Dutch, Kervel.



Yellow Asphodel or King's Spear } 1. Flower.
 Eliz. Blackwell delin. sculp. et Pinx. } 2. Seed vessel.
 } 3. Seed. } *Asphodelus verus luteus* or
Hasta Regia



Wild Bugloss
Eliz. Blackwell delin. sculp et Pinx.

1. Flower.
 2. Flower separate.
 3. Calyx.
 4. Seed.

Buglossum sylvestris.





Red Beet.

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Flower separate.
- 3. Seed.
- 4. Seedling.

Beta rubra, or nigra.





Chervil.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
 2. Flower Enlarg'd.
 3. Seed Vessel open.
 4. Seed.

Chaerophyllum.

Plate 237. *Fumitory. Fumaria.*

1. The Stalks grow about eight Inches high, the Leaves are a light Green and the Flowers Purple.
2. It grows in Fields and till'd Grounds, flowering in May.
3. This Plant is accounted a great Cleanser of the Blood being good for all Sorts of Cutaneous Distempers & leprous Disorders. It is much drank with Whey in the Spring to purge & purify $\frac{1}{2}$ Blood & help $\frac{1}{2}$ Scurvy, Jaundice & Affections of the Spleen.
4. Greek, *Καυρός*. Latin, *Fumaria officinarum et Dioscoridis*. Spanish, *Palomelha*. Italian, *Fumosterno*. French, *Fumeterre*. German, *Erdevauch Rakentorbel*. Dutch, *Duyderkerdel*.

Plate 238. *The true white Asphodel. Asphodelus verus, albus*

1. The Stalks grow about three Foot high, the Leaves are a light grass Green, and the Flowers white with purple Veins.
2. It is a native of Spain, Italy and the Southern Parts of France; and is planted here in Gardens flowering in April.
3. Dioscorides commends the Root as good for eating Ulcers, Inflammations in the Breast or Blotches in the Skin. The Juice of the Root he says cures Scabby Ears, and eases the Pain of the Teeth by pouring some of it into $\frac{1}{2}$ contrary Ear where the Tooth aches. He also recommends $\frac{1}{2}$ Root to provoke Urine & bring down the Menses.
4. Greek, *Ασφόδελο*. Latin, *Asphodelus albus ramosus mas*. Spanish, *Gamonet*. Italian, *Asfodillo*. French, *Asfodelé*. German, *Affodillwurt*. Dutch,

Plate 239. *Great Woolf's-bane or Leopard's-bane. Doronicum Romanorum.*

1. The Stalks grow about eighteen Inches high; the Leaves are a dull Green, and the Flowers yellow.
2. It is a native of the Alps, and is planted here in gardens flowering in April.
3. Some commend the Root against the Poison of Scorpions; others account it a Poison, and say it will destroy Wolves, Dogs, & other Animals. Those who have a mind to see $\frac{1}{2}$ Arguments on both Sides, may consult Lobel & Matthioli.
4. Greek, Latin, *Doronicum radice Scorpæ*. Spanish, Italian, *Doronico*. French, *Le Doronic*. German, *Gemsennwurt*. Dutch, *Doronicum*.

Plate 240. *Birch. Betula.*

1. This grows to be a tall Tree, the Leaves are a bright grass Green, and the Catkins brownish.
2. It grows in Woods, and the Catkins come out in April.
3. The Liquor that comes from this Tree, bored in the Spring, is accounted good for the Stone, Gravel, Strangury & bloody Urine. The Leaves are esteemed good for the Dropsy, & Itch, used both inwardly & outwardly. The Wood next to Juniper, is prefer'd to burn in times of Pestilence & contagious Distempers.
4. Greek, *Σπυδα*. Latin, *Betula*. Spanish, Italian, *Betula*. French, *Le Bouleau*. German, *Bircken*. Dutch,



Fumitory.

Eliz. Blackwell delin. sculp. et Finc.

- 1. Flower.
- 2. Flower separate.
- 3. Seed vessel open.
- 4. Seed.

Fumaria.





The true white Asphodel.
 Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
 2. Seed vessel.
 3. Seed.

Asphodelus verus, albus.



Great Woolf-bane or Leopards-bane. *Doronicum Romanorum.*
 Eliz. Blackwell delin. sculp. et Pinx. {

 1. Flower.
 2. Flower separate.
 3. Cilia.
 4. Seed.



Birch.

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Catkin.
- 2. Cone.
- 3. Scale of the cone.
- 4. Scale, with its seed.

Betula

Plate 241. *Stoechas*, or *French Lavender*. *Stoechas arabica* or *purpurea*.

1. This Shrub grows about three Foot high, the Leaves are a whitish Green, and the Flowers a deep Purple.
2. It grows naturally in Spain, and the Southern Parts of France, and is planted here in Gardens, flowering in April and May.
3. The Flowers are accounted cordial & cephalic, Strengthening the Genus Nervosum, and are usefull in Apoplexies, Palsies & Convulsions. They are also opening & attenuating, promoting the Catamenia and resisting Poisons.
4. Greek, ΣΤΙΧΑΣ or ΣΤΟΙΧΑΣ. Latin, *Stoechas arabica* or *Stoechas purpurea*. Spanish, *Tamani* or *Cantuello*. Italian, *Stechade*. French, *Stechados*. German, *Sacharcrout*. Dutch, *Stoechas*.

Plate 242. *Rocket*. *Eruca*.

1. The Stalks grow about three Foot high, the Leaves are a grass Green, and the Flowers white with purple Veins.
2. It is sown in Gardens, and flowers in April and May.
3. The Leaves are often eat as a Sallad with other Herbs; Some account it a Stimulus to Venery, & a good Diuretic. Matthiolus commends the Syrup of the Leaves as good for Children's Coughs. Cammerarius that an equal Part of Rocket and Cummin Seed powdered is a good Preservative against the Apoplexy.
4. Greek, ΕΙΣΩΜΟΝ. Latin, *Eruca latifolia alba*. Spanish, *Oruga*. Italian, *Rucola*. French, *Roquette*. German, *Beiß Senff*. Dutch, *Rakette*.

Plate 243. *Sweet-Cicely*. *Myrrhis*.

1. The Stalks grow about four Foot high, the Leaves are a bright grass Green, and the Flowers white.
2. It is sown in Gardens, and flowers in April and May.
3. This Plant is often eat as a Sallad, being much of the same Nature as Chervil, consisting of hot & thin Parts, being good for cold windy Stomachs, opening Obstructions of the Liver and Spleen, & provoking Urine.
4. Greek, ΜΥΡΡΙΣ. Latin, *Myrrhis major*, & *Cicutaria odorata*. Spanish, Italian, *Mirrade*. French, German, *Belfcher* *Ginbel*. Dutch,

Plate 244. *Broom*. *Genista*.

1. The Stalks grow about Eight or ten Foot high, the Leaves are a dark Green, and the Flowers a bright Yellow.
2. It grows in Fields and on Commons, flowering in May.
3. The Stalks, Flowers & Seed are used, & are esteem'd good to provoke Urine & open Obstructions of the Liver & Spleen. It is esteem'd good for $\dot{\gamma}$ Dropsy infused in common Drink or $\dot{\gamma}$ Whes infused in Wine, causing great Discharges of Water by Urine. Some pickle $\dot{\gamma}$ Flowers, before they are full blown, with Salt & Vinegar, and use them instead of Capers, esteeming them good against Diseases of the Liver & Spleen.
4. Greek, ΓΙΝΕΣΤΡΑ. Latin, *Genista angulosa* et *Scoparia*. Spanish, *Genestra*. Italian, *Ginestra*. French, German, *Ginst*. Dutch, *Brem*.



Stechas, or French Lavender. { 1. Flower.
2. Flower separate.
3. Calyx.
4. Calyx open.
5. Seed. } *Stoechas arabica or purpurea.*
Eliz. Blackwell delin. sculp. et Pinx.



Rocket.

Eliz. Blackwell delin. sculp. et Pinx.

Eruca.





Sweet Cicely

Myrrhis.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
2. Seed Vessel.
3. Seed.





Broom.

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|--------------|---|
| 1. Flower. | } |
| 2. Pod. | |
| 3. Pod open. | |
| 4. Seed. | |

Genista

Plate 245. *Male-Piony. Paeonia mas.*

1. The Stalks grow about two Foot high, the Leaves are a dark grass Green with reddish Veins, and the Flowers red.
2. It is planted in Gardens and flowers in April and May.
3. The Flowers Seed & Roots are esteem'd cephalic, & good for the Epilepsy, Apoplexy, & all kinds of Convulsions; both in young & old. They are also accounted good in histeric Cases, Obstructions of the Menses and the Retention of the Lochia. The Root and Seed are hung about Children's Necks to prevent Convulsions in Breeding their Teeth.
4. Greek, Πικκωρίδιον, or Πασιονία. Latin, *Paeonia folio nigricante splendido que Mas.* Spanish, *Rosa del Monte.* Italian, *Peonia.* French, *Pivoine* or *Pynoine.* German, *Peonien.* Dutch, *Pioene maneke.*

Plate 246. *Woad. Isatis.*

1. The Stalks grow about three or four Foot high, the Leaves are a willow Green, and the Flowers yellow.
2. It grows wild in several Parts of England, but is generally Sown for the Use of the Dyers; and flowers in May.
3. Woad is esteem'd restringent & drying, and is good to stop inward & outward Bleedings. Some commend it much for Ruptures & Strains, and to strengthen the Joints. - It is an Ingredient in the *Emplastrum ad Herniam.*
4. Greek, Ισάτις. Latin, *Glistum & Isatis folia, or latifolia.* Spanish, *Pastel.* Italian, *Guado.* French, *Gueda* or *Pastel.* German, *Weid.* Dutch,

Plate 247. *The Wallnut. Juglans.*

1. This grows to be a large Tree, the Leaves are a yellow Green & Catkins yellowish.
2. It is planted in Walks, Parks & Fields; and the Catkins come out in April.
3. The Bark is accounted a strong Emetic, either Green, or dried and powdered. The Green Nuts are cordial & alexipharmic being of great Use in all contagious malignant Distempers, & even the Plague; they are one of the Principal Ingredients in the Treacle Water. - The Nuts preserved are good to be eat in a Morning to prevent Infection in the time of Pestilential Distempers. - Two or three Ounces of the Oil express'd from the ripe Kernels, is a very good Medicine for the Stone and Gravel. The Shells powdered or burnt are accounted restringent.
4. Greek, Κάβχα Βασιλική. Latin, *Nux juglans* or *regia vulgaris.* Spanish, *Noeses.* Italian, *Noci.* French, *Noix.* German, *Welschnuß.* Dutch, *Ockernooten.*

Plate 248. *Black Poplar. Populus nigra.*

1. It grows to be a large Tree, the Leaves are a bright grass Green, the Catkins yellowish, and the Berries Green.
2. It grows by Watery Places and Rivers, and the Catkins come out in April.
3. The Leaves & Buds are used to make of Unquentum Populeon. Schroder says the Women in Germany use of Buds to make their Hair grow thick & ornamental.
4. Greek, Αΐγελος. Latin, *Populus nigra.* Spanish, *Alamo negrillo.* Italian, *Popolo negro.* French, *Tremble.* German, *Aspen* or *Popel Weiden.* Dutch, *Swaete Populier.*



Male-Piony.

Paeonia mas.

Eliz. Blackwell delin. sculp. et Pinx.

- 1. Flower.
- 2. Seed Vessel.
- 3. Seed Vessel open.
- 4. Seed.





Woad.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
 2. Petal.
 3. Seed Vessel.
 4. Seed Vessel open.
 5. Seed.

Isatis.





The Walnut.

Eliz. Blackwell delin. sculp. et Pinx.

- | | |
|---------------|---------------|
| 1. Catkin. | 4. Shel. |
| 2. Flower. | 5. Shel open. |
| 3. Green Nut. | 6. Seed. |

Juglans





Black Poplar. { 1. Bark
2. Fruit
3. Seed }

Bliz. Blackwell delin. sculp et Pinx.

Populus nigra.



Plate 249. *Hounds-tongue. Cynoglossum.*

1. The Stalks grow two or three Foot high, the Leaves are a blue Green, and the Flowers red.
2. It grows by Hedges and the Sides of Roads flowering in May & June.
3. The Root is accounted cold, drying, & binding, good for catarrhus Defluxions upon the Lungs; and all kinds of Fluxes & Haemorrhagies, & a Gonorrhoea. Some account it a vulnerary, & use it for scrophulous Tumors, taken inwardly, or applied outwardly as a Cataplasm. The Official Preparation is γ Pilul. Cynogloss.
4. Greek, Κυνόγλωσσον. Latin, Cynoglossa, & Cynoglossum majus vulgare. Spanish, Italian, Lengua Canina. French, Langue de Chien. German, Hundstung. Dutch, Hondstonge.

Plate 250. *Valerian. Valeriana or Phu.*

1. The Stalks grow three Foot high, the Leaves are a grass Green, and the Flowers white.
2. It is a Native of Italy, and is planted here in Gardens flowering in May.
3. The Root is esteem'd alexipharmic, sudorific & cephalic, being of great Service in malignant Fevers & pestilential Distempers. It also helps the Head & Nerves, provokes Urine and brings down the Menses. It is an Ingredient in the Theriaca, and Mithridate.
4. Greek, Ποῦ & Αγρία Ναρδος. Latin, Valeriana hortensis & Phu folio Olusatris Dioscoridis. Spanish, Yerva benedicta. Italian, Valeriana. French, Valerienne. German, Valdrian. Dutch, Hof Valeriana.

Plate 251. *Solomon's-Seal. Polygonatum & Sigillum Solomonis.*

1. The Stalks grow two Foot high, the Leaves are a grass Green above and a willow Green underneath, and the Flowers white incircled with Green.
2. It grows wild in several Woods & Copses here, and flowers in May.
3. The Leaves & Root are used, being esteem'd vulnerary and restraining, good to stop all Kinds of Fluxes & Haemorrhagies, & consolidate Wounds, Fractures & Ruptures, especially the Root. Matthioli commends the Root, preserved in Sugar, as of great Service against γ Fluor albus. Some say a Cataplasm of γ Root is good to take away black & blue Marks arising from Contusions.
4. Greek, Πολύγονατον. Latin, Polygonatum latifolium vulgare. Spanish, Italian, Ginocchietto. French, Geniculiere. German, Weiss Wurt. Dutch, Salomons Seyer.

Plate 252. *Comfrey. Symphytum & Consolida major*

1. The Stalks grow 3 Foot high, the Leaves are a dull grass Green, & γ Flowers white.
2. It grows on Banks by River Sides & Watery Places, flowering in May & June.
3. The Root Leaves & Flowers are used, being accounted vulnerary, whence it takes the Name of Consolida. It is esteem'd good for inward Bruises, spitting of Blood and sharp corroding Humours that cause Erosions in the Bowels. Some commend the Roots beat to a Cataplasm as good for the Gout. The Official Preparation is the Syrup. de Symphyto.
4. Greek, Συμφυτον ἑρπυον. Latin, Consolida major. Spanish, Consuelda major. Italian, Consolida maggiore. French, Oreille de Ane. German, Schwarzwurt. Dutch, Smeernwortel.



Heunds-tongue

Blackwell delin. vulp. et Pirx.

1. Flower.

2. Flower separate

3. Calix.

4. Calix open.

5. Thel of a Seed.

6. Seed.

Cynoglossum.





Valerian.

Eliz. Blackwell delin. sculp. et Pinx.

1. Flower.
 2. Flower separate.
 3. Seed.

Valeriana or Phu.





Solomon's-Seal.
Eliz. Blackwell delin. sculp. et Pinx.

1. Flower. 2. Berry. 3. Stone.	}	<i>Polygonatum & Sigillum Solomonis</i>
--------------------------------------	---	---



Comfrey.

Eliz Blackwell delin. sculp. et Pinc.

1. Flower.
2. Flower separate.
3. Flower open.

4. Latex.
5. Seed.

Symphytum & Consolida major



in English Index to the PLANTS contained in the first Volume

A		E		M		S	
Agrimony.....	21	Elder.....	151	Medlar.....	154	Self-heal.....	218
Alder black.....	152	Esula-leffer.....	163	Melilot.....	80	Service-Tree.....	174
Almond.....	105	Eupatorium.....	110	Mercury-French.....	102wild.....	173
Alkanet.....	112	F		Mint-Water.....	32	Shepherd's-Purse.....	5
Aloe-Barbadoes.....	229	Feverfew.....	109	Mistletoe.....	164Staff.....	124
Apple.....	141	Fig-Tree.....	125	Mother-Wort.....	171	Silver-Weed.....	6
Archangel.....	33	Fig-Wort.....	37	Mullein.....	126	Solomon-Seal.....	251
.....red.....	162	Fit.....	252	Musk-Grassbill.....	150	Spice-Wort.....	113
Asmart.....	110common.....	298	Myrtle.....	114	Sorrel.....	230
.....spotted.....	116	Flax.....	16	N		Sow-bread.....	147
Asphodel.....	238	Flea-bane.....	103	Nettle.....	12	Sow-Thistle.....	130
.....yellow.....	233	Flower de Luce.....	69woody.....	34prickle.....	30
B		Fluellin.....	170	Night-Shade.....	107	Speedwell.....	143
Balm.....	27	Fox-glove.....	10	107	Spinage.....	43
Barberry.....	105	Fraxinella.....	75	Noble Liverwort.....	207	Spiken-Wort.....	216
Bau.....	175	Fumitory.....	237	O		Spurge.....	123
.....of Alexandria.....	194	G		Olive.....	199Laurel.....	62
Beast.....	104	Germander.....	180wild.....	213	Starnwort.....	109
Bean.....	10	Gladiolus.....	158	Orache.....	99	Stechas.....	241
Beans-Beech.....	89	Goats Rue.....	92	Orache.....	99	Sinking Orache.....	100
.....foot.....	57	Golden-Rod.....	109	Orpine.....	191	Stock-July-flower.....	181
Beet-red.....	235	Groundsel.....	132	Ox-Eye Daisy.....	42	Strawberry.....	77
Beltony.....	40	Ground-Ivy.....	225	P		Succory.....	177
Birdweed.....	38	Guinea-Pepper.....	129	Palma Christi.....	148wild.....	183
Birch.....	240	H		Parley.....	172	Swallow-Wort.....	96
Bitter-Fetch.....	208	Hearts-Ease.....	44	Peach.....	101	Sweet-Lucy.....	243
Bramble.....	45	Harts-Tongue.....	138	Peas.....	83	Swines-Grass.....	120
Blue Bottle.....	66	Hedge-Mustard.....	28	Pellitory of Wall.....	150	T	
Borage.....	36Nettle.....	84	Penninckle.....	59	Tamarind.....	201
Box.....	196	Hellebore.....	74	Pimpernel.....	43East India.....	221
Briony.....	37	Hibiscus-white.....	111	Pilewort.....	51	Tarragon.....	116
Brook-Lime.....	48	Holly.....	205	Pine.....	139	Teasel.....	50
Broom.....	244	Hollyhock.....	54wild.....	150	Thorn-Wax.....	95
Buck-thorn.....	135	Honey-Suckle.....	25	Pony.....	245	Thyme.....	211
Bugle.....	64	Horse-Rail.....	217juncus.....	05	Toads-Flax.....	115
Bugloss-wild.....	234tongue.....	128	Plantain.....	35	Tobacco.....	146
But dock.....	117tongue.....	249	Plowman-Spikenard.....	109	Treacle-Mustard.....	08
Butter-Bur.....	222	Hyacinth.....	81	Polypody.....	215	Tree of Life.....	210
C		I		Pomegranate.....	145	Turnep.....	231
Calamint-common.....	167	Tasmin.....	13wild.....	97	Tutsan.....	94
.....mountain.....	166	St Johns-Wort.....	15	Poplar.....	248	V	
.....water.....	131	Juniper.....	187	Poppy.....	24	Valerian.....	250
Cassia.....	229	Ivy.....	188	Primrose.....	54	Vervain.....	41
Celandine.....	91	K		Privet.....	140	Violet.....	55
Centory.....	93	Kneeholm.....	155	Q		W	
Chast-Tree.....	130	L		Quince.....	137	Wake-Robin.....	223
Chervil.....	236	Ladies-Beds-trav.....	168	R		Wall-flower.....	179
Chickweed.....	164Mantle.....	72	Raisins of the Sun.....	153	Wallnut.....	247
Cistus.....	197Smock.....	223	Raddish.....	81	Wall-pepper.....	232
Clary.....	122Thistle.....	70	Railwort.....	14	Water-Agrimony.....	110
Clivers.....	39	Lark's-Spur.....	86	Rocket.....	242Betsy.....	86
Clove-July-Flower.....	85	Lettuce.....	88	Rose-Damask.....	84Melon.....	157
Clover.....	20	Lilly.....	11Dog.....	84	Wheat.....	40
Colt-foot.....	203of the Valley.....	70Red.....	78	White Mustard.....	29
Comfrey.....	252	Love-Apple.....	133White.....	73Thorn.....	142
Coriander.....	176	M		Rosemary.....	159	Whitoe Grass.....	212
Cork-Tree.....	193	Maiden-Hair-white.....	220	Rue.....	77	Wild-Avena.....	224
Cornel.....	121black.....	219	S		Winters-Bark.....	200
Cosmary.....	98	Mallow.....	34	Saffron.....	144	Winter Cherries.....	161
Cucumber.....	4	Marsh-Mallow.....	90of Verme.....	71	Wood.....	246
.....wild.....	108	Marum.....	47	Savile.....	63	Woodroof.....	60
Cowslip.....	226	Murgold.....	106	Saxifrage.....	50	Wood-Sage.....	59
Crab-Tree.....	178	Nitthick-Thyme.....	134	Scabious.....	135	Woods-Bane.....	250
Cranes-bill.....	58Tree.....	195	St. Peter-Oak.....	130	Wormwood.....	87
Cress.....	23	May-Weed.....	67	Scoury-grass.....	227	Y	
Cress-Wort.....	76	D					
Crown-foot.....	31	Daisy.....	200				
Cypress-Tree.....	127	Dandelion.....	1				
D		Date-Tree.....	204				
Daisy.....	200	Devils-Bit.....	122				
Dandelion.....	1						
Date-Tree.....	204						
Devils-Bit.....	122						

CATALOGUS PLANTARUM quae in hoc Volumine Continentur

A

Abies.....	203
— rubra.....	198
Albinthum.....	17
anthus.....	30
— agrestis.....	108
Adiantum album.....	210
nigrum.....	240
Agrimonia.....	21
Alchemilla.....	72
Alkekengi.....	161
Alor.....	220
Alpine.....	164
Althaea.....	90
Amigdalus.....	105
Anagallis arvensis mas.....	43
Anchusa.....	112
Androsæmum.....	94
Aparine.....	30
lupulinum.....	205
Argemone.....	6
Arum.....	248
Aclepias.....	96
lupulinum.....	60
lupulinum album.....	238
— luteus.....	233
lup. Alnus.....	100
lup. Alnus.....	69
Alula.....	100

B

Balsamita mas.....	98
Basiliana major.....	117
Berberis.....	48
Bellis.....	400
— major.....	42
Berberis.....	105
Beta rubra.....	235
Bethonica.....	46
Betula.....	240
Boragin.....	36
Boragin.....	37
Buglossum sylvestre.....	234
Bugula.....	64
Bursa Pastoris.....	5
Buxus.....	196

C

Calamagrostis.....	167
— aquatica.....	151
— montana.....	166
Calendula.....	106
lup. Alnus.....	120
Cardamine.....	223
Cardiaca.....	171
Carduus Mariae.....	79
Caryophyllus.....	85
Calaputia minor.....	123
Centaureum majus.....	93
lup. Alnus.....	210
Chamaedry.....	180
Chamaedry.....	67
Chelidonium.....	51
— minus.....	51
Cherierfolium.....	236
Cichorium.....	177
— sylvestre.....	183
Cistus Ladanifera.....	197
Citullus.....	157
Cichlearia.....	227
— Briannica.....	218
Convolvulus.....	38
— longsa.....	103
— major.....	102
Coriandrian.....	176
Cornus.....	121
Cornopius Ruella.....	120

L

Cortex Winteranus.....	208
Crocus.....	144
Cruciata.....	70
Cucumis.....	4
— agrestis.....	108
Cupressus.....	137
Cyarus.....	66
Cyclamen.....	147
Cydonia.....	137
Cymoglossa.....	249
Delphinium.....	26
Dens Leonis.....	1
Dictamnus albus.....	75
Digitalis.....	16
Dipsacus.....	50
— sylvestris.....	144
Doronicum Romanum.....	239
Draunculus.....	116
Flabine.....	170
Equisetum.....	217
Eruca.....	242
Erysimum.....	28
Eula minor.....	163
Eupatorium.....	110
Faba.....	19
Ficus.....	145
Fragaria.....	77
Frangula.....	152
Fumaria.....	237
Galera.....	32
— Galicopsis.....	24
— Galium.....	108
— Genista.....	244
— Geranium.....	28
— mechaum.....	150
Helios.....	108
— terrestris.....	245
Helleborus.....	74
Helleboraster.....	77
Hepatica nobilis.....	207
Hippoglossum.....	128
Hornum.....	123
Hyacinthus.....	61
Hyoscyamus.....	111
Hypericum.....	15
Iasminum.....	13
Ilex coccigera.....	108
Iris.....	50
— foetida.....	158
Iatis.....	246
Euglans.....	247
Inniperus.....	167
Lactuca.....	88
Lamium album.....	33
— rubrum.....	182
Laureola.....	62
Laurus.....	175

M

Laurus Alexandrina.....	194
Lentiscus.....	105
Leucosium.....	181
— luteum.....	179
Ligustrum.....	140
Lilium.....	11
— convallium.....	70
Linaria.....	115
Lingua Cervina.....	138
Lirium.....	160
Malva.....	22
— arborea.....	54
— Malus.....	141
— sylvestris.....	178
Marrubium foetidum.....	130
Marum.....	134
— Syriacum.....	47
Matricaria.....	192
Melilotus.....	60
Melissa.....	27
Mercurialis.....	162
Mispilus.....	154
Millefolium.....	18
Morus.....	126
Myrrhus.....	243
Myrtus.....	114

N


Napus.....	224
Nasturtium.....	23
Nicotiana.....	146
Ocimum.....	104
Olea.....	199
Oleaster.....	213
Orob.....	208


P

Paeonia.....	65
— mas.....	245
Palma Christi.....	148
— Dactylifera.....	202
Papaver rubrum.....	2
— Parnassus.....	220
— Parnassus.....	156
— Parnassus.....	212
— Parnassus.....	95
— Parnassus.....	25
— Parnassus.....	101
— Parnassus.....	118
— Parnassus.....	110
— Parnassus.....	222
— Parnassus.....	172
— Parnassus.....	140
— Parnassus.....	180
— Parnassus.....	100
— Parnassus.....	83
— Parnassus.....	35
— Parnassus.....	14
— Parnassus.....	251
— Parnassus.....	215
— Parnassus.....	133
— Parnassus.....	248
— Parnassus.....	52
— Parnassus.....	24
— Parnassus.....	145
— Parnassus.....	97
Ranunculus.....	11

R

Raphanus.....	81
Rapum.....	231
Rhamnus catharticus.....	135
Rosa alba.....	73
— Damascena.....	62
— rubra.....	78
— sylvestris.....	8
Rosmarinus.....	150
Rubus.....	45
Ruscus.....	155
Ruta.....	7
Sabina.....	214
Sabzia.....	10
— minor.....	71
Sambucus.....	151
— Smicula.....	63
— Saponaria.....	113
— Saponaria.....	53
— Saponaria.....	56
— Saponaria.....	135
— Saponaria.....	0
— Saponaria.....	87
— Saponaria.....	66
— Saponaria.....	232
— Saponaria.....	134
— Saponaria.....	200
— Saponaria.....	20
— Saponaria.....	34
— Saponaria.....	107
— Saponaria.....	34
— Saponaria.....	30
— Saponaria.....	130
— Saponaria.....	174
— Saponaria.....	173
— Saponaria.....	149
— Saponaria.....	40
— Saponaria.....	241
— Saponaria.....	193
— Saponaria.....	142
— Saponaria.....	202
Tamarindus.....	201
— orientalis.....	221
Telephium.....	101
Thlaspi.....	108
Thysa.....	210
Thymus.....	211
Trifolium.....	20
Tritium.....	40
Typhlago.....	204
Valeriana.....	250
Verbascum.....	3
Verbena.....	41
Veronica mas.....	143
Viola.....	50
— tricolor.....	41
— pinnatifida.....	50
— Virga aurea.....	105
— Virga aurea.....	131
— Virga aurea.....	130
— Virga aurea.....	153
— Virga aurea.....	12





New all-rag end paper signatures,
unbleached linen hinges, hand
sewed headbands. Rebound in quarter
Chieftan goatskin with Bancroft
cloth sides. Leather treated with
potassium lactate and neat's foot
oil and lanolin. September 1975.

Carolyn Horton & Assoc.
430 West 22 Street
New York, N.Y. 10011

